

Ryan White HIV/AIDS Program

Annual Data Report

Ryan White HIV/AIDS Program Services Report

2024



The Ryan White HIV/AIDS Program Annual Data Report is published by the Division of Policy and Data, HIV/AIDS Bureau (HAB), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services, Rockville, Maryland.

Data presented are for clients reported to the HRSA HAB Ryan White Services Report (RSR; non–AIDS Drug Assistance Program [ADAP]) data system for calendar years 2020 through 2024. The Ryan White HIV/AIDS Program Annual Data Report is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

Suggested Citation

Health Resources and Services Administration. *Ryan White HIV/AIDS Program Annual Data Report 2024*. <https://ryanwhite.hrsa.gov/data/reports>. Published December 2025.

Health Resources and Services Administration

Thomas J. Engels *Administrator*

HIV/AIDS Bureau, Health Resources and Services Administration

Heather Hauck, MSW, LICSW *Associate Administrator*

Antigone Dempsey, MEd..... *Deputy Associate Administrator*

Michael Kharfen *Director, Division of Policy and Data*

Tracy Matthews, MHA, RN *Deputy Director, Division of Policy and Data*

Chrissy Abrahms Woodland, MBA..... *Director, Division of Metropolitan HIV/AIDS Programs*

Susan Robilotto, DO *Director, Division of State HIV/AIDS Programs*

Dana Hines, PhD, RN *Acting Director, Division of Community HIV/AIDS Programs*

Makeva Rhoden, PhD, MPH, CHES *CDR, USPHS; Acting Director, Office of Program Support*

Paul Belkin..... *Executive Officer, Office of Operations and Management*

Information about the Ryan White HIV/AIDS Program: ryanwhite.hrsa.gov

Acknowledgments

Publication of this report was made possible by the Ryan White HIV/AIDS Program grant recipients and subrecipients that provided RSR data to HRSA HAB.

CONTENTS

RWHAP Annual Data Report Insights	1
Technical Notes At-A-Glance	3
Background and Summary	5
Technical Notes	11
References	16
Additional Resources	18
Tables	19

Section 1. National-Level Data: Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Client Characteristics—United States and 3 Territories

Section 2. National-Level Data: Retention in Care and Viral Suppression Among Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Patients—United States and 3 Territories

Section 3. State- and EMA/TGA-Level Data: Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Client Characteristics

Section 4. State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression Among Ryan White HIV/AIDS (RWHAP; non-ADAP) Patients

This page intentionally left blank

RWHAP ANNUAL DATA REPORT INSIGHTS

The Ryan White HIV/AIDS Program (RWHAP) supports direct health care and support services for over 600,000 people with HIV—more than half of all people with diagnosed HIV in the United States (Figure 1) [1]. The RWHAP funds and coordinates with cities, counties, states, and local community-based organizations to deliver efficient and effective HIV care, treatment, and support services for people with HIV who have lower incomes.

The RWHAP is critical to ensuring that individuals with HIV are linked to and retained in care, have access to medications, and remain virally suppressed. People with HIV who take HIV medication as prescribed and reach and maintain viral suppression can manage their HIV as a chronic condition and can live longer and healthier lives. Additionally, people who reach and maintain viral suppression cannot sexually transmit HIV. This means that the RWHAP improves health and prevents HIV transmissions, which reduces overall costs to the health care system [2, 3, 4]. The data presented in this report provide insight into the RWHAP’s wide reach and impact across the United States.

Figure 1
Overview of Ryan White HIV/AIDS Program Clients, 2024—United States and 3 Territories

The Ryan White HIV/AIDS Program (RWHAP)
SERVED

601,853 CLIENTS
IN 2024,



more than

50%

of people with
diagnosed HIV in
the United States



18.0%
had no **health**
care coverage



5.1%
experienced
unstable housing




59.3%
were living at or below
100% of the Federal
Poverty Level



47.4%
were aged
50 years and older

In 2024, more than 91 percent of patients receiving RWHAP medical care were virally suppressed, which is significantly higher than the 67.2% of all people in the United States with diagnosed HIV who are virally suppressed [5]. The RWHAP is becoming more effective every year; viral suppression has increased consistently from 69.5% in 2010 (Figure 2). The outcomes achieved by the RWHAP demonstrate the impact of the program on the HIV epidemic in the United States. Despite this significant progress in viral suppression, further headway can be made to improve outcomes among people and communities that are disproportionately affected by HIV.



^a Viral suppression is based on data for people with HIV who had at least one outpatient ambulatory health services visit and at least one viral load test during the measurement year and whose most recent viral load test result was <200 copies/mL.

TECHNICAL NOTES AT-A-GLANCE

Refer to the full [Technical Notes](#) for additional information.

WHY does the Health Resources and Services Administration (HRSA) HIV/AIDS Bureau (HAB) produce the Ryan White HIV/AIDS Program (RWHAP) Annual Data Report?

- To assess the numbers and demographics of clients receiving RWHAP services.
- To understand and measure progress toward reaching select HIV-related clinical outcome indicators.
- To inform service delivery and prioritize resources and interventions with carefully curated data to drive decision-making.

WHO is included in this report?

- People with HIV and people who are affected by HIV. In 2024, people with HIV represented 97.9% of all RWHAP clients.
- Clients served with any RWHAP funding (Parts A, B, C, and/or D); RWHAP-related funding (e.g., program income); or HAB’s Ending the HIV Epidemic in the U.S. (EHE) initiative funding.
- Clients receiving any RWHAP service, unless otherwise noted (e.g., viral suppression).

WHAT information is presented?

- Client demographic and socioeconomic characteristics, such as age, race/ethnicity, sex, federal poverty level (FPL), health care coverage, and housing status.
- HIV-related outcomes, with highlights of analyses.
 - Retention in care data report how many RWHAP patients have had multiple medical visits in a calendar year, with the first visit by September 1 and the second visit at least 90 days after.
 - Viral suppression data report how many RWHAP patients receiving RWHAP-funded medical care had an HIV RNA test result <200 copies/mL at the end of the calendar year.
- Ryan White Services Report (RSR) data do not include information about Part B AIDS Drug Assistance Program (ADAP) clients. Although data presented in this report are “non-ADAP,” many clients also receive ADAP services.

What GEOGRAPHIC LEVELS are presented?

- All 50 states, the District of Columbia, Guam, Puerto Rico, and the U.S. Virgin Islands.
- National data are presented in Tables 1a through 13b.
- State and Eligible Metropolitan Area or Transitional Grant Area (EMA/TGA) data are displayed in Tables 14a through 29b.

What **TIME PERIODS** are included?

- Calendar years 2020 through 2024, with additional details for calendar year 2024.
- Time trend data (2020–2024) are analyzed separately for each calendar year and compared across years because data are de-identified when reported (i.e., it is not possible to link individual client data across years).

HOW is information reported to HRSA HAB?

- HRSA HAB grant recipients and subrecipients that use RWHAP funds to provide core medical, support, or HAB EHE initiative services during the reporting period submit client-level data through the RSR system.
- Each year, data are reported to HRSA HAB for all clients who met the recipient’s eligibility requirements for RWHAP participation and were served in the preceding calendar year.
- These data are reported by more than 2,000 grant recipients and subrecipients.

BACKGROUND AND SUMMARY



RYAN WHITE HIV/AIDS PROGRAM OVERVIEW

The U.S. Department of Health and Human Services (HHS) Health Resources and Services Administration (HRSA) HIV/AIDS Bureau (HAB) administers the Ryan White HIV/AIDS Program (RWHAP). In 1990, Congress passed the Ryan White Comprehensive AIDS Resources Emergency (CARE) Act to address the crisis of the HIV epidemic in the United States. This statute was amended and reauthorized in 1996, 2000, 2006, and, most recently, in 2009 as the Ryan White HIV/AIDS Treatment Extension Act of 2009 [6].

The RWHAP was funded at \$2.57 billion in federal fiscal year 2024 and is focused exclusively on HIV care, treatment, and support services. So that it can be the “payor of last resort,” the RWHAP leverages other funding sources and health care coverage opportunities for people with HIV (e.g., state and/or local funds, program income, pharmaceutical rebates). Since it was established in 1990, the RWHAP has developed a comprehensive system of services within a network of providers who deliver high-quality, direct health care and support services, as well as technical assistance, clinical and workforce training, and innovative models of care to meet the needs of people with HIV.

The RWHAP has [five statutorily defined Parts](#):

- **Part A** provides funding to Eligible Metropolitan Areas (EMAs) and Transitional Grant Areas (TGAs) severely affected by the HIV epidemic. Grant funds assist eligible jurisdictions to develop or enhance access to a comprehensive continuum of high-quality, community-based care for people with HIV who have lower incomes.
- **Part B** provides funding to all 50 states, the District of Columbia, the Commonwealth of Puerto Rico (hereafter referred to as Puerto Rico), the Northern Mariana Islands, American Samoa, Guam, the U.S. Virgin Islands, the Federated States of Micronesia, the Republic of the Marshall Islands, and the Republic of Palau—hereafter referred to collectively as state(s)/territory(ies)—to support HIV care and treatment services for people with HIV who have lower incomes.
 - The RWHAP Part B grants include funding for the [AIDS Drug Assistance Program \(ADAP\)](#) to provide access to medications and health care coverage.
- **Part C** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals to provide comprehensive primary medical care and support services in an outpatient setting for people with HIV who have lower incomes.
- **Part D** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals to support family-centered HIV primary medical care and support services in an outpatient setting (directly or through contracts or memoranda of understanding) for women, infants, children, and youth with HIV who have lower incomes and for their affected family members.

■ **Part F** provides funds for the following programs:

- The [Special Projects of National Significance \(SPNS\) Program](#) supports the development, implementation, and evaluation of evidence-based, evidence-informed, and emerging interventions to improve and enhance HIV care and effective service delivery systems for people with HIV.
- The [AIDS Education and Training Center \(AETC\) Program](#) supports and enhances the delivery of comprehensive HIV prevention, care, and treatment by providing training and technical assistance to health care organizations and members of the health care team. Since the inception of the program, the Regional AETCs have worked with local partners or organizations with a cadre of HIV and training experts to implement training and technical assistance across the regions.
- The [Dental Programs](#) provide funding for oral health care for people with HIV and support training of dental and dental hygiene providers.
- The [Minority AIDS Initiative](#) provides funding to improve access to HIV care and health outcomes for minority populations disproportionately affected by HIV.



THE RYAN WHITE HIV/AIDS PROGRAM, ENDING THE HIV EPIDEMIC IN THE U.S., AND RYAN WHITE PROGRAM 2030

Together, the Parts of the RWHAP provide the health infrastructure needed to ensure access to a wide and comprehensive range of services focused on early diagnosis of HIV, linkage to care, retention in care, medically appropriate treatment, and sustained viral suppression.

The Ending the HIV Epidemic in the U.S. (EHE) initiative works to reduce new HIV transmissions, expanding on the RWHAP's comprehensive system of care to focus on people with HIV who are unaware of their status and people with HIV who are not receiving regular care [7]. In 2023, HRSA HAB EHE-funded providers served 26,830 new clients and 17,358 clients estimated to be re-engaged in care [8]. It is important to note that approximately 87% of new HIV transmissions result from people who are undiagnosed or out of care, indicating that there is more work to be done [2].

As the RWHAP moves forward in its fourth decade, HRSA HAB is building on the foundations of the program and strategies employed in the EHE initiative through Ryan White Program 2030 (RWP 2030) [9]. RWP 2030 is a framework to sustain high-quality care and treatment for people currently receiving services through the RWHAP while expanding efforts to identify and engage people with HIV who are undiagnosed or out of care. This framework promotes a collaborative approach to building upon existing successes and resources while fostering innovation, establishing and strengthening partnerships, prioritizing community engagement, and using focused interventions to end the HIV epidemic.



HIGHLIGHTS OF ANALYSES

Ryan White HIV/AIDS Program Clients

The RWHAP serves over 600,000 people. In 2024, 601,853 clients received services from RWHAP-funded providers (Table 1a), an increase of more than 40,000 clients since 2020.

Nearly half of all RWHAP clients are aged 50 years and older. In 2024, people aged 50 years and older accounted for 47.4% of all RWHAP clients. People aged 65 years and older accounted for 13.4% of all RWHAP clients (Figure 3, Table 1a), an increase from 9.5% of clients in 2020.


Three-quarters of RWHAP clients are from racial and ethnic minority groups. In 2024, 75.1% of clients self-identified as Black/African American, Hispanic/Latino, American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, or people of multiple races. Nearly one-quarter (24.9%) self-identified as White (Figure 3, Table 1a).

Three-quarters of RWHAP clients are male. In 2024, 74.8% of clients were male and 25.2% were female, remaining consistent since 2020 (Table 1a).

- More than 80% of White clients (83.4%) and Hispanic/Latino clients (80.4%) were male, whereas only 66.2% of Black/African American clients were male (Table 2).
- One-third of Black/African American clients were female (33.8%), the highest percentage of female clients in any racial/ethnic group (Table 2).

Figure 3

Demographic Characteristics of Ryan White HIV/AIDS Program Clients, 2024—United States and 3 Territories



Note: Percentages may not sum to 100% due to rounding.

^a Hispanics/Latinos can be of any race.

Socioeconomic Factors Among RWHAP Clients

More than half of RWHAP clients are living at or below 100% federal poverty level (FPL). In 2024, 59.3% of clients were living at or below 100% FPL (Figure 4, Table 1a). In 2024 in the contiguous United States, individuals earning \$15,060 were considered at 100% FPL, and households/families of four earning \$31,200 were considered at 100% FPL [10].

- White clients had the lowest percentage of clients living at or below 100% FPL (50.3%), and American Indian/Alaska Native clients had the highest percentage of clients living at or below 100% FPL (68.9%) (Table 4).¹
- Nearly two-thirds of female clients were living at or below 100% FPL (67.1%), and 56.7% of male clients were living at or below 100% FPL (Table 4).¹

Nearly 50% of RWHAP clients are covered by Medicare and/or Medicaid, and 18% lack health care coverage. Approximately 30% were covered by Medicaid (29.8%), 10.7% were covered by Medicare, and 6.9% were covered by both Medicaid and Medicare (dual eligibility). In addition, 12.0% had private individual coverage, and 10.2% had multiple forms of coverage [i.e., any combination of health care coverage types, *except* those who had both Medicaid and Medicare] (Figure 4, Table 1a).

- Nearly one-fifth (18.0%) of RWHAP clients had no health care coverage in 2024, which is slightly lower than in 2020 (19.4%).¹

¹ Percentages presented in Table 4 are column percentages; those presented in the text are row percentages.


- Clients aged 20–29 years had the highest percentage of clients with no health care coverage (20–24 years: 30.3%, 25–29 years: 31.0%). Clients aged 65 and older had the lowest percentage of clients with no health care coverage (5.3%), likely due to enrollment in Medicare (Table 6).

More than 1 in 10 RWHAP clients are experiencing temporary or unstable housing. In 2024, 7.9% of clients experienced temporary housing and 5.1% of clients experienced unstable housing (Figure 4, Table 1a).

- The percentage of clients with stable housing decreased slightly from 88.3% in 2020 to 87.0% in 2024 (Table 1a).
- There was a higher proportion of people experiencing temporary or unstable housing among American Indian/Alaska Native clients (20.2%); clients enrolled in Medicaid (17.2%); and those aged 25–29 years (17.4% combined), 30–34 years (17.9% combined), and 35–39 years (16.8% combined) (Table 5).²

Figure 4

Socioeconomic Characteristics of Ryan White HIV/AIDS Program Clients, 2024—United States and 3 Territories



Note: Percentages may not sum to 100% due to rounding.

² Percentages presented in Table 5 are column percentages; those presented in the text and Figure 4 are row percentages.



Retention in HIV Medical Care

Retention in care remained relatively stable at nearly 80% year-to-year from 2020 through 2024.³ In 2024, 78.7% of 374,823 patients receiving medical care were retained in HIV care (Table 7). These data do not delineate the factors contributing to the minor fluctuations in retention in care that have occurred over the years. Retention in care among RWHAP patients with selected characteristics can be found in Tables 9a through 13a (“a” tables).

Viral Suppression

More than 91% of RWHAP patients who received outpatient ambulatory health services (OAHS) reached viral suppression in 2024.⁴ In 2024, 91.4% of 392,148 RWHAP patients who

received OAHS and had viral load information had a suppressed viral load at their most recent test (Figure 5, Table 8). Nationally, 67.2% of *all* people with diagnosed HIV in the United States were virally suppressed in 2023 [5]. Continued, steady improvements in viral suppression could be due to innovations in care delivery, such as rapid antiretroviral therapy (rapid ART) or new medication options (e.g., two-drug combinations, long-acting injectable medications).

91.4% of RWHAP patients receiving HIV medical care
reached viral suppression in 2024

Figure 5

Viral Suppression^a Among Ryan White HIV/AIDS Program Patients, 2010–2024—United States and 3 Territories



^a Viral suppression is based on data for people with HIV who had at least one outpatient ambulatory health services visit and at least one viral load test during the measurement year and whose most recent viral load test result was <200 copies/mL.

Young people aged 15–29 years made great progress in improving viral suppression from 2020 through 2024. In 2024, viral suppression was 85.9% among patients aged 15–19 years and 86.4% among those aged 20–24 years (Table 8). Although these percentages are the lowest by age group, they reflect increases of more than 5 percentage points for each of these groups from 2020 through 2024.

³ HRSA HAB calculates retention in care among RWHAP patients with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement calendar year; patients are considered retained in care if they had a second visit at least 90 days after.

⁴ Viral suppression was calculated among people with HIV who had at least one OAHS visit and at least one viral load test during the measurement calendar year. Viral suppression was defined as a most recent viral load test result of <200 copies/mL.

Among older adults aged 50 years and older, viral suppression (94.1%) (Table 11b) was higher than the national RWHAP average (91.4%). Among older adults, viral suppression was lowest among patients—

- Experiencing unstable housing (83.0%), especially among Black/African American older adults (81.7%), Hispanic/Latino older adults (84.5%), and White older adults (84.2%), or
- Aged 50–54 years and American Indian/Alaska Native (89.8%) or Black/African American (90.5%).

Men had slightly lower viral suppression (91.2%) (Table 10b) than women (91.8%) (Table 9b).

Patients experiencing unstable and temporary housing continue to have lower levels of viral suppression than those with stable housing; however viral suppression improved over time. In 2024, 79.8% of patients experiencing unstable housing reached viral suppression, compared with 76.8% in 2020, a 3-percentage point increase (Table 8). Viral suppression also increased among patients experiencing temporary housing, from 83.8% in 2020 to 87.0% in 2024. Among people experiencing unstable housing, viral suppression was lowest among American Indian/Alaska Native patients (74.5%) (Table 13b).



2024 RWHAP ANNUAL DATA REPORT OVERVIEW

This report is HRSA HAB’s annual publication of national RWHAP client-level data from the RWHAP Services Report (RSR), which was first published in 2015. This report includes data submitted to HRSA HAB through the RSR system for all clients served by RWHAP Parts A, B, C, and D during calendar years 2020 through 2024, regardless of the source of RWHAP funding [\[11\]](#).

- The data presented are not specific to any one Part, regardless of geographic area presented (e.g., state-level, EMA/TGA-level).
- RSR data do not include information about ADAP; all ADAP-related information is reported through the RWHAPADAP Data Report and is disseminated in another publication. Although data presented here are “non-ADAP,” many clients also receive ADAP services.
- 2022 data for the state of Indiana (Table 14a) and 2020 data for Guam (Tables 14a, 20a, and 21a) are unavailable and are not included in this report.

TECHNICAL NOTES

RYAN WHITE HIV/AIDS PROGRAM DATA

The Ryan White HIV/AIDS Program (RWHAP) Services Report (RSR) is the U.S. Department of Health and Human Services (HHS) Health Resources and Services Administration (HRSA) HIV/AIDS Bureau's (HAB) primary source of annual client-level data reported by more than 2,000 grant recipients and subrecipients. These data allow HRSA HAB and its stakeholders to assess the numbers and demographics of clients receiving services and understand client HIV-related outcomes. De-identified client-level RSR data have been collected since 2010 and analyzed and published since the inaugural report in 2015. Each year, HRSA HAB requires grant recipients and subrecipients that use RWHAP funds to provide core medical or support services during the reporting period to submit data in a specified format [\[11\]](#).

This report includes data reported to the RSR for all clients served by the RWHAP Parts A through D during calendar years 2020 through 2024. Beginning with the 2016 calendar year data collection period, recipients and subrecipients reported data for all clients who met the recipient's eligibility requirements for RWHAP participation (which varies by recipient and is based on such criteria as HIV status, income, and residency) and received at least one of the core medical or support services for which the recipient or subrecipient received RWHAP funding. The data are reported regardless of the actual funding used to pay for the services (i.e., some services may have been paid for by sources other than the RWHAP). Because more recipients have been moving toward funding services with RWHAP-related funding (i.e., program income, pharmaceutical rebates), beginning with the 2019 data, HRSA HAB encouraged recipients and subrecipients to include RSR data on clients receiving services provided using RWHAP-related funding; this became a reporting requirement for all RWHAP recipients and subrecipients beginning with the 2021 data submission. This reporting requirement does not replace the previous eligible scope reporting requirement but rather expands on the previous requirement.

In addition to the expanded scope of reporting clients served using RWHAP-related funds, recent RSR data include information for people with HIV receiving HRSA HAB Ending the HIV Epidemic in the U.S. (EHE) initiative-funded services (2020–2024).

RSR data do not include information about the AIDS Drug Assistance Program (ADAP), which is reported through another data system. Although data presented in this report are “non-ADAP,” many clients included in the RSR data also receive ADAP services.

After removing personally identifying information, recipients and subrecipients submit data to HRSA HAB. Data are reported by RWHAP grant recipients and subrecipients in 50 states, the District of Columbia, and three territories—Guam, Puerto Rico, and the U.S. Virgin Islands.

PRESENTATION OF DATA

The data in this report include information received by HRSA HAB for clients served during calendar years 2020 through 2024, reflecting a five-year period for trend analyses consistent with standard convention. Data are organized into four sections:

- Section 1 (Tables 1a–6): National-level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographic stratifications.
- Section 2 (Tables 7–13b): National-level retention in care and viral suppression among patients receiving outpatient ambulatory health services (OAHS), presented by selected demographics.

- Section 3 (Tables 14a–19b): State- and Eligible Metropolitan Area or Transitional Grant Area (EMA/TGA)–level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographics.
- Section 4 (Tables 20a–29b): State- and EMA/TGA-level retention in care and viral suppression among patients receiving OAHS, presented by selected demographics.

Tables 1a–6 display subtotals for each subpopulation, as well as the overall total. Subtotals are displayed to reflect the denominator used for the percentage calculation of each subpopulation. Because of missing data, the values in each column may not sum to the column total.

HIV Status

RSR data include de-identified client-level information about people who received services from RWHAP-funded providers. RWHAP clients include people with HIV, as well as people who are affected by HIV (e.g., families and partners of people with HIV served by the RWHAP). Families of people with HIV can receive certain services through RWHAP Part D. The data presented in Table 1a, Tables 2–6, and Tables 14a–19b include all RWHAP clients, regardless of HIV status. The data include people with HIV, as well as clients with missing HIV status information (e.g., clients who receive services that do not require HIV status to be reported, such as medical transportation services) and clients who do not have HIV (i.e., families of people with HIV are able to receive certain RWHAP services). In 2024, people with HIV represented 97.9% of all clients. Table 1b and tables displaying retention in care and viral suppression (Tables 7–13b and Tables 20a–29b) include only people with HIV.

Presumed HIV-positive status

Table 1b displays demographic data only about clients with HIV; however, many clients receive services that do not require HIV status to be reported (e.g., Medical Transportation) and, therefore, may be missing HIV status information. Other RWHAP-funded service categories that do not require HIV status to be reported are Child Care Services, Early Intervention Services, Food Bank/Home-Delivered Meals, Other Professional Services, Outreach Services, and Psychosocial Support Services [12].

HRSA HAB applied an algorithm to estimate a “presumed HIV-positive” status for Table 1b among clients aged 13 years and older. That is, clients aged 13 years and older were presumed to be HIV-positive if their HIV status was not reported but the client received a service available only to people with HIV. For clients younger than 13 years, only reported HIV status was used (i.e., the “presumed HIV-positive” algorithm was not applied).

Age Group

RWHAP grant recipients and subrecipients report client birth year, which is used to calculate the client’s age during the designated year as a discrete variable. For tables displaying age groups at the national-level (Tables 1a–11b and 13a/b), client ages were categorized to align with the Centers for Disease Control and Prevention (CDC) National HIV Surveillance System (NHSS) age group delineations: <13 years (if applicable), 13–14, 15–19, 20–24, 25–29, 30–34, 35–39, 40–44, 45–49, 50–54, 55–59, 60–64, and ≥65 years [1].

In Tables 15a/b (state and EMA/TGA by age group), data are displayed using broader age group delineations: <13 years, 13–24, 25–34, 35–44, 45–54, 55–64, and ≥65 years.

Tables displaying retention in care and viral suppression for people disproportionately affected by HIV (Tables 9a–10b) include only clients aged 13 years and older. Tables 11a/b focus on older adults (aged 50 years and older), and Tables 12a/b focus on youth and young adults aged 13–24 years.

Race/Ethnicity

Recipients and subrecipients report race/ethnicity information for RWHAP clients according to Office of Management and Budget (OMB) standards in effect for the reporting year [13]. The OMB standards have five categories for race: American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The data on ethnicity have two categories: (1) Hispanic or Latino and (2) not Hispanic or Latino. Race and ethnicity are submitted as separate variables and combined for analysis.

The race/ethnicity variable is categorized as American Indian or Alaska Native, Asian, Black or African American, Hispanic or Latino, Native Hawaiian or other Pacific Islander, White, and multiple races (two or more categories of race reported).

In this report, clients categorized as Hispanic/Latino may have had race reported, as well. Clients categorized by race (e.g., Black/African American) are non-Hispanic/Latino; however, the number of clients reported in each “non-Hispanic/Latino” race category may include clients with missing data for Hispanic/Latino ethnicity.

HRSA HAB expects RWHAP grant recipients and subrecipients to make every effort to obtain and report race and ethnicity based on each client’s self-report. Self-identification is the preferred means of obtaining this information.

Sex

Recipients and subrecipients report biological sex assigned at birth. There are two response categories: male and female.

Federal Poverty Level

Federal poverty level (FPL) characterizes the client’s income as a percentage of the FPL [10] at the end of the reporting period. In this report, FPL categories are 0–100% FPL, 101–138% FPL, 139–250% FPL, 251–400% FPL, and >400% FPL.

Health Care Coverage

RWHAP grant recipients and subrecipients report all sources of health care coverage that each client had for any part of the reporting period. These data are categorized further for analysis. Health care coverage was categorized as private employer, private individual, Medicare, Medicaid, Medicare and Medicaid (dual eligibility), Veterans Administration, Indian Health Service, other plan, no coverage, and multiple coverages. The Medicaid classification also includes the Children’s Health Insurance Program and other public state health care coverage programs.

Housing Status

The housing status variable captures the client’s housing status at the end of the reporting period and is categorized as stable (e.g., permanent) housing, temporary housing, or unstable housing. The definitions for each of these categories are based on the Annual Progress Report (APR) for Housing Opportunities for Persons with AIDS (HOPWA), Form HUD-40110-C and the McKinney-Vento Act, Title 42 US Code, Sec. 11302, General definition of homeless individual [14,15].

States and Territories

State and U.S. territory data are displayed in “a” tables from 14a through 29a. State/territory-level delineation of data is based on provider location rather than client location. Clients receiving services in multiple states are not included in state-specific totals; these clients make up less than 2.2% of the total RWHAP population.

In addition, state-level analyses include data submitted for all Parts of the RWHAP. That is, data presented by state are not limited to entities receiving RWHAP Part B funding; all tables include data for all clients

served by RWHAP providers in the state, regardless of the source of RWHAP funding (i.e., data from Parts A, B, C, and D are included). The tables include data reported from 50 states, the District of Columbia, Guam, Puerto Rico, and the U.S. Virgin Islands.

Because of data quality issues, 2022 data for the state of Indiana (Table 14a) and 2020 data for Guam (Tables 14a, 20a, and 21a) are unavailable and are not included in this report.

Eligible Metropolitan Areas and Transitional Grant Areas

Part A of the RWHAP provides emergency assistance to EMAs and TGAs that are most severely affected by the HIV epidemic. To qualify for EMA status, an area must have a cumulative total of more than 2,000 people with HIV ever classified as stage 3 (AIDS) classifications reported to and confirmed by the Director of the CDC during the most recent 5 calendar years for which such data are available. An area continues to be an EMA unless it fails to meet both of the following requirements for three consecutive fiscal years: (a) a cumulative total of more than 2,000 stage 3 (AIDS) classifications reported to and confirmed by the Director of the CDC during the most recent period of 5 calendar years for which such data are available, and (b) a cumulative total of 3,000 or more people living with HIV disease ever classified as stage 3 (AIDS) reported to and confirmed by the Director of the CDC as of December 31 of the most recent calendar year for which such data are available. In fiscal year (FY) 2025, there were 24 RWHAP eligible EMAs.

To be eligible for TGA status, an area must have a cumulative total of at least 1,000 but fewer than 2,000 stage 3 (AIDS) classifications reported to and confirmed by the Director of the CDC during the most recent 5 calendar years for which such data are available. An area remains a TGA unless it fails to meet both of the following requirements for 3 consecutive fiscal years: (a) a cumulative total of at least 1,000 but fewer than 2,000 stage 3 (AIDS) classifications reported to and confirmed by the Director of the CDC during the most recent period of 5 calendar years for which such data are available, and (b) a cumulative total of 1,500 or more people living with HIV disease ever classified as stage 3 (AIDS) reported to and confirmed by the Director of the CDC as of December 31 of the most recent calendar year for which such data are available. In FY 2025, there were 28 RWHAP eligible TGAs.

EMAs and TGAs range in size from one city or county to more than 26 different geographic entities; 11 include parts of more than one state. The geographic boundaries for all jurisdictions that received RWHAP Part A funding in FY 2025—both EMAs and TGAs—are referred to as Metropolitan Statistical Areas (MSAs). Boundaries for MSAs were determined by the White House OMB for use in federal statistical activities when initially funded (i.e., the boundaries do not change) [16,17,18]. There were no MSAs that became newly eligible for Part A funding in FY 2025 based on the eligibility criteria set forth the RWHAP statute. Client-level data are reported based on provider location, rather than client location.

EMA and TGA data are displayed in “b” tables from 12b through 29b. It is important to note that data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and TGAs. In addition, data presented for EMAs and TGAs are not limited to entities receiving RWHAP Part A funding; all tables include data for all clients served by RWHAP providers in the EMA or TGA, regardless of the source of RWHAP funding (i.e., Parts A, B, C, and D data are included).

Tables 16b, 24b, and 25b display EMA and TGA data by race/ethnicity. To protect the confidentiality of clients, values less than 5 were suppressed. In addition, to ensure values less than 5 cannot be calculated, all data on clients of multiple races have been suppressed. In Table 16b, the “Total” column on which percentages were based includes all clients with reported race/ethnicity information.

Retention in Care and Viral Suppression

Retention in HIV medical care was defined as a person with HIV having at least two medical visits that were at least 90 days apart in the measurement year. Because the datasets are restricted to one calendar year of data each, the first of these HIV medical care visits in the year must have occurred before September 1 of the measurement year, thus giving the patient an opportunity to meet the retention criteria by December 31.

Viral suppression was based on data for people with HIV who had at least one OAHS visit and at least one viral load test during the measurement year. Viral suppression was defined as the most recently reported HIV RNA test result of <200 copies/mL.

As a result of the denominators used in these definitions, the numbers of people included in these analyses are less than the total number of people with HIV served by the RWHAP. For retention in care, 63.6% of all RWHAP clients with HIV are included; for viral suppression, 66.5% of all RWHAP clients with HIV are included.

Clients not included in retention in care or viral suppression calculations may have received any other RWHAP service (e.g., medical or non-medical case management, housing, transportation, food bank/home-delivered meals). Furthermore, many of the clients not included in calculations for retention in care and viral suppression (i.e., those who did not receive RWHAP OAHS services) receive medical care at RWHAP-supported organizations that provide primary medical care services covered using non-RWHAP funding sources (e.g., private, public, or other health care coverage types) or receive care from providers outside the RWHAP system; these clients should not be presumed to be “out of care” [\[19\]](#).

Retention in care and viral suppression data are presented in the tables for people disproportionately affected by HIV, including women, men, older adults, youth and young adults, and people experiencing unstable or temporary housing (Tables 9a–13b).

REFERENCES

1. HIV Diagnoses, Deaths, and Prevalence. Centers for Disease Control and Prevention. Published April 29, 2025. Available at <https://www.cdc.gov/hiv-data/nhss/hiv-diagnoses-deaths-and-prevalence-2025.html>.
2. Baxter A, et al. Updates to HIV Transmission Rate Estimates Along the HIV Care Continuum in the United States, 2019. *JAIDS*. 2025;99(1):47-54. Available at <https://pubmed.ncbi.nlm.nih.gov/39847445>.
3. Goyal R, et al. Cost-Effectiveness of HRSA’s Ryan White HIV/AIDS Program? *JAIDS*. 2021;86(2):174-181. Available at <https://pubmed.ncbi.nlm.nih.gov/33093330>.
4. Bingham A, et al. Estimated Lifetime HIV-Related Medical Costs in the United States. *Sex Transm Dis*. 2021;48(4):299-304. Available at <https://pubmed.ncbi.nlm.nih.gov/33492100>.
5. Centers for Disease Control and Prevention. Monitoring Selected National HIV Prevention and Care Objectives by Using HIV Surveillance Data—United States and 6 Territories and Freely Associated States, 2023. Published April 29, 2025. Available at <https://www.cdc.gov/hiv-data/nhss/national-hiv-prevention-and-care-outcomes.html>.
6. Public Health Service Act, XXVI, U.S.C. § 2602, (2015). Available at <https://ryanwhite.hrsa.gov/about/legislation>.
7. HIV.gov. “What is *Ending the HIV Epidemic in the U.S.*?” Available at <https://www.hiv.gov/federal-response/ending-the-hiv-epidemic/overview>.
8. Health Resources and Services Administration. HIV/AIDS Bureau. *Ending the HIV Epidemic in the U.S. Initiative Data Report 2023*. Available at <https://ryanwhite.hrsa.gov/data/reports>. Published November 2025.
9. Health Resources and Services Administration. HIV/AIDS Bureau. Ryan White Program 2030: Engaging People with HIV in Care to End the HIV Epidemic. Available at <https://ryanwhite.hrsa.gov/sites/default/files/ryanwhite/about-program/ryan-white-program-2030-briefer.pdf>.
10. U.S. Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation. “Prior HHS Poverty Guidelines and Federal Register References.” Available at <https://aspe.hhs.gov/topics/poverty-economic-mobility/poverty-guidelines/prior-hhs-poverty-guidelines-federal-register-references>.
11. Health Resources and Services Administration. 2023. “Report Data and Receive Technical Assistance.” Available at <https://ryanwhite.hrsa.gov/grants/manage/reporting-requirements>.
12. Health Resources and Services Administration. October 2018. “Ryan White HIV/AIDS Program Services: Eligible Individuals & Allowable Uses of Funds: Policy Clarification Notice (PCN) #16-02. Revised 10/22/18.” Available at <https://ryanwhite.hrsa.gov/sites/default/files/ryanwhite/grants/service-category-pcn-16-02-final.pdf>.
13. Office of Management and Budget. October 1997. “Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity.” *Federal Register*. 1997; 62:58782–58790. Available at <https://www.federalregister.gov/documents/1997/10/30/97-28653/revisions-to-the-standards-for-the-classification-of-federal-data-on-race-and-ethnicity>.
14. McKinney-Vento Act, Title 42 US Code, Sec. 11302. “General definition of homeless individual.” Available at <https://www.gpo.gov/fdsys/pkg/USCODE-2010-title42/pdf/USCODE-2010-title42-chap119-subchapI-sec11302.pdf>.

15. U.S. Department of Housing and Urban Development. "Annual Progress Report (APR) for Housing Opportunities for Persons with AIDS (HOPWA)." Form HUD-40110-C. Available at <https://www.hud.gov/hudclips/forms>.
16. Office of Management and Budget. Standards for defining metropolitan and micropolitan statistical areas. *Federal Register* 2000;65(249):82228–82238. Published December 27, 2000. Available at: <https://www.gpo.gov/fdsys/pkg/FR-2000-12-27/pdf/00-32997.pdf>.
17. Office of Management and Budget. Revised definitions of metropolitan statistical areas, new definitions of micropolitan statistical areas and combined statistical areas, and guidance on uses of the statistical definitions of these areas. OMB Bulletin 03-04. Published June 6, 2003. Available at https://www.whitehouse.gov/wp-content/uploads/2017/11/bulletins_b03-04.pdf.
18. Office of Management and Budget. Update of Statistical Area Definitions and Guidance on Their Uses. OMB Bulletin 10-02. Published December 1, 2009. Available at <https://www.bls.gov/bls/omb-bulletin-10-02-update-of-statistical-area-definitions-and-guidance-on-their-uses.pdf>.
19. Au M, et al. Coordinating Care for People With HIV Who Have Lower Incomes and Alternative Sources of Health Care Coverage. *J Assoc Nurses AIDS Care*. 2023; 34(3):280-291. Available at <https://pubmed.ncbi.nlm.nih.gov/37098817>.

ADDITIONAL RESOURCES

Centers for Disease Control and Prevention, HIV prevention resources: cdc.gov/hiv

Health Resources and Services Administration, HIV/AIDS programs: ryanwhite.hrsa.gov

HIV.gov, the nation's source for timely and relevant federal HIV policies, programs, and resources: HIV.gov

TABLES

Section 1. National-Level Data: Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Client Characteristics—United States and 3 Territories.....	22
1a. Clients by year and selected characteristics, 2020–2024.....	23
1b. Clients with HIV by year and selected characteristics, 2020–2024.....	24
2. Clients by race/ethnicity and selected characteristics, 2024.....	25
3. Clients by sex and selected characteristics, 2024.....	26
4. Clients by federal poverty level and selected characteristics, 2024.....	27
5. Clients by housing status and selected characteristics, 2024.....	28
6. Clients by health care coverage and selected characteristics, 2024.....	29
Section 2. National-Level Data: Retention in Care and Viral Suppression Among Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Patients—United States and 3 Territories.....	31
7. Retention in care by year and selected characteristics, 2020–2024.....	32
8. Viral suppression by year and selected characteristics, 2020–2024.....	33
9a. Retention in care among women (aged 13 years and older) by race/ethnicity and selected characteristics, 2024.....	34
9b. Viral suppression among women (aged 13 years and older) by race/ethnicity and selected characteristics, 2024.....	35
10a. Retention in care among men (aged 13 years and older) by race/ethnicity and selected characteristics, 2024.....	36
10b. Viral suppression among men (aged 13 years and older) by race/ethnicity and selected characteristics, 2024.....	37
11a. Retention in care among older adults (aged 50 years and older) by race/ethnicity and selected characteristics, 2024.....	38
11b. Viral suppression among older adults (aged 50 years and older) by race/ethnicity and selected characteristics.....	39
12a. Retention in care among youth and young adults (aged 13–24 years) by race/ethnicity and selected characteristics, 2024.....	40
12b. Viral suppression among youth and young adults (aged 13–24 years) by race/ethnicity and selected characteristics, 2024.....	41
13a. Retention in care among clients by housing status and selected characteristics, 2024.....	42
13b. Viral suppression among clients by housing status and selected characteristics, 2024.....	43
Section 3. State- and EMA/TGA-Level Data: Ryan White HIV/AIDS Program (RWHAP; non-ADAP) Client Characteristics.....	45
14a. Clients by year and state, 2020–2024—United States and 3 territories.....	46
14b. Clients by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico.....	47
15a. Clients by age group and state, 2024—United States and 3 territories.....	48
15b. Clients by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	50
16a. Clients by race/ethnicity and state, 2024—United States and 3 territories.....	52
16b. Clients by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	54

17a.	Clients by sex and state, 2024—United States and 3 territories.....	56
17b.	Clients by sex and eligible metropolitan area and transitional grant area, 2024— United States and Puerto Rico.....	57
18a.	Clients by federal poverty level and state, 2024—United States and 3 territories.....	58
18b.	Clients by federal poverty level and eligible metropolitan area and transitional grant area, 2024— United States and Puerto Rico.....	59
19a.	Clients by housing status and state, 2024— United States and 3 territories.....	61
19b.	Clients by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	62

Section 4. State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression Among Ryan White HIV/AIDS (RWHAP; non-ADAP) Patients..... 63

20a.	Retention in care by year and state, 2020–2024—United States and 3 territories.....	64
20b.	Retention in care by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico.....	66
21a.	Viral suppression by year and state, 2020–2024—United States and 3 territories.....	68
21b.	Viral suppression by year and eligible metropolitan area and transitional grant area, 2020–2024— United States and Puerto Rico.....	70
22a.	Retention in care by age group and state, 2024—United States and 3 territories.....	72
22b.	Retention in care by age group and eligible metropolitan area and transitional grant area, 2024— United States and Puerto Rico.....	74
23a.	Viral suppression by age group and state, 2024—United States and 3 territories.....	76
23b.	Viral suppression by age group and eligible metropolitan area and transitional grant area, 2024— United States and Puerto Rico.....	78
24a.	Retention in care by race/ethnicity and state, 2024—United States and 3 territories.....	80
24b.	Retention in care by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	82
25a.	Viral suppression by race/ethnicity and state, 2024—United States and 3 territories.....	84
25b.	Viral suppression by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	86
26a.	Retention in care by federal poverty level and state, 2024—United States and 3 territories.....	88
26b.	Retention in care by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	90
27a.	Viral suppression by federal poverty level and state, 2024—United States and 3 territories.....	92
27b.	Viral suppression by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	94
28a.	Retention in care by housing status and state, 2024—United States and 3 territories.....	96
28b.	Retention in care by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	97
29a.	Viral suppression by housing status and state, 2024—United States and 3 territories.....	98
29b.	Viral suppression by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico.....	99

This page intentionally left blank

Section 1.

National-Level Data: Client Characteristics

Table 1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2020–2024—United States and 3 territories

	2020		2021		2022		2023		2024	
	N	%	N	%	N	%	N	%	N	%
Age group (yrs)										
<13	3,423	0.6	3,284	0.6	3,107	0.5	2,991	0.5	2,958	0.5
13–14	456	0.1	371	0.1	345	0.1	304	0.1	266	<0.1
15–19	2,651	0.5	2,499	0.4	2,414	0.4	2,590	0.4	2,408	0.4
20–24	16,593	3.0	16,401	2.8	15,635	2.8	15,618	2.7	15,800	2.6
25–29	42,270	7.5	41,333	7.2	39,269	6.9	38,869	6.7	39,684	6.6
30–34	59,373	10.6	62,683	10.9	63,049	11.1	64,756	11.2	66,517	11.1
35–39	55,139	9.8	58,224	10.1	59,275	10.5	63,764	11.1	70,757	11.8
40–44	54,979	9.8	57,550	10.0	57,004	10.1	58,500	10.2	61,529	10.2
45–49	57,580	10.3	55,581	9.6	53,381	9.4	53,923	9.4	56,685	9.4
50–54	74,823	13.3	71,865	12.5	65,782	11.6	62,018	10.8	60,695	10.1
55–59	82,127	14.6	82,483	14.3	77,683	13.7	74,232	12.9	72,431	12.0
60–64	58,780	10.5	63,152	11.0	64,357	11.4	66,987	11.6	71,707	11.9
≥65	53,222	9.5	60,650	10.5	65,545	11.6	71,488	12.4	80,416	13.4
Subtotal	561,416	100.0	576,076	100.0	566,846	100.0	576,040	100.0	601,853	100.0
Race/ethnicity										
American Indian/Alaska Native	2,796	0.5	3,107	0.5	3,729	0.7	3,150	0.6	3,021	0.5
Asian	8,195	1.5	8,788	1.5	9,591	1.7	8,547	1.5	9,423	1.6
Black/African American	258,186	46.6	260,682	45.8	248,574	44.5	252,027	44.2	259,273	43.6
Hispanic/Latino ^a	131,033	23.6	137,112	24.1	141,214	25.3	151,830	26.6	163,890	27.5
Native Hawaiian/Pacific Islander	1,074	0.2	1,159	0.2	1,111	0.2	1,121	0.2	1,110	0.2
White	146,648	26.4	151,902	26.7	143,711	25.8	144,171	25.3	148,289	24.9
Multiple races	6,618	1.2	6,852	1.2	10,117	1.8	9,011	1.6	10,122	1.7
Subtotal	554,550	100.0	569,602	100.0	558,047	100.0	569,857	100.0	595,128	100.0
Sex										
Male	412,520	73.8	425,594	74.4	419,028	74.5	427,131	74.4	447,655	74.8
Female	146,177	26.2	146,786	25.6	143,284	25.5	146,634	25.6	150,589	25.2
Subtotal	558,697	100.0	572,380	100.0	562,312	100.0	573,765	100.0	598,244	100.0
Federal poverty level										
0–100%	313,693	60.9	305,817	59.2	304,976	58.6	313,918	59.7	325,344	59.3
101–138%	56,293	10.9	53,206	10.3	54,092	10.4	52,344	9.9	53,559	9.8
139–250%	90,399	17.6	94,247	18.3	93,101	17.9	95,283	18.1	99,747	18.2
251–400%	41,267	8.0	45,856	8.9	49,733	9.6	50,279	9.6	54,657	10.0
>400%	13,107	2.5	17,094	3.3	18,541	3.6	14,419	2.7	15,158	2.8
Subtotal	514,759	100.0	516,220	100.0	520,443	100.0	526,243	100.0	548,465	100.0
Health care coverage										
Private employer	53,927	10.1	54,439	10.0	54,775	10.2	56,774	10.3	58,435	10.2
Private individual	50,210	9.4	54,489	10.0	50,734	9.4	60,163	10.9	68,238	12.0
Medicare	56,561	10.6	57,092	10.5	55,575	10.3	56,956	10.4	60,893	10.7
Medicaid	164,343	30.8	171,022	31.5	168,848	31.4	172,399	31.3	169,748	29.8
Medicare and Medicaid	40,144	7.5	40,986	7.5	40,684	7.6	40,064	7.3	39,153	6.9
Veterans Administration	1,180	0.2	1,258	0.2	1,041	0.2	1,228	0.2	1,126	0.2
Indian Health Service	90	<0.1	231	<0.1	212	<0.1	95	<0.1	118	<0.1
Other plan	10,749	2.0	10,812	2.0	11,607	2.2	10,760	2.0	11,702	2.1
No coverage	103,746	19.4	98,307	18.1	97,786	18.2	101,818	18.5	102,736	18.0
Multiple coverages	52,493	9.8	55,066	10.1	55,992	10.4	50,039	9.1	58,104	10.2
Subtotal	533,443	100.0	543,702	100.0	537,254	100.0	550,296	100.0	570,253	100.0
Housing status										
Stable	458,508	88.3	465,003	88.4	458,688	87.9	464,920	87.3	481,685	87.0
Temporary	35,678	6.9	34,885	6.6	36,075	6.9	38,725	7.3	43,726	7.9
Unstable	25,177	4.8	26,346	5.0	27,199	5.2	29,212	5.5	28,487	5.1
Subtotal	519,363	100.0	526,234	100.0	521,962	100.0	532,857	100.0	553,898	100.0
Total^b	561,416	—	576,076	—	566,846	—	576,040	—	601,853	—

^a Hispanics/Latinos can be of any race.^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

Table 1b. Ryan White HIV/AIDS Program clients with HIV (non-ADAP), by year and selected characteristics, 2020–2024—United States and 3 territories

	2020		2021		2022		2023		2024	
	N	%	N	%	N	%	N	%	N	%
Age group (yrs)										
<13	869	0.2	779	0.1	726	0.1	638	0.1	610	0.1
13–14	367	0.1	327	0.1	271	<0.1	252	<0.1	224	<0.1
15–19	2,371	0.4	2,274	0.4	2,160	0.4	2,249	0.4	2,184	0.4
20–24	16,087	2.9	15,806	2.8	15,086	2.7	14,788	2.6	14,965	2.5
25–29	41,785	7.5	40,436	7.1	38,390	6.9	37,667	6.7	38,281	6.5
30–34	58,898	10.6	61,658	10.9	62,067	11.1	63,336	11.2	64,873	11.0
35–39	54,685	9.9	57,329	10.1	58,470	10.5	62,451	11.1	69,266	11.7
40–44	54,659	9.9	56,841	10.0	56,357	10.1	57,496	10.2	60,523	10.3
45–49	57,206	10.3	55,032	9.7	52,870	9.5	53,159	9.4	55,939	9.5
50–54	74,385	13.4	71,167	12.6	65,213	11.7	61,335	10.9	60,076	10.2
55–59	81,612	14.7	81,765	14.4	77,118	13.8	73,568	13.0	71,846	12.2
60–64	58,355	10.5	62,575	11.1	63,885	11.5	66,383	11.8	71,199	12.1
≥65	52,674	9.5	59,927	10.6	64,781	11.6	70,727	12.5	79,715	13.5
Subtotal	553,953	100.0	565,916	100.0	557,394	100.0	564,049	100.0	589,701	100.0
Race/ethnicity										
American Indian/Alaska Native	2,768	0.5	3,048	0.5	3,670	0.7	2,935	0.5	2,940	0.5
Asian	8,104	1.5	8,616	1.5	9,418	1.7	8,294	1.5	9,073	1.6
Black/African American	254,246	46.4	256,792	45.8	244,675	44.5	248,136	44.4	255,390	43.7
Hispanic/Latino ^a	129,771	23.7	135,144	24.1	139,413	25.4	148,587	26.6	161,356	27.6
Native Hawaiian/Pacific Islander	1,065	0.2	1,140	0.2	1,087	0.2	1,052	0.2	1,066	0.2
White	145,642	26.6	149,377	26.6	141,497	25.7	141,166	25.3	144,344	24.7
Multiple races	6,334	1.2	6,555	1.2	9,812	1.8	8,486	1.5	9,711	1.7
Subtotal	547,930	100.0	560,672	100.0	549,572	100.0	558,656	100.0	583,880	100.0
Sex										
Male	408,472	74.0	419,421	74.5	414,268	74.7	419,328	74.6	439,388	74.9
Female	143,180	26.0	143,706	25.5	140,385	25.3	142,830	25.4	147,170	25.1
Subtotal	551,652	100.0	563,127	100.0	554,653	100.0	562,158	100.0	586,558	100.0
Federal poverty level										
0–100%	311,596	60.9	304,288	59.2	303,457	58.6	312,236	59.6	323,650	59.2
101–138%	56,087	11.0	53,038	10.3	53,861	10.4	52,139	10.0	53,360	9.8
139–250%	90,070	17.6	93,905	18.3	92,815	17.9	95,027	18.1	99,517	18.2
251–400%	41,220	8.1	45,795	8.9	49,669	9.6	50,201	9.6	54,579	10.0
>400%	13,050	2.5	17,009	3.3	18,453	3.6	14,391	2.7	15,145	2.8
Subtotal	512,023	100.0	514,035	100.0	518,255	100.0	523,994	100.0	546,251	100.0
Health care coverage										
Private employer	53,709	10.1	54,212	10.0	54,531	10.2	56,471	10.4	58,162	10.3
Private individual	50,077	9.5	54,342	10.1	50,677	9.5	60,033	11.0	68,079	12.0
Medicare	56,501	10.7	57,042	10.6	55,475	10.4	56,872	10.4	60,823	10.7
Medicaid	162,012	30.6	168,750	31.2	166,435	31.2	170,048	31.2	167,323	29.6
Medicare and Medicaid	40,120	7.6	40,938	7.6	40,652	7.6	40,045	7.4	39,144	6.9
Veterans Administration	1,168	0.2	1,245	0.2	1,025	0.2	1,214	0.2	1,114	0.2
Indian Health Service	78	<0.1	227	<0.1	207	<0.1	89	<0.1	115	<0.1
Other plan	10,708	2.0	10,792	2.0	11,559	2.2	9,701	1.8	11,596	2.0
No coverage	102,603	19.4	97,547	18.1	96,877	18.2	99,837	18.3	101,641	18.0
Multiple coverages	52,447	9.9	55,021	10.2	55,949	10.5	50,006	9.2	58,062	10.3
Subtotal	529,423	100.0	540,116	100.0	533,387	100.0	544,316	100.0	566,059	100.0
Housing status										
Stable	455,884	88.2	462,776	88.3	456,396	87.8	462,598	87.2	479,270	86.9
Temporary	35,569	6.9	34,791	6.6	35,972	6.9	38,580	7.3	43,605	7.9
Unstable	25,133	4.9	26,297	5.0	27,169	5.2	29,091	5.5	28,420	5.2
Subtotal	516,586	100.0	523,864	100.0	519,537	100.0	530,269	100.0	551,295	100.0
Total^b	553,953	—	565,916	—	557,394	—	564,049	—	589,701	—

^a Hispanics/Latinos can be of any race.^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

Table 2. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Age group (yrs)														
<13	12	0.4	47	0.5	1,860	0.7	615	0.4	4	0.4	285	0.2	39	0.4
13–14	2	0.1	14	0.1	154	0.1	56	<0.1	1	0.1	25	<0.1	7	0.1
15–19	8	0.3	72	0.8	1,374	0.5	574	0.4	5	0.5	275	0.2	48	0.5
20–24	62	2.1	281	3.0	7,954	3.1	5,014	3.1	40	3.6	1,911	1.3	287	2.8
25–29	207	6.9	617	6.5	17,998	6.9	13,413	8.2	74	6.7	5,940	4.0	777	7.7
30–34	345	11.4	1,126	11.9	30,122	11.6	20,838	12.7	147	13.2	11,588	7.8	1,320	13.0
35–39	353	11.7	1,224	13.0	31,929	12.3	20,706	12.6	168	15.1	14,004	9.4	1,371	13.5
40–44	335	11.1	1,206	12.8	25,497	9.8	18,778	11.5	116	10.5	13,899	9.4	976	9.6
45–49	308	10.2	1,084	11.5	23,439	9.0	17,224	10.5	103	9.3	13,047	8.8	876	8.7
50–54	327	10.8	1,224	13.0	24,928	9.6	17,010	10.4	100	9.0	15,626	10.5	933	9.2
55–59	392	13.0	1,000	10.6	29,920	11.5	18,051	11.0	123	11.1	21,142	14.3	1,169	11.5
60–64	346	11.5	709	7.5	29,955	11.6	15,541	9.5	115	10.4	23,425	15.8	1,090	10.8
≥65	324	10.7	819	8.7	34,143	13.2	16,070	9.8	114	10.3	27,122	18.3	1,229	12.1
Subtotal	3,021	100.0	9,423	100.0	259,273	100.0	163,890	100.0	1,110	100.0	148,289	100.0	10,122	100.0
Sex														
Male	2,243	74.5	7,564	80.6	170,451	66.2	131,344	80.4	900	81.4	123,158	83.4	7,249	72.4
Female	766	25.5	1,826	19.4	87,220	33.8	32,007	19.6	206	18.6	24,461	16.6	2,764	27.6
Subtotal	3,009	100.0	9,390	100.0	257,671	100.0	163,351	100.0	1,106	100.0	147,619	100.0	10,013	100.0
Total^b	3,021	—	9,423	—	259,273	—	163,890	—	1,110	—	148,289	—	10,122	—

^a Hispanics/Latinos can be of any race.

^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

Table 3. Ryan White HIV/AIDS Program clients (non-ADAP), by sex and selected characteristics, 2024—United States and 3 territories

	Male		Female		Total ^a	
	N	%	N	%	N	%
Age group (yrs)						
<13	1,480	0.3	1,474	1.0	2,954	0.5
13–14	108	<0.1	156	0.1	264	<0.1
15–19	1,580	0.4	813	0.5	2,393	0.4
20–24	13,025	2.9	2,687	1.8	15,712	2.6
25–29	33,209	7.4	6,209	4.1	39,418	6.6
30–34	55,745	12.5	10,317	6.9	66,062	11.0
35–39	56,946	12.7	13,281	8.8	70,227	11.7
40–44	45,597	10.2	15,510	10.3	61,107	10.2
45–49	38,978	8.7	17,298	11.5	56,276	9.4
50–54	41,367	9.2	19,035	12.6	60,402	10.1
55–59	51,478	11.5	20,621	13.7	72,099	12.1
60–64	51,619	11.5	19,729	13.1	71,348	11.9
≥65	56,523	12.6	23,459	15.6	79,982	13.4
Subtotal	447,655	100.0	150,589	100.0	598,244	100.0
Race/ethnicity						
American Indian/Alaska Native	2,243	0.5	766	0.5	3,009	0.5
Asian	7,564	1.7	1,826	1.2	9,390	1.6
Black/African American	170,451	38.5	87,220	58.4	257,671	43.5
Hispanic/Latino ^b	131,344	29.7	32,007	21.4	163,351	27.6
Native Hawaiian/Pacific Islander	900	0.2	206	0.1	1,106	0.2
White	123,158	27.8	24,461	16.4	147,619	24.9
Multiple races	7,249	1.6	2,764	1.9	10,013	1.7
Subtotal	442,909	100.0	149,250	100.0	592,159	100.0
Federal poverty level						
0–100%	231,446	56.7	92,421	67.1	323,867	59.3
101–138%	39,718	9.7	13,560	9.8	53,278	9.8
139–250%	78,405	19.2	20,778	15.1	99,183	18.2
251–400%	45,348	11.1	9,050	6.6	54,398	10.0
>400%	13,064	3.2	2,028	1.5	15,092	2.8
Subtotal	407,981	100.0	137,837	100.0	545,818	100.0
Housing status						
Stable	355,820	86.3	123,817	89.1	479,637	87.0
Temporary	33,528	8.1	9,854	7.1	43,382	7.9
Unstable	22,929	5.6	5,359	3.9	28,288	5.1
Subtotal	412,277	100.0	139,030	100.0	551,307	100.0
Total^c	447,655	—	150,589	—	598,244	—

^a Row totals include clients in the specified subpopulation with reported sex information.

^b Hispanics/Latinos can be of any race.

^c Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

Table 4. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2024—United States and 3 territories

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	N	%	N	%	N	%	N	%	N	%
Age group (yrs)										
<13	1,827	0.6	223	0.4	257	0.3	111	0.2	28	0.2
13–14	121	<0.1	28	0.1	36	<0.1	17	<0.1	10	0.1
15–19	1,408	0.4	180	0.3	252	0.3	99	0.2	50	0.3
20–24	9,048	2.8	1,070	2.0	2,568	2.6	1,078	2.0	106	0.7
25–29	21,719	6.7	2,486	4.6	6,710	6.7	3,852	7.0	756	5.0
30–34	35,986	11.1	4,124	7.7	10,919	10.9	7,199	13.2	1,775	11.7
35–39	38,813	11.9	4,720	8.8	10,986	11.0	7,500	13.7	2,060	13.6
40–44	34,130	10.5	4,495	8.4	9,711	9.7	6,097	11.2	1,771	11.7
45–49	31,133	9.6	4,457	8.3	9,050	9.1	5,536	10.1	1,602	10.6
50–54	33,144	10.2	5,369	10.0	9,759	9.8	5,836	10.7	1,783	11.8
55–59	39,763	12.2	7,071	13.2	11,541	11.6	6,383	11.7	1,956	12.9
60–64	38,574	11.9	8,324	15.5	12,021	12.1	5,538	10.1	1,627	10.7
≥65	39,678	12.20	11,012	20.6	15,937	16.0	5,411	9.9	1,634	10.8
Subtotal	325,344	100.0	53,559	100.0	99,747	100.0	54,657	100.0	15,158	100.0
Race/ethnicity										
American Indian/Alaska Native	1,867	0.6	237	0.4	349	0.4	196	0.4	59	0.4
Asian	4,473	1.4	790	1.5	1,743	1.8	1,106	2.0	466	3.1
Black/African American	150,729	46.7	21,920	41.1	39,668	40.0	21,767	40.0	5,082	33.8
Hispanic/Latino ^a	93,163	28.9	14,272	26.8	27,013	27.3	14,129	26.0	2,975	19.8
Native Hawaiian/Pacific Islander	562	0.2	113	0.2	172	0.2	109	0.2	44	0.3
White	67,135	20.8	15,184	28.5	28,812	29.1	16,249	29.9	6,196	41.2
Multiple races	4,911	1.5	787	1.5	1,356	1.4	817	1.5	201	1.3
Subtotal	322,840	100.0	53,303	100.0	99,113	100.0	54,373	100.0	15,023	100.0
Sex										
Male	231,446	71.5	39,718	74.5	78,405	79.1	45,348	83.4	13,064	86.6
Female	92,421	28.5	13,560	25.5	20,778	20.9	9,050	16.6	2,028	13.4
Subtotal	323,867	100.0	53,278	100.0	99,183	100.0	54,398	100.0	15,092	100.0
Health care coverage										
Private employer	13,682	4.2	3,157	5.9	14,467	14.6	16,905	31.1	6,655	44.4
Private individual	27,320	8.5	5,511	10.3	17,043	17.2	11,480	21.1	2,966	19.8
Medicare	25,893	8.0	11,598	21.8	15,070	15.2	3,824	7.0	864	5.8
Medicaid	130,746	40.4	11,099	20.8	15,770	15.9	4,921	9.0	885	5.9
Medicare and Medicaid	26,695	8.3	6,752	12.7	4,081	4.1	581	1.1	90	0.6
Veterans Administration	430	0.1	127	0.2	249	0.3	167	0.3	61	0.4
Indian Health Service	71	<0.1	7	<0.1	13	<0.1	16	<0.1	0	0.0
Other plan	6,001	1.9	962	1.8	2,164	2.2	1,131	2.1	338	2.3
No coverage	64,039	19.8	8,220	15.4	17,795	17.9	7,641	14.1	1,328	8.9
Multiple coverages	28,402	8.8	5,875	11.0	12,603	12.7	7,710	14.2	1,805	12.0
Subtotal	323,279	100.0	53,308	100.0	99,255	100.0	54,376	100.0	14,992	100.0
Housing status										
Stable	263,548	82.3	48,728	91.8	92,547	93.5	51,570	95.0	14,118	95.2
Temporary	32,366	10.1	3,042	5.7	4,807	4.9	2,159	4.0	606	4.1
Unstable	24,440	7.6	1,287	2.4	1,632	1.6	536	1.0	103	0.7
Subtotal	320,354	100.0	53,057	100.0	98,986	100.0	54,265	100.0	14,827	100.0
Total^b	325,344	—	53,559	—	99,747	—	54,657	—	15,158	—

Abbreviation: FPL, federal poverty level.

^a Hispanics/Latinos can be of any race.^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

**Table 5. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2024—
United States and 3 territories**

	Stable		Temporary		Unstable	
	N	%	N	%	N	%
Age group (yrs)						
<13	2,584	0.5	115	0.3	24	0.1
13–14	215	<0.1	9	<0.1	4	<0.1
15–19	1,854	0.4	168	0.4	53	0.2
20–24	11,680	2.4	1,537	3.5	748	2.6
25–29	29,626	6.2	3,911	8.9	2,316	8.1
30–34	49,714	10.3	6,324	14.5	4,498	15.8
35–39	53,758	11.2	6,377	14.6	4,480	15.7
40–44	47,748	9.9	5,132	11.7	3,859	13.5
45–49	44,998	9.3	4,348	9.9	2,985	10.5
50–54	49,302	10.2	4,257	9.7	2,793	9.8
55–59	59,996	12.5	4,449	10.2	2,955	10.4
60–64	60,511	12.6	3,872	8.9	2,320	8.1
≥65	69,699	14.5	3,227	7.4	1,452	5.1
Subtotal	481,685	100.0	43,726	100.0	28,487	100.0
Race/ethnicity						
American Indian/Alaska Native	2,174	0.5	256	0.6	293	1.0
Asian	7,923	1.7	477	1.1	258	0.9
Black/African American	208,090	43.5	19,991	46.1	12,616	44.7
Hispanic/Latino ^a	134,379	28.1	11,988	27.6	7,042	25.0
Native Hawaiian/Pacific Islander	858	0.2	81	0.2	63	0.2
White	118,000	24.7	9,788	22.6	7,366	26.1
Multiple races	6,969	1.5	814	1.9	581	2.1
Subtotal	478,393	100.0	43,395	100.0	28,219	100.0
Sex						
Male	355,820	74.2	33,528	77.3	22,929	81.1
Female	123,817	25.8	9,854	22.7	5,359	18.9
Subtotal	479,637	100.0	43,382	100.0	28,288	100.0
Health care coverage						
Private employer	51,984	10.9	2,786	6.5	641	2.3
Private individual	60,379	12.6	3,812	8.9	1,444	5.1
Medicare	53,864	11.3	2,691	6.3	1,284	4.6
Medicaid	136,138	28.5	14,654	34.1	13,687	48.7
Medicare and Medicaid	34,910	7.3	1,962	4.6	1,488	5.3
Veterans Administration	912	0.2	112	0.3	31	0.1
Indian Health Service	95	<0.1	5	<0.1	5	<0.1
Other plan	8,713	1.8	1,260	2.9	666	2.4
No coverage	82,319	17.2	10,311	24.0	5,968	21.2
Multiple coverages	48,674	10.2	5,359	12.5	2,918	10.4
Subtotal	477,988	100.0	42,952	100.0	28,132	100.0
Total^b	481,685	—	43,726	—	28,487	—

^a Hispanics/Latinos can be of any race.

^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

Table 6. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2024—United States and 3 territories

	Private employer		Private individual		Medicare		Medicaid		Medicare & Medicaid		Veterans Administration		Indian Health Service		Other plan		No coverage		Multiple coverages	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Age group (yrs)																				
<13	177	0.3	84	0.1	7	<0.1	2,224	1.3	5	<0.1	4	0.4	0	0.0	17	0.1	199	0.2	54	0.1
13–14	42	0.1	11	<0.1	0	0.0	145	0.1	3	<0.1	0	0.0	0	0.0	6	0.1	22	<0.1	12	<0.1
15–19	281	0.5	157	0.2	2	<0.1	1,153	0.7	8	<0.1	6	0.5	0	0.0	33	0.3	387	0.4	134	0.2
20–24	1,546	2.6	1,778	2.6	72	0.1	4,969	2.9	83	0.2	42	3.7	4	3.4	345	2.9	4,371	4.3	1,217	2.1
25–29	4,272	7.3	4,814	7.1	306	0.5	11,486	6.8	302	0.8	42	3.7	10	8.5	950	8.1	11,412	11.1	3,258	5.6
30–34	7,588	13.0	8,448	12.4	907	1.5	20,021	11.8	796	2.0	78	6.9	10	8.5	1,504	12.9	17,067	16.6	5,686	9.8
35–39	8,153	14.0	9,396	13.8	1,425	2.3	21,702	12.8	1,233	3.1	71	6.3	21	17.8	1,558	13.3	16,256	15.8	6,615	11.4
40–44	6,851	11.7	8,330	12.2	1,803	3.0	18,902	11.1	1,643	4.2	97	8.6	19	16.1	1,488	12.7	13,118	12.8	6,022	10.4
45–49	6,459	11.1	7,668	11.2	2,467	4.1	16,834	9.9	2,123	5.4	75	6.7	8	6.8	1,329	11.4	10,997	10.7	5,798	10.0
50–54	6,784	11.6	8,163	12.0	4,012	6.6	18,173	10.7	3,397	8.7	91	8.1	14	11.9	1,346	11.5	9,908	9.6	6,091	10.5
55–59	7,413	12.7	8,898	13.0	7,765	12.8	22,155	13.1	5,898	15.1	153	13.6	16	13.6	1,255	10.7	8,522	8.3	7,335	12.6
60–64	6,195	10.6	7,806	11.4	10,698	17.6	21,608	12.7	7,590	19.4	217	19.3	6	5.1	1,143	9.8	6,381	6.2	7,136	12.3
≥65	2,674	4.6	2,685	3.9	31,429	51.6	10,376	6.1	16,072	41.0	250	22.2	10	8.5	728	6.2	4,096	4.0	8,746	15.1
Subtotal	58,435	100.0	68,238	100.0	60,893	100.0	169,748	100.0	39,153	100.0	1,126	100.0	118	100.0	11,702	100.0	102,736	100.0	58,104	100.0
Race/ethnicity																				
American Indian/Alaska Native	216	0.4	176	0.3	255	0.4	1,045	0.6	202	0.5	9	0.8	72	61.0	65	0.6	255	0.2	530	0.9
Asian	1,360	2.3	1,300	1.9	451	0.7	2,522	1.5	300	0.8	18	1.6	0	0.0	216	1.9	1,578	1.5	1,208	2.1
Black/African American	26,737	46.1	29,958	44.1	26,246	43.3	79,293	47.3	18,238	46.8	461	41.6	18	15.3	3,573	31.0	41,344	40.5	21,778	37.7
Hispanic/Latino ^a	12,179	21.0	17,135	25.2	9,297	15.4	47,433	28.3	7,402	19.0	134	12.1	6	5.1	5,276	45.8	42,628	41.7	15,197	26.3
Native Hawaiian/Pacific Islander	133	0.2	114	0.2	85	0.1	374	0.2	64	0.2	6	0.5	0	0.0	22	0.2	141	0.1	106	0.2
White	16,597	28.6	18,559	27.3	23,271	38.4	33,955	20.2	12,070	31.0	436	39.4	10	8.5	2,249	19.5	15,271	15.0	17,546	30.4
Multiple races	770	1.3	673	1.0	960	1.6	3,169	1.9	709	1.8	43	3.9	12	10.2	123	1.1	901	0.9	1,328	2.3
Subtotal	57,992	100.0	67,915	100.0	60,565	100.0	167,791	100.0	38,985	100.0	1,107	100.0	118	100.0	11,524	100.0	102,118	100.0	57,693	100.0
Sex																				
Male	46,282	79.6	54,144	79.9	45,359	74.9	115,319	68.2	26,212	67.2	932	83.6	92	78.0	9,153	79.4	82,462	80.6	44,483	77.0
Female	11,851	20.4	13,658	20.1	15,183	25.1	53,722	31.8	12,786	32.8	183	16.4	26	22.0	2,375	20.6	19,848	19.4	13,251	23.0
Subtotal	58,133	100.0	67,802	100.0	60,542	100.0	169,041	100.0	38,998	100.0	1,115	100.0	118	100.0	11,528	100.0	102,310	100.0	57,734	100.0
Total^b	58,435	—	68,238	—	60,893	—	169,748	—	39,153	—	1,126	—	118	—	11,702	—	102,736	—	58,104	—

^a Hispanics/Latinos can be of any race.^b Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation and may not add up to 100.0%. Due to missing data, the subtotal values in each column may differ from the overall total.

This page intentionally left blank

Section 2.

National-Level Data: Retention in Care and Viral Suppression

Table 7. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by year and selected characteristics, 2020–2024—United States and 3 territories

	2020			2021			2022			2023			2024		
	Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)															
<13	548	470	85.8	527	454	86.1	505	429	85.0	456	394	86.4	429	389	90.7
13–14	222	186	83.8	215	170	79.1	181	156	86.2	183	152	83.1	157	131	83.4
15–19	1,451	1,170	80.6	1,397	1,119	80.1	1,363	1,088	79.8	1,333	1,052	78.9	1,360	1,075	79.0
20–24	10,131	7,649	75.5	9,857	7,165	72.7	9,306	6,845	73.6	9,170	6,748	73.6	9,389	7,031	74.9
25–29	26,316	19,487	74.1	25,313	18,032	71.2	23,742	16,870	71.1	23,253	16,770	72.1	24,106	17,750	73.6
30–34	37,295	28,097	75.3	38,530	28,058	72.8	39,051	28,068	71.9	39,326	28,765	73.1	41,040	30,337	73.9
35–39	34,982	26,959	77.1	36,061	26,728	74.1	37,105	27,169	73.2	39,380	29,297	74.4	44,138	33,115	75.0
40–44	35,063	27,294	77.8	36,104	27,728	76.8	36,085	27,218	75.4	36,537	27,778	76.0	39,096	30,189	77.2
45–49	36,591	29,243	79.9	35,384	27,900	78.8	34,309	26,680	77.8	34,197	26,734	78.2	36,272	28,504	78.6
50–54	46,777	37,855	80.9	44,827	35,892	80.1	42,003	33,238	79.1	39,306	31,184	79.3	39,036	31,224	80.0
55–59	50,442	41,309	81.9	50,559	41,314	81.7	49,049	39,517	80.6	46,605	37,716	80.9	46,073	37,421	81.2
60–64	35,727	29,682	83.1	38,137	31,662	83.0	40,012	32,801	82.0	41,390	34,039	82.2	44,727	36,881	82.5
≥65	31,251	25,881	82.8	35,330	29,564	83.7	39,404	32,682	82.9	42,937	35,750	83.3	49,000	40,874	83.4
Race/ethnicity															
American Indian/Alaska Native	1,453	1,084	74.6	1,645	1,223	74.3	1,693	1,253	74.0	1,606	1,155	71.9	1,570	1,121	71.4
Asian	5,258	4,196	79.8	5,541	4,422	79.8	5,482	4,295	78.3	5,211	4,130	79.3	5,660	4,509	79.7
Black/African American	163,804	129,579	79.1	166,050	128,848	77.6	162,720	124,502	76.5	162,758	125,618	77.2	169,490	131,643	77.7
Hispanic/Latino ^a	86,260	71,310	82.7	88,689	72,414	81.6	90,695	73,714	81.3	96,125	78,531	81.7	105,705	86,875	82.2
Native Hawaiian/Pacific Islander	550	416	75.6	619	443	71.6	551	386	70.1	517	378	73.1	506	379	74.9
White	83,968	64,648	77.0	84,014	64,345	76.6	82,329	62,140	75.5	81,063	61,542	75.9	84,329	64,773	76.8
Multiple races	3,210	2,412	75.1	3,212	2,344	73.0	6,037	4,659	77.2	3,836	2,876	75.0	4,474	3,338	74.6
Sex															
Male	252,331	198,494	78.7	258,024	200,117	77.6	257,725	197,711	76.7	259,531	200,631	77.3	276,757	215,955	78.0
Female	93,767	76,259	81.3	93,293	75,048	80.4	93,459	74,401	79.6	93,809	75,207	80.2	96,309	77,624	80.6
Federal poverty level															
0–100%	209,021	166,404	79.6	202,135	158,284	78.3	204,555	157,618	77.1	208,362	161,962	77.7	216,158	169,102	78.2
101–138%	35,599	29,003	81.5	33,911	27,410	80.8	34,472	27,594	80.0	33,248	26,906	80.9	34,464	28,200	81.8
139–250%	56,340	45,112	80.1	60,400	48,255	79.9	59,934	47,813	79.8	60,700	48,735	80.3	65,239	52,757	80.9
251–400%	25,403	19,955	78.6	28,603	22,558	78.9	31,070	24,336	78.3	30,980	24,401	78.8	35,670	28,503	79.9
>400%	9,420	7,231	76.8	11,769	9,053	76.9	13,000	9,692	74.6	10,177	7,868	77.3	10,415	8,064	77.4
Health care coverage															
Private employer	35,329	27,226	77.1	36,107	27,554	76.3	38,145	28,850	75.6	37,974	29,133	76.7	39,385	30,573	77.6
Private individual	29,197	22,714	77.8	32,250	25,118	77.9	30,284	23,022	76.0	35,755	27,850	77.9	43,628	34,259	78.5
Medicare	35,134	28,502	81.1	34,755	28,312	81.5	34,988	28,311	80.9	35,767	29,150	81.5	38,582	31,515	81.7
Medicaid	105,109	83,093	79.1	109,158	84,861	77.7	107,933	82,149	76.1	108,939	84,082	77.2	106,455	82,704	77.7
Medicare and Medicaid	24,328	20,322	83.5	24,419	20,409	83.6	24,482	20,361	83.2	24,035	19,985	83.1	23,796	19,956	83.9
Veterans Administration	375	259	69.1	347	234	67.4	385	279	72.5	442	315	71.3	414	288	69.6
Indian Health Service	17	11	64.7	147	100	68.0	149	95	63.8	46	26	56.5	66	44	66.7
Other plan	6,651	5,503	82.7	6,467	4,926	76.2	7,486	5,947	79.4	5,823	4,567	78.4	7,369	5,751	78.0
No coverage	74,328	58,732	79.0	70,716	54,365	76.9	68,787	52,571	76.4	69,755	53,137	76.2	70,300	53,653	76.3
Multiple coverages	34,019	27,564	81.0	35,157	28,374	80.7	36,993	29,820	80.6	32,997	26,887	81.5	40,384	33,559	83.1
Housing status															
Stable	303,417	243,691	80.3	309,290	245,336	79.3	308,868	242,227	78.4	310,115	245,258	79.1	326,747	260,622	79.8
Temporary	20,850	15,568	74.7	19,603	14,207	72.5	20,823	15,112	72.6	21,805	16,089	73.8	23,558	17,744	75.3
Unstable	13,739	9,985	72.7	14,895	10,674	71.7	15,649	11,230	71.8	16,328	11,715	71.7	15,478	10,751	69.5
Total^b	346,796	275,282	79.4	352,241	275,786	78.3	352,115	272,761	77.5	354,073	276,379	78.1	374,823	294,921	78.7

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.^b Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by year and selected characteristics, 2020–2024—United States and 3 territories

	2020			2021			2022			2023			2024		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)															
<13	559	495	88.6	522	474	90.8	510	461	90.4	474	421	88.8	449	404	90.0
13–14	232	211	90.9	216	194	89.8	177	164	92.7	188	179	95.2	167	154	92.2
15–19	1,622	1,316	81.1	1,583	1,294	81.7	1,534	1,283	83.6	1,566	1,316	84.0	1,558	1,338	85.9
20–24	11,175	9,091	81.4	10,958	9,066	82.7	10,517	8,805	83.7	10,489	8,873	84.6	10,472	9,051	86.4
25–29	28,166	23,478	83.4	27,467	23,152	84.3	25,955	21,794	84.0	25,813	22,233	86.1	26,310	23,101	87.8
30–34	39,316	33,299	84.7	41,165	35,092	85.2	41,908	35,687	85.2	43,064	37,278	86.6	43,971	38,743	88.1
35–39	36,442	31,625	86.8	37,973	32,898	86.6	39,318	34,005	86.5	42,365	37,172	87.7	46,846	41,493	88.6
40–44	36,132	31,872	88.2	37,744	33,433	88.6	37,821	33,321	88.1	38,870	34,497	88.7	41,121	36,914	89.8
45–49	37,633	33,762	89.7	36,631	32,964	90.0	35,597	31,921	89.7	36,173	32,660	90.3	37,896	34,540	91.1
50–54	47,926	43,586	90.9	46,148	42,043	91.1	43,459	39,522	90.9	41,125	37,689	91.6	40,436	37,274	92.2
55–59	51,241	47,336	92.4	51,811	47,902	92.5	50,305	46,379	92.2	48,410	45,026	93.0	47,405	44,180	93.2
60–64	36,144	33,959	94.0	38,860	36,465	93.8	40,866	38,232	93.6	42,785	40,315	94.2	45,834	43,243	94.3
≥65	31,326	29,985	95.7	35,778	34,251	95.7	39,879	38,069	95.5	43,937	42,196	96.0	49,683	47,870	96.4
Race/ethnicity															
American Indian/Alaska Native	1,524	1,311	86.0	1,733	1,520	87.7	1,762	1,555	88.3	1,719	1,526	88.8	1,689	1,517	89.8
Asian	5,455	5,183	95.0	5,800	5,564	95.9	5,672	5,379	94.8	5,548	5,313	95.8	5,985	5,712	95.4
Black/African American	169,553	147,065	86.7	173,150	151,029	87.2	170,250	148,255	87.1	172,242	152,235	88.4	177,440	158,618	89.4
Hispanic/Latino ^a	88,748	80,971	91.2	92,480	84,551	91.4	95,234	86,919	91.3	102,377	94,139	92.0	110,653	102,604	92.7
Native Hawaiian/Pacific Islander	557	505	90.7	658	578	87.8	576	518	89.9	544	493	90.6	540	490	90.7
White	86,430	79,917	92.5	87,147	80,794	92.7	85,644	79,222	92.5	85,635	79,734	93.1	87,911	82,193	93.5
Multiple races	3,281	2,947	89.8	3,373	2,986	88.5	6,150	5,531	89.9	4,155	3,682	88.6	4,656	4,196	90.1
Sex															
Male	261,438	233,846	89.4	269,542	241,875	89.7	270,453	242,125	89.5	276,024	249,641	90.4	290,467	265,047	91.2
Female	95,659	85,510	89.4	96,320	86,556	89.9	96,425	86,709	89.9	98,426	89,532	91.0	99,904	91,656	91.7
Federal poverty level															
0–100%	215,658	187,725	87.0	210,972	184,498	87.5	214,536	187,421	87.4	221,688	196,230	88.5	227,316	203,316	89.4
101–138%	36,678	33,720	91.9	35,086	32,268	92.0	35,539	32,718	92.1	34,847	32,357	92.9	35,904	33,485	93.3
139–250%	58,594	54,483	93.0	62,962	58,355	92.7	62,560	57,900	92.6	64,267	59,998	93.4	68,241	64,066	93.9
251–400%	26,504	25,134	94.8	29,984	28,363	94.6	32,537	30,612	94.1	33,072	31,346	94.8	37,373	35,584	95.2
>400%	9,753	9,386	96.2	12,332	11,809	95.8	13,553	12,891	95.1	10,684	10,298	96.4	10,894	10,511	96.5
Health care coverage															
Private employer	36,917	34,891	94.5	37,928	35,911	94.7	39,809	37,602	94.5	40,462	38,280	94.6	41,604	39,510	95.0
Private individual	30,526	28,643	93.8	33,391	31,341	93.9	31,457	29,409	93.5	37,632	35,178	93.5	45,224	42,415	93.8
Medicare	35,593	33,127	93.1	35,395	32,942	93.1	35,664	33,239	93.2	36,843	34,680	94.1	39,071	36,981	94.7
Medicaid	107,328	92,883	86.5	112,922	98,250	87.0	112,099	97,674	87.1	114,815	101,367	88.3	112,133	99,814	89.0
Medicare and Medicaid	24,449	22,389	91.6	24,777	22,906	92.4	24,954	23,017	92.2	24,697	22,990	93.1	24,448	22,917	93.7
Veterans Administration	383	352	91.9	358	331	92.5	404	377	93.3	493	457	92.7	460	434	94.3
Indian Health Service	21	14	66.7	167	147	88.0	162	145	89.5	55	49	89.1	71	66	93.0
Other plan	6,932	6,238	90.0	6,800	6,088	89.5	7,859	7,112	90.5	6,293	5,659	89.9	7,619	6,879	90.3
No coverage	79,360	67,695	85.3	76,405	65,410	85.6	74,999	63,835	85.1	76,842	66,630	86.7	75,686	66,510	87.9
Multiple coverages	34,539	32,173	93.1	36,137	33,646	93.1	37,919	35,070	92.5	34,551	32,304	93.5	41,813	39,133	93.6
Housing status															
Stable	313,689	283,456	90.4	321,816	292,101	90.8	322,650	292,294	90.6	327,880	300,200	91.6	341,660	315,269	92.3
Temporary	21,898	18,345	83.8	21,068	17,603	83.6	22,522	18,946	84.1	23,875	20,347	85.2	25,413	22,104	87.0
Unstable	14,364	11,037	76.8	15,843	12,252	77.3	16,616	12,952	77.9	17,664	14,087	79.7	16,704	13,335	79.8
Total^b	357,914	320,015	89.4	366,856	329,228	89.7	367,846	329,643	89.6	375,259	339,855	90.6	392,148	358,305	91.4

^a Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^b Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
13–14	0	—	—	3	1	33.3	58	52	89.7	17	15	88.2	0	—	—	9	8	88.9	1	1	100.0	89	78	87.6
15–19	0	—	—	20	18	90.0	298	248	83.2	84	59	70.2	1	1	100.0	45	35	77.8	4	2	50.0	456	365	80.0
20–24	4	3	75.0	29	21	72.4	901	697	77.4	367	295	80.4	1	1	100.0	177	133	75.1	25	19	76.0	1,521	1,182	77.7
25–29	12	7	58.3	31	24	77.4	2,172	1,640	75.5	917	705	76.9	6	5	83.3	485	334	68.9	76	54	71.1	3,738	2,797	74.8
30–34	25	14	56.0	60	43	71.7	3,636	2,772	76.2	1,427	1,127	79.0	12	9	75.0	953	690	72.4	97	76	78.4	6,266	4,767	76.1
35–39	37	24	64.9	127	102	80.3	4,939	3,769	76.3	1,780	1,431	80.4	11	5	45.5	1,264	939	74.3	114	76	66.7	8,339	6,399	76.7
40–44	45	27	60.0	178	144	80.9	5,796	4,587	79.1	2,205	1,814	82.3	10	7	70.0	1,511	1,129	74.7	114	87	76.3	9,931	7,851	79.1
45–49	45	33	73.3	176	142	80.7	6,724	5,303	78.9	2,503	2,100	83.9	16	12	75.0	1,605	1,213	75.6	140	100	71.4	11,272	8,951	79.4
50–54	61	46	75.4	158	125	79.1	7,483	6,029	80.6	2,791	2,387	85.5	16	9	56.3	1,865	1,437	77.1	140	108	77.1	12,567	10,182	81.0
55–59	61	47	77.0	108	86	79.6	8,346	6,832	81.9	2,911	2,516	86.4	7	5	71.4	1,960	1,537	78.4	142	117	82.4	13,594	11,183	82.3
60–64	46	34	73.9	101	83	82.2	7,865	6,533	83.1	2,849	2,526	88.7	12	8	66.7	1,841	1,464	79.5	115	94	81.7	12,880	10,783	83.7
≥65	55	42	76.4	138	121	87.7	9,355	7,731	82.6	3,593	3,163	88.0	14	12	85.7	2,045	1,627	79.6	139	112	80.6	15,419	12,875	83.5
Federal poverty level																								
0–100%	302	216	71.5	633	521	82.3	37,234	29,964	80.5	15,334	13,023	84.9	69	45	65.2	8,426	6,418	76.2	723	569	78.7	63,019	50,980	80.9
101–138%	26	19	73.1	119	96	80.7	5,419	4,456	82.2	1,929	1,660	86.1	14	12	85.7	1,410	1,123	79.6	102	72	70.6	9,064	7,471	82.4
139–250%	36	27	75.0	199	161	80.9	8,628	6,999	81.1	2,652	2,250	84.8	13	10	76.9	2,131	1,693	79.4	155	113	72.9	13,889	11,319	81.5
251–400%	12	8	66.7	114	86	75.4	3,701	3,026	81.8	846	715	84.5	6	5	83.3	1,044	822	78.7	76	54	71.1	5,820	4,733	81.3
>400%	7	4	57.1	35	29	82.9	794	601	75.7	148	120	81.1	1	1	100.0	339	248	73.2	22	19	86.4	1,354	1,030	76.1
Health care coverage																								
Private employer	18	16	88.9	144	103	71.5	5,448	4,368	80.2	1,102	916	83.1	5	3	60.0	1,252	949	75.8	81	57	70.4	8,094	6,439	79.6
Private individual	16	10	62.5	128	102	79.7	5,708	4,566	80.0	1,397	1,151	82.4	8	5	62.5	1,304	1,007	77.2	81	57	70.4	8,667	6,919	79.8
Medicare	41	28	68.3	57	50	87.7	6,803	5,564	81.8	1,649	1,432	86.8	7	5	71.4	1,775	1,412	79.5	124	90	72.6	10,502	8,619	82.1
Medicaid	173	114	65.9	394	324	82.2	20,204	15,931	78.9	8,539	7,248	84.9	47	30	63.8	4,819	3,619	75.1	427	333	78.0	34,820	27,759	79.7
Medicare and Medicaid	34	28	82.4	42	39	92.9	5,121	4,319	84.3	1,558	1,379	88.5	6	5	83.3	1,379	1,136	82.4	99	76	76.8	8,271	7,009	84.7
Veterans Administration	4	1	25.0	6	3	50.0	46	33	71.7	7	5	71.4	2	2	100.0	27	22	81.5	2	2	100.0	95	69	72.6
Indian Health Service	7	5	71.4	0	—	—	3	2	66.7	2	2	100.0	0	—	—	1	0	0.0	1	0	0.0	14	9	64.3
Other plan	4	3	75.0	22	20	90.9	787	645	82.0	509	429	84.3	3	2	66.7	219	168	76.7	16	13	81.3	1,573	1,289	81.9
No coverage	34	27	79.4	191	150	78.5	7,287	5,731	78.6	4,527	3,723	82.2	20	16	80.0	1,324	929	70.2	77	52	67.5	13,515	10,668	78.9
Multiple coverages	58	45	77.6	139	116	83.5	5,487	4,629	84.4	2,003	1,763	88.0	6	6	100.0	1,503	1,213	80.7	191	161	84.3	9,444	7,980	84.5
Housing status																								
Stable	302	226	74.8	1,039	839	80.8	51,259	41,493	80.9	19,532	16,646	85.2	93	68	73.1	11,814	9,237	78.2	925	714	77.2	85,373	69,539	81.5
Temporary	33	17	51.5	58	50	86.2	3,166	2,465	77.9	1,154	931	80.7	4	1	25.0	874	634	72.5	102	75	73.5	5,414	4,191	77.4
Unstable	48	31	64.6	12	9	75.0	1,684	1,230	73.0	511	401	78.5	6	4	66.7	755	489	64.8	54	39	72.2	3,087	2,212	71.7
Total^b	391	277	70.8	1,129	910	80.6	57,573	46,193	80.2	21,444	18,138	84.6	106	74	69.8	13,760	10,546	76.6	1,107	846	76.4	96,072	77,413	80.6

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 9b. Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
13–14	0	—	—	4	4	100.0	60	56	93.3	17	15	88.2	0	—	—	11	10	90.9	1	1	100.0	96	89	92.7
15–19	1	1	100.0	21	21	100.0	323	277	85.8	92	79	85.9	1	1	100.0	52	51	98.1	4	4	100.0	497	436	87.7
20–24	5	5	100.0	28	25	89.3	980	814	83.1	409	344	84.1	2	2	100.0	204	184	90.2	29	24	82.8	1,676	1,415	84.4
25–29	15	12	80.0	34	32	94.1	2,355	1,973	83.8	988	859	86.9	7	7	100.0	529	454	85.8	77	68	88.3	4,050	3,445	85.1
30–34	27	23	85.2	62	59	95.2	3,935	3,371	85.7	1,537	1,358	88.4	12	10	83.3	1,014	888	87.6	104	96	92.3	6,755	5,862	86.8
35–39	40	35	87.5	135	126	93.3	5,202	4,514	86.8	1,884	1,681	89.2	9	8	88.9	1,332	1,182	88.7	117	102	87.2	8,781	7,705	87.7
40–44	46	43	93.5	179	170	95.0	6,057	5,402	89.2	2,298	2,095	91.2	10	9	90.0	1,618	1,436	88.8	127	112	88.2	10,405	9,334	89.7
45–49	49	43	87.8	191	177	92.7	6,979	6,338	90.8	2,586	2,388	92.3	15	13	86.7	1,686	1,516	89.9	144	131	91.0	11,710	10,660	91.0
50–54	64	58	90.6	157	153	97.5	7,686	7,068	92.0	2,849	2,679	94.0	14	13	92.9	1,947	1,785	91.7	141	127	90.1	12,916	11,937	92.4
55–59	64	59	92.2	110	108	98.2	8,540	7,893	92.4	3,011	2,870	95.3	9	9	100.0	2,017	1,909	94.6	144	136	94.4	13,957	13,039	93.4
60–64	48	46	95.8	104	98	94.2	8,037	7,556	94.0	2,919	2,784	95.4	12	11	91.7	1,895	1,805	95.3	116	106	91.4	13,184	12,455	94.5
≥65	58	55	94.8	145	143	98.6	9,456	9,078	96.0	3,654	3,536	96.8	14	14	100.0	2,080	2,030	97.6	142	131	92.3	15,630	15,061	96.4
Federal poverty level																								
0–100%	322	290	90.1	656	623	95.0	38,615	34,729	89.9	15,959	14,763	92.5	69	63	91.3	8,856	7,965	89.9	754	678	89.9	65,544	59,389	90.6
101–138%	27	25	92.6	127	121	95.3	5,641	5,237	92.8	1,994	1,878	94.2	14	14	100.0	1,458	1,379	94.6	105	98	93.3	9,412	8,795	93.4
139–250%	40	38	95.0	204	194	95.1	8,997	8,431	93.7	2,744	2,599	94.7	13	11	84.6	2,238	2,162	96.6	154	144	93.5	14,465	13,649	94.4
251–400%	13	13	100.0	118	114	96.6	3,846	3,630	94.4	867	836	96.4	6	6	100.0	1,102	1,057	95.9	81	73	90.1	6,054	5,749	95.0
>400%	7	6	85.7	35	35	100.0	818	779	95.2	156	148	94.9	1	1	100.0	352	344	97.7	23	22	95.7	1,401	1,343	95.9
Health care coverage																								
Private employer	20	19	95.0	151	142	94.0	5,685	5,384	94.7	1,139	1,085	95.3	5	4	80.0	1,331	1,277	95.9	86	80	93.0	8,463	8,037	95.0
Private individual	16	13	81.3	130	127	97.7	5,861	5,449	93.0	1,451	1,381	95.2	7	7	100.0	1,346	1,272	94.5	83	79	95.2	8,921	8,352	93.6
Medicare	41	39	95.1	57	55	96.5	6,747	6,348	94.1	1,677	1,613	96.2	7	7	100.0	1,835	1,769	96.4	119	109	91.6	10,527	9,982	94.8
Medicaid	182	165	90.7	407	392	96.3	21,124	18,769	88.9	8,834	8,132	92.1	47	41	87.2	5,066	4,517	89.2	454	405	89.2	36,342	32,620	89.8
Medicare and Medicaid	38	38	100.0	43	43	100.0	5,289	4,942	93.4	1,605	1,544	96.2	7	7	100.0	1,410	1,344	95.3	99	86	86.9	8,522	8,032	94.3
Veterans Administration	4	4	100.0	6	6	100.0	52	47	90.4	13	12	92.3	2	2	100.0	27	26	96.3	2	2	100.0	107	99	92.5
Indian Health Service	8	8	100.0	0	—	—	3	3	100.0	2	2	100.0	0	—	—	1	1	100.0	1	0	0.0	15	14	93.3
Other plan	4	4	100.0	21	20	95.2	754	674	89.4	522	480	92.0	3	3	100.0	235	211	89.8	16	15	93.8	1,569	1,421	90.6
No coverage	41	33	80.5	208	195	93.8	7,812	6,915	88.5	4,808	4,363	90.7	18	17	94.4	1,488	1,287	86.5	83	72	86.7	14,515	12,937	89.1
Multiple coverages	59	53	89.8	142	132	93.0	5,711	5,273	92.3	2,051	1,952	95.2	8	8	100.0	1,515	1,424	94.0	197	184	93.4	9,742	9,080	93.2
Housing status																								
Stable	323	300	92.9	1,077	1,034	96.0	53,170	48,743	91.7	20,237	18,909	93.4	93	85	91.4	12,355	11,560	93.6	950	868	91.4	88,621	81,879	92.4
Temporary	38	33	86.8	59	54	91.5	3,394	2,971	87.5	1,221	1,107	90.7	3	3	100.0	947	823	86.9	104	92	88.5	5,793	5,107	88.2
Unstable	48	39	81.3	14	10	71.4	1,807	1,480	81.9	550	463	84.2	7	7	100.0	794	613	77.2	63	51	81.0	3,301	2,678	81.1
Total^b	417	380	91.1	1,170	1,116	95.4	59,610	54,340	91.2	22,244	20,688	93.0	105	97	92.4	14,385	13,250	92.1	1,146	1,038	90.6	99,657	91,438	91.8

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 10a. Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
13–14	0	—	—	7	6	85.7	34	22	64.7	15	14	93.3	1	1	100.0	8	7	87.5	2	2	100.0	68	53	77.9
15–19	2	1	50.0	16	12	75.0	526	421	80.0	246	190	77.2	0	—	—	83	65	78.3	6	4	66.7	895	702	78.4
20–24	23	13	56.5	110	86	78.2	4,161	3,061	73.6	2,609	2,000	76.7	14	11	78.6	735	525	71.4	109	77	70.6	7,833	5,826	74.4
25–29	100	65	65.0	304	229	75.3	9,391	6,705	71.4	7,221	5,551	76.9	29	22	75.9	2,696	1,927	71.5	295	212	71.9	20,247	14,858	73.4
30–34	150	86	57.3	595	448	75.3	15,655	11,223	71.7	11,651	8,994	77.2	54	37	68.5	5,540	3,998	72.2	557	386	69.3	34,568	25,423	73.5
35–39	154	103	66.9	611	467	76.4	15,636	11,380	72.8	11,534	9,097	78.9	65	44	67.7	6,709	4,834	72.1	511	365	71.4	35,568	26,545	74.6
40–44	131	102	77.9	550	427	77.6	10,866	8,213	75.6	10,154	8,155	80.3	46	37	80.4	6,600	4,796	72.7	321	229	71.3	28,955	22,183	76.6
45–49	110	81	73.6	522	423	81.0	8,668	6,618	76.3	8,866	7,299	82.3	34	27	79.4	6,109	4,598	75.3	278	210	75.5	24,796	19,409	78.3
50–54	114	83	72.8	620	497	80.2	9,002	7,005	77.8	8,554	7,220	84.4	35	24	68.6	7,484	5,698	76.1	300	230	76.7	26,303	20,909	79.5
55–59	133	103	77.4	513	435	84.8	11,614	9,231	79.5	8,885	7,580	85.3	46	41	89.1	10,535	8,258	78.4	339	262	77.3	32,300	26,091	80.8
60–64	139	110	79.1	330	271	82.1	11,880	9,620	81.0	7,314	6,349	86.8	39	30	76.9	11,457	9,175	80.1	321	252	78.5	31,663	25,953	82.0
≥65	118	93	78.8	317	267	84.2	13,241	10,950	82.7	6,878	6,006	87.3	35	29	82.9	12,263	10,063	82.1	316	252	79.7	33,369	27,825	83.4
Federal poverty level																								
0–100%	732	507	69.3	2,235	1,768	79.1	65,655	49,445	75.3	47,073	38,168	81.1	216	160	74.1	32,999	24,870	75.4	1,934	1,430	73.9	152,021	117,237	77.1
101–138%	105	84	80.0	374	313	83.7	9,268	7,488	80.8	7,801	6,544	83.9	38	30	78.9	7,194	5,768	80.2	287	222	77.4	25,178	20,537	81.6
139–250%	164	129	78.7	860	704	81.9	18,603	14,696	79.0	15,979	13,409	83.9	61	50	82.0	14,364	11,411	79.4	565	418	74.0	50,951	41,108	80.7
251–400%	99	71	71.7	571	459	80.4	11,102	8,729	78.6	8,490	6,977	82.2	54	42	77.8	8,821	6,922	78.5	367	278	75.7	29,659	23,602	79.6
>400%	42	31	73.8	269	208	77.3	2,646	2,024	76.5	1,796	1,438	80.1	22	18	81.8	4,048	3,138	77.5	104	73	70.2	9,015	6,997	77.6
Health care coverage																								
Private employer	122	91	74.6	683	536	78.5	13,028	9,948	76.4	7,073	5,673	80.2	54	42	77.8	9,542	7,249	76.0	345	253	73.3	31,071	23,952	77.1
Private individual	76	53	69.7	667	511	76.6	14,218	10,954	77.0	9,378	7,661	81.7	47	36	76.6	9,767	7,521	77.0	314	231	73.6	34,646	27,090	78.2
Medicare	119	89	74.8	210	172	81.9	11,634	9,421	81.0	4,358	3,676	84.4	39	33	84.6	11,085	8,999	81.2	292	234	80.1	27,883	22,742	81.6
Medicaid	390	264	67.7	1,179	937	79.5	31,024	23,134	74.6	21,237	17,362	81.8	122	90	73.8	15,099	11,207	74.2	1,037	745	71.8	71,018	54,441	76.7
Medicare and Medicaid	63	54	85.7	115	103	89.6	6,927	5,736	82.8	3,086	2,696	87.4	11	10	90.9	4,910	4,018	81.8	221	168	76.0	15,421	12,860	83.4
Veterans Administration	2	0	0.0	7	6	85.7	119	86	72.3	38	26	68.4	2	1	50.0	143	97	67.8	2	0	0.0	315	216	68.6
Indian Health Service	30	19	63.3	0	—	—	11	9	81.8	3	3	100.0	0	—	—	3	2	66.7	5	2	40.0	52	35	67.3
Other plan	39	20	51.3	103	76	73.8	1,660	1,307	78.7	2,779	2,237	80.5	6	6	100.0	1,004	673	67.0	45	34	75.6	5,694	4,391	77.1
No coverage	116	83	71.6	844	667	79.0	20,675	14,961	72.4	26,228	20,979	80.0	64	43	67.2	8,028	5,688	70.9	422	299	70.9	56,532	42,820	75.7
Multiple coverages	206	161	78.2	652	542	83.1	9,991	8,158	81.7	8,956	7,641	85.3	50	41	82.0	9,890	8,048	81.4	643	500	77.8	30,632	25,299	82.6
Housing status																								
Stable	954	698	73.2	4,038	3,246	80.4	94,770	73,303	77.3	73,600	60,794	82.6	342	269	78.7	61,554	48,002	78.0	2,785	2,082	74.8	239,709	189,692	79.1
Temporary	94	64	68.1	215	162	75.3	7,591	5,587	73.6	5,892	4,552	77.3	24	15	62.5	3,729	2,737	73.4	284	213	75.0	17,965	13,429	74.8
Unstable	95	58	61.1	125	88	70.4	5,563	3,807	68.4	3,074	2,220	72.2	22	13	59.1	3,147	2,102	66.8	203	143	70.4	12,307	8,480	68.9
Total^b	1,174	840	71.6	4,495	3,568	79.4	110,674	84,449	76.3	83,927	68,455	81.6	398	303	76.1	70,219	53,944	76.8	3,355	2,481	73.9	276,565	215,777	78.0

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 10b. Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
13–14	1	1	100.0	7	6	85.7	36	32	88.9	15	15	100.0	1	0	0.0	8	8	100.0	2	2	100.0	71	65	91.5
15–19	1	1	100.0	18	16	88.9	619	524	84.7	287	243	84.7	1	0	0.0	95	90	94.7	9	8	88.9	1,053	895	85.0
20–24	25	24	96.0	127	120	94.5	4,609	3,927	85.2	2,934	2,590	88.3	15	12	80.0	842	752	89.3	126	115	91.3	8,760	7,605	86.8
25–29	119	111	93.3	337	317	94.1	10,214	8,751	85.7	7,935	7,188	90.6	33	30	90.9	2,934	2,659	90.6	321	283	88.2	22,136	19,552	88.3
30–34	161	133	82.6	645	615	95.3	16,846	14,367	85.3	12,423	11,332	91.2	57	51	89.5	5,889	5,314	90.2	580	521	89.8	37,002	32,698	88.4
35–39	171	147	86.0	661	628	95.0	16,719	14,350	85.8	12,166	11,128	91.5	75	62	82.7	7,129	6,463	90.7	537	474	88.3	37,835	33,590	88.8
40–44	143	122	85.3	596	559	93.8	11,494	10,025	87.2	10,617	9,741	91.7	53	49	92.5	6,954	6,319	90.9	341	294	86.2	30,503	27,385	89.8
45–49	122	107	87.7	548	522	95.3	9,132	8,121	88.9	9,270	8,583	92.6	39	39	100.0	6,345	5,858	92.3	291	262	90.0	25,966	23,683	91.2
50–54	122	109	89.3	638	616	96.6	9,407	8,396	89.3	8,847	8,299	93.8	36	33	91.7	7,797	7,260	93.1	301	276	91.7	27,355	25,181	92.1
55–59	144	133	92.4	529	514	97.2	11,987	10,831	90.4	9,112	8,608	94.5	47	46	97.9	10,873	10,310	94.8	340	309	90.9	33,268	30,976	93.1
60–64	141	135	95.7	345	327	94.8	12,158	11,184	92.0	7,465	7,113	95.3	39	35	89.7	11,804	11,344	96.1	324	294	90.7	32,468	30,619	94.3
≥65	117	110	94.0	326	320	98.2	13,364	12,660	94.7	6,989	6,755	96.7	37	35	94.6	12,493	12,233	97.9	325	308	94.8	33,848	32,612	96.3
Federal poverty level																								
0–100%	800	703	87.9	2,405	2,266	94.2	69,517	59,993	86.3	49,724	45,307	91.1	236	201	85.2	34,631	31,530	91.0	2,036	1,789	87.9	160,617	142,929	89.0
101–138%	106	98	92.5	392	373	95.2	9,736	8,891	91.3	8,110	7,604	93.8	41	41	100.0	7,485	7,116	95.1	287	262	91.3	26,275	24,487	93.2
139–250%	178	164	92.1	900	866	96.2	19,624	17,901	91.2	16,766	15,864	94.6	69	67	97.1	14,883	14,293	96.0	579	542	93.6	53,366	50,038	93.8
251–400%	106	99	93.4	596	581	97.5	11,673	10,870	93.1	8,893	8,542	96.1	54	53	98.1	9,229	8,961	97.1	397	369	92.9	31,117	29,638	95.2
>400%	45	42	93.3	297	295	99.3	2,768	2,623	94.8	1,874	1,802	96.2	26	24	92.3	4,235	4,143	97.8	111	104	93.7	9,445	9,120	96.6
Health care coverage																								
Private employer	130	123	94.6	736	719	97.7	13,804	12,837	93.0	7,493	7,185	95.9	58	57	98.3	10,081	9,769	96.9	367	340	92.6	32,922	31,274	95.0
Private individual	83	73	88.0	698	675	96.7	14,857	13,525	91.0	9,716	9,328	96.0	48	46	95.8	10,079	9,643	95.7	325	303	93.2	35,986	33,764	93.8
Medicare	122	116	95.1	206	195	94.7	11,761	10,906	92.7	4,445	4,215	94.8	38	36	94.7	11,361	10,962	96.5	286	265	92.7	28,369	26,834	94.6
Medicaid	426	352	82.6	1,252	1,178	94.1	32,976	28,461	86.3	22,349	20,310	90.9	140	119	85.0	15,924	14,364	90.2	1,082	950	87.8	75,147	66,628	88.7
Medicare and Medicaid	66	62	93.9	115	109	94.8	7,155	6,547	91.5	3,147	2,996	95.2	15	12	80.0	5,014	4,779	95.3	221	202	91.4	15,818	14,785	93.5
Veterans Administration	2	2	100.0	8	8	100.0	135	128	94.8	44	42	95.5	2	2	100.0	154	147	95.5	2	2	100.0	349	332	95.1
Indian Health Service	32	31	96.9	0	—	—	12	11	91.7	3	1	33.3	0	—	—	4	4	100.0	5	5	100.0	56	52	92.9
Other plan	43	40	93.0	108	101	93.5	1,699	1,468	86.4	2,922	2,712	92.8	7	6	85.7	1,075	966	89.9	42	32	76.2	5,949	5,372	90.3
No coverage	133	122	91.7	937	885	94.5	22,474	18,687	83.1	27,978	25,351	90.6	69	62	89.9	8,668	7,684	88.6	461	398	86.3	60,902	53,347	87.6
Multiple coverages	219	203	92.7	683	658	96.3	10,499	9,543	90.9	9,236	8,782	95.1	54	50	92.6	10,128	9,656	95.3	677	624	92.2	31,745	29,749	93.7
Housing status																								
Stable	1,024	943	92.1	4,280	4,095	95.7	99,860	89,420	89.5	77,062	71,976	93.4	373	341	91.4	64,044	60,777	94.9	2,909	2,644	90.9	251,304	231,809	92.2
Temporary	104	88	84.6	240	224	93.3	8,269	6,929	83.8	6,328	5,654	89.3	25	22	88.0	4,014	3,524	87.8	297	268	90.2	19,427	16,833	86.6
Unstable	105	75	71.4	134	124	92.5	6,004	4,645	77.4	3,349	2,755	82.3	25	20	80.0	3,384	2,709	80.1	215	174	80.9	13,308	10,581	79.5
Total^b	1,267	1,133	89.4	4,777	4,560	95.5	116,585	103,168	88.5	88,060	81,595	92.7	433	392	90.5	73,163	68,610	93.8	3,497	3,146	90.0	290,265	264,861	91.2

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 11a. Retention in care among older adults (aged 50 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
50–54	175	129	73.7	782	625	79.9	16,577	13,107	79.1	11,375	9,632	84.7	51	33	64.7	9,377	7,159	76.3	440	338	76.8	39,036	31,224	80.0
55–59	194	150	77.3	622	522	83.9	20,048	16,139	80.5	11,825	10,121	85.6	53	46	86.8	12,531	9,825	78.4	481	379	78.8	46,073	37,421	81.2
60–64	185	144	77.8	431	354	82.1	19,843	16,227	81.8	10,177	8,889	87.3	51	38	74.5	13,352	10,685	80.0	437	346	79.2	44,727	36,881	82.5
≥65	173	135	78.0	456	389	85.3	22,704	18,776	82.7	10,493	9,186	87.5	49	41	83.7	14,365	11,738	81.7	456	365	80.0	49,000	40,874	83.4
Sex																								
Male	504	389	77.2	1,780	1,470	82.6	45,737	36,806	80.5	31,631	27,155	85.8	155	124	80.0	41,739	33,194	79.5	1,276	996	78.1	123,635	100,778	81.5
Female	223	169	75.8	505	415	82.2	33,049	27,125	82.1	12,144	10,592	87.2	49	34	69.4	7,711	6,065	78.7	536	431	80.4	54,460	45,023	82.7
Federal poverty level																								
0–100%	489	363	74.2	1,233	1,024	83.0	49,279	39,965	81.1	27,284	23,612	86.5	109	81	74.3	22,430	17,648	78.7	1,057	848	80.2	102,416	83,975	82.0
101–138%	78	67	85.9	218	185	84.9	8,347	6,980	83.6	4,382	3,798	86.7	31	26	83.9	6,299	5,143	81.6	212	174	82.1	19,634	16,428	83.7
139–250%	92	78	84.8	437	357	81.7	11,891	9,842	82.8	7,104	6,199	87.3	28	23	82.1	10,728	8,695	81.0	290	217	74.8	30,786	25,595	83.1
251–400%	31	24	77.4	232	193	83.2	5,627	4,609	81.9	3,159	2,688	85.1	22	18	81.8	5,506	4,449	80.8	153	117	76.5	14,812	12,163	82.1
>400%	21	15	71.4	85	74	87.1	1,446	1,136	78.6	633	536	84.7	9	8	88.9	2,661	2,098	78.8	47	35	74.5	4,938	3,931	79.6
Health care coverage																								
Private employer	45	39	86.7	257	204	79.4	6,984	5,588	80.0	2,734	2,322	84.9	16	13	81.3	5,595	4,355	77.8	134	99	73.9	15,861	12,683	80.0
Private individual	29	24	82.8	266	203	76.3	7,394	5,939	80.3	3,824	3,212	84.0	21	16	76.2	5,688	4,427	77.8	119	96	80.7	17,414	13,973	80.2
Medicare	134	97	72.4	236	199	84.3	15,950	13,108	82.2	5,504	4,718	85.7	40	33	82.5	11,961	9,733	81.4	338	268	79.3	34,355	28,306	82.4
Medicaid	232	171	73.7	684	565	82.6	22,246	17,827	80.1	13,763	11,956	86.9	62	43	69.4	9,219	7,146	77.5	475	376	79.2	47,065	38,385	81.6
Medicare and Medicaid	81	69	85.2	136	123	90.4	9,857	8,308	84.3	4,097	3,642	88.9	16	14	87.5	5,421	4,473	82.5	249	195	78.3	19,953	16,909	84.7
Veterans Administration	2	1	50.0	4	2	50.0	87	59	67.8	13	11	84.6	3	3	100.0	108	73	67.6	0	—	—	220	151	68.6
Indian Health Service	9	7	77.8	0	—	—	9	6	66.7	3	3	100.0	0	—	—	3	1	33.3	2	1	50.0	26	18	69.2
Other plan	18	7	38.9	45	38	84.4	987	823	83.4	1,185	1,022	86.2	1	0	0.0	546	399	73.1	23	18	78.3	2,832	2,323	82.0
No coverage	43	35	81.4	320	263	82.2	7,572	5,933	78.4	7,737	6,550	84.7	22	17	77.3	3,637	2,720	74.8	106	77	72.6	19,479	15,626	80.2
Multiple coverages	131	105	80.2	326	284	87.1	7,213	6,142	85.2	4,750	4,217	88.8	21	19	90.5	6,970	5,771	82.8	353	290	82.2	19,900	16,943	85.1
Housing status																								
Stable	609	480	78.8	2,091	1,734	82.9	70,537	57,764	81.9	40,344	35,022	86.8	183	145	79.2	44,835	35,973	80.2	1,547	1,232	79.6	161,022	133,066	82.6
Temporary	44	30	68.2	95	83	87.4	4,046	3,164	78.2	1,979	1,626	82.2	11	7	63.6	1,946	1,498	77.0	150	117	78.0	8,309	6,552	78.9
Unstable	59	38	64.4	51	36	70.6	2,511	1,861	74.1	976	782	80.1	6	4	66.7	1,575	1,112	70.6	64	47	73.4	5,264	3,895	74.0
Total^b	727	558	76.8	2,291	1,890	82.5	79,172	64,249	81.2	43,870	37,828	86.2	204	158	77.5	49,625	39,407	79.4	1,814	1,428	78.7	178,836	146,400	81.9

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 11b. Viral suppression among older adults (aged 50 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Age group (yrs)																								
50–54	186	167	89.8	799	773	96.7	17,182	15,547	90.5	11,725	11,006	93.9	50	46	92.0	9,774	9,074	92.8	442	403	91.2	40,436	37,274	92.2
55–59	208	192	92.3	639	622	97.3	20,617	18,806	91.2	12,152	11,505	94.7	56	55	98.2	12,928	12,253	94.8	484	445	91.9	47,405	44,180	93.2
60–64	189	181	95.8	449	425	94.7	20,286	18,823	92.8	10,400	9,912	95.3	51	46	90.2	13,755	13,201	96.0	442	402	91.0	45,834	43,243	94.3
≥65	175	165	94.3	472	464	98.3	22,921	21,835	95.3	10,665	10,311	96.7	51	49	96.1	14,634	14,322	97.9	468	440	94.0	49,683	47,870	96.4
Sex																								
Male	524	487	92.9	1,838	1,777	96.7	46,916	43,071	91.8	32,413	30,775	94.9	159	149	93.7	42,967	41,147	95.8	1,290	1,187	92.0	126,939	119,388	94.1
Female	234	218	93.2	516	502	97.3	33,719	31,595	93.7	12,433	11,869	95.5	49	47	95.9	7,939	7,529	94.8	543	500	92.1	55,687	52,492	94.3
Federal poverty level																								
0–100%	511	470	92.0	1,269	1,220	96.1	50,441	46,058	91.3	28,003	26,411	94.3	114	102	89.5	23,130	21,702	93.8	1,066	972	91.2	105,102	97,462	92.7
101–138%	79	76	96.2	231	224	97.0	8,598	8,100	94.2	4,483	4,291	95.7	31	31	100.0	6,490	6,229	96.0	214	199	93.0	20,194	19,213	95.1
139–250%	99	93	93.9	454	443	97.6	12,301	11,693	95.1	7,297	7,048	96.6	30	30	100.0	11,041	10,726	97.1	295	279	94.6	31,733	30,523	96.2
251–400%	33	31	93.9	236	229	97.0	5,778	5,528	95.7	3,248	3,174	97.7	20	20	100.0	5,725	5,597	97.8	158	146	92.4	15,279	14,805	96.9
>400%	21	21	100.0	84	84	100.0	1,483	1,420	95.8	656	637	97.1	9	9	100.0	2,760	2,713	98.3	51	48	94.1	5,100	4,968	97.4
Health care coverage																								
Private employer	52	47	90.4	267	260	97.4	7,226	6,914	95.7	2,849	2,773	97.3	17	17	100.0	5,852	5,730	97.9	138	129	93.5	16,502	15,971	96.8
Private individual	28	26	92.9	269	260	96.7	7,562	7,117	94.1	3,907	3,781	96.8	19	19	100.0	5,799	5,605	96.7	121	116	95.9	17,772	16,989	95.6
Medicare	134	128	95.5	233	222	95.3	15,924	15,054	94.5	5,598	5,353	95.6	40	38	95.0	12,264	11,887	96.9	335	313	93.4	34,715	33,174	95.6
Medicaid	243	218	89.7	716	695	97.1	22,894	20,653	90.2	14,098	13,246	94.0	63	57	90.5	9,582	8,902	92.9	481	428	89.0	48,479	44,573	91.9
Medicare and Medicaid	85	81	95.3	136	132	97.1	10,122	9,484	93.7	4,168	4,010	96.2	20	18	90.0	5,528	5,307	96.0	252	234	92.9	20,405	19,356	94.9
Veterans Administration	2	2	100.0	5	5	100.0	96	90	93.8	19	17	89.5	3	3	100.0	115	111	96.5	0	—	—	243	230	94.7
Indian Health Service	11	11	100.0	0	—	—	9	9	100.0	3	2	66.7	0	—	—	3	3	100.0	2	2	100.0	28	27	96.4
Other plan	17	16	94.1	46	44	95.7	941	855	90.9	1,193	1,135	95.1	1	1	100.0	570	529	92.8	21	20	95.2	2,814	2,624	93.2
No coverage	48	44	91.7	339	326	96.2	8,032	7,194	89.6	8,045	7,549	93.8	21	20	95.2	3,836	3,514	91.6	112	101	90.2	20,484	18,796	91.8
Multiple coverages	134	128	95.5	335	327	97.6	7,450	6,955	93.4	4,839	4,661	96.3	23	22	95.7	7,100	6,843	96.4	361	335	92.8	20,384	19,406	95.2
Housing status																								
Stable	629	599	95.2	2,156	2,091	97.0	72,351	67,429	93.2	41,297	39,475	95.6	187	176	94.1	46,169	44,443	96.3	1,577	1,465	92.9	165,262	156,527	94.7
Temporary	51	43	84.3	99	95	96.0	4,232	3,772	89.1	2,058	1,873	91.0	11	10	90.9	2,041	1,854	90.8	146	135	92.5	8,680	7,820	90.1
Unstable	61	47	77.0	52	48	92.3	2,640	2,156	81.7	1,055	892	84.5	7	7	100.0	1,660	1,397	84.2	67	50	74.6	5,566	4,620	83.0
Total^b	758	705	93.0	2,359	2,284	96.8	81,006	75,011	92.6	44,942	42,734	95.1	208	196	94.2	51,091	48,850	95.6	1,836	1,690	92.0	183,358	172,567	94.1

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 12a. Retention in care among youth and young adults (aged 13–24 years) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Sex																								
Male	25	14	56.0	133	104	78.2	4,721	3,504	74.2	2,870	2,204	76.8	15	12	80.0	826	597	72.3	117	83	70.9	8,796	6,581	74.8
Female	4	3	75.0	52	40	76.9	1,257	997	79.3	468	369	78.8	2	2	100.0	231	176	76.2	30	22	73.3	2,066	1,625	78.7
Federal poverty level																								
0–100%	19	9	47.4	110	87	79.1	3,832	2,856	74.5	2,140	1,643	76.8	12	9	75.0	632	456	72.2	90	67	74.4	6,897	5,167	74.9
101–138%	1	0	0.0	13	9	69.2	454	366	80.6	268	212	79.1	2	2	100.0	81	63	77.8	18	15	83.3	845	674	79.8
139–250%	2	2	100.0	30	24	80.0	1,032	787	76.3	594	461	77.6	2	2	100.0	181	137	75.7	25	14	56.0	1,876	1,437	76.6
251–400%	6	5	83.3	19	14	73.7	414	334	80.7	234	186	79.5	1	1	100.0	106	83	78.3	10	7	70.0	794	633	79.7
>400%	0	—	—	4	4	100.0	70	59	84.3	20	16	80.0	0	—	—	18	11	61.1	1	0	0.0	113	90	79.6
Health care coverage																								
Private employer	3	3	100.0	35	28	80.0	709	560	79.0	246	193	78.5	1	0	0.0	192	141	73.4	22	12	54.5	1,218	943	77.4
Private individual	3	0	0.0	30	26	86.7	720	556	77.2	278	219	78.8	1	1	100.0	141	105	74.5	14	12	85.7	1,196	925	77.3
Medicare	0	—	—	0	—	—	27	18	66.7	5	4	80.0	0	—	—	0	—	—	1	1	100.0	33	23	69.7
Medicaid	10	6	60.0	55	42	76.4	2,402	1,807	75.2	1,010	773	76.5	7	7	100.0	346	255	73.7	60	46	76.7	3,934	2,970	75.5
Medicare and Medicaid	0	—	—	0	—	—	43	29	67.4	10	10	100.0	0	—	—	3	3	100.0	0	—	—	56	42	75.0
Veterans Administration	0	—	—	3	3	100.0	18	12	66.7	6	5	83.3	0	—	—	2	1	50.0	0	—	—	30	21	70.0
Indian Health Service	1	0	0.0	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0
Other plan	2	0	0.0	6	3	50.0	95	73	76.8	94	78	83.0	1	1	100.0	21	10	47.6	2	2	100.0	223	168	75.3
No coverage	8	6	75.0	25	21	84.0	1,382	998	72.2	1,371	1,027	74.9	7	5	71.4	192	133	69.3	26	19	73.1	3,031	2,220	73.2
Multiple coverages	1	1	100.0	28	20	71.4	503	411	81.7	280	237	84.6	0	—	—	152	122	80.3	20	13	65.0	990	810	81.8
Housing status																								
Stable	22	12	54.5	167	128	76.6	5,144	3,946	76.7	2,822	2,205	78.1	15	12	80.0	882	660	74.8	122	89	73.0	9,244	7,102	76.8
Temporary	4	2	50.0	12	12	100.0	468	341	72.9	329	235	71.4	0	—	—	88	60	68.2	12	9	75.0	923	664	71.9
Unstable	0	—	—	0	—	—	233	148	63.5	135	94	69.6	2	2	100.0	58	35	60.3	9	7	77.8	441	289	65.5
Total^b	29	17	58.6	185	144	77.8	6,000	4,516	75.3	3,346	2,579	77.1	17	14	82.4	1,062	777	73.2	147	105	71.4	10,906	8,237	75.5

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 12b. Viral suppression among youth and young adults (aged 13–24 years) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2024—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Sex																								
Male	27	26	96.3	152	142	93.4	5,264	4,483	85.2	3,236	2,848	88.0	17	12	70.6	945	850	89.9	137	125	91.2	9,884	8,565	86.7
Female	6	6	100.0	53	50	94.3	1,363	1,147	84.2	518	438	84.6	3	3	100.0	267	245	91.8	34	29	85.3	2,269	1,940	85.5
Federal poverty level																								
0–100%	23	23	100.0	119	112	94.1	4,299	3,587	83.4	2,409	2,083	86.5	14	9	64.3	730	641	87.8	108	96	88.9	7,773	6,609	85.0
101–138%	0	—	—	14	11	78.6	493	432	87.6	305	264	86.6	3	3	100.0	96	86	89.6	21	19	90.5	940	821	87.3
139–250%	2	2	100.0	35	33	94.3	1,153	996	86.4	675	605	89.6	2	2	100.0	207	193	93.2	24	23	95.8	2,109	1,861	88.2
251–400%	7	6	85.7	21	21	100.0	449	409	91.1	252	238	94.4	1	1	100.0	115	113	98.3	12	11	91.7	860	802	93.3
>400%	0	—	—	6	6	100.0	75	69	92.0	24	21	87.5	0	—	—	20	20	100.0	1	1	100.0	126	117	92.9
Health care coverage																								
Private employer	3	3	100.0	38	37	97.4	780	710	91.0	267	245	91.8	1	1	100.0	217	196	90.3	25	23	92.0	1,343	1,225	91.2
Private individual	3	3	100.0	34	32	94.1	783	699	89.3	304	284	93.4	1	1	100.0	158	148	93.7	18	16	88.9	1,311	1,192	90.9
Medicare	0	—	—	0	—	—	32	26	81.3	5	5	100.0	0	—	—	0	—	—	0	—	—	37	31	83.8
Medicaid	11	11	100.0	60	56	93.3	2,664	2,250	84.5	1,136	995	87.6	10	7	70.0	402	362	90.0	66	60	90.9	4,398	3,779	85.9
Medicare and Medicaid	0	—	—	0	—	—	50	40	80.0	11	9	81.8	0	—	—	4	3	75.0	0	—	—	65	52	80.0
Veterans Administration	0	—	—	3	3	100.0	19	17	89.5	8	8	100.0	0	—	—	4	3	75.0	0	—	—	35	32	91.4
Indian Health Service	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	1	1	100.0
Other plan	2	2	100.0	7	7	100.0	104	85	81.7	105	90	85.7	1	1	100.0	26	24	92.3	3	2	66.7	250	213	85.2
No coverage	10	10	100.0	30	27	90.0	1,601	1,282	80.1	1,580	1,339	84.7	6	4	66.7	236	202	85.6	32	28	87.5	3,514	2,907	82.7
Multiple coverages	2	1	50.0	30	28	93.3	539	475	88.1	299	278	93.0	1	1	100.0	159	151	95.0	24	23	95.8	1,060	962	90.8
Housing status																								
Stable	26	26	100.0	182	170	93.4	5,721	4,884	85.4	3,167	2,787	88.0	18	14	77.8	1,010	921	91.2	141	130	92.2	10,339	8,993	87.0
Temporary	4	4	100.0	14	13	92.9	535	453	84.7	381	327	85.8	0	—	—	108	95	88.0	15	13	86.7	1,069	914	85.5
Unstable	0	—	—	1	1	100.0	270	212	78.5	144	121	84.0	2	1	50.0	69	55	79.7	11	8	72.7	502	402	80.1
Total^b	33	32	97.0	205	192	93.7	6,648	5,647	84.9	3,764	3,294	87.5	20	15	75.0	1,216	1,099	90.4	171	154	90.1	12,197	10,543	86.4

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

Table 13a. Retention in care among patients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2024—United States and 3 territories

	Stable			Temporary			Unstable		
	Total N	Retained		Total N	Retained		Total N	Retained	
		N	%		N	%		N	%
Age group (yrs)									
<13	402	364	90.5	16	15	93.8	6	6	100.0
13–14	148	124	83.8	3	3	100.0	3	3	100.0
15–19	1,213	972	80.1	89	63	70.8	27	21	77.8
20–24	7,883	6,006	76.2	831	598	72.0	411	265	64.5
25–29	20,196	15,081	74.7	2,151	1,553	72.2	1,219	793	65.1
30–34	34,075	25,654	75.3	3,537	2,525	71.4	2,427	1,566	64.5
35–39	37,128	28,303	76.2	3,473	2,549	73.4	2,396	1,589	66.3
40–44	33,254	26,008	78.2	2,832	2,128	75.1	2,061	1,450	70.4
45–49	31,426	25,044	79.7	2,317	1,758	75.9	1,664	1,163	69.9
50–54	34,221	27,727	81.0	2,320	1,798	77.5	1,559	1,090	69.9
55–59	40,937	33,577	82.0	2,445	1,914	78.3	1,636	1,226	74.9
60–64	40,416	33,616	83.2	1,953	1,556	79.7	1,286	971	75.5
≥65	45,448	38,146	83.9	1,591	1,284	80.7	783	608	77.7
Race/ethnicity									
American Indian/Alaska Native	1,258	926	73.6	128	82	64.1	143	89	62.2
Asian	5,112	4,115	80.5	273	212	77.7	137	97	70.8
Black/African American	147,012	115,615	78.6	10,862	8,126	74.8	7,290	5,071	69.6
Hispanic/Latino ^a	93,419	77,687	83.2	7,077	5,510	77.9	3,595	2,627	73.1
Native Hawaiian/Pacific Islander	437	339	77.6	28	16	57.1	28	17	60.7
White	73,648	57,474	78.0	4,631	3,387	73.1	3,919	2,604	66.4
Multiple races	3,720	2,806	75.4	388	289	74.5	257	182	70.8
Sex									
Male	239,891	189,860	79.1	17,971	13,435	74.8	12,310	8,483	68.9
Female	85,593	69,735	81.5	5,424	4,200	77.4	3,090	2,215	71.7
Federal poverty level									
0–100%	182,134	144,640	79.4	18,070	13,407	74.2	13,244	9,084	68.6
101–138%	31,816	26,089	82.0	1,644	1,335	81.2	712	544	76.4
139–250%	61,392	49,745	81.0	2,479	1,976	79.7	960	734	76.5
251–400%	34,209	27,346	79.9	919	732	79.7	308	245	79.5
>400%	9,970	7,763	77.9	162	133	82.1	52	37	71.2
Health care coverage									
Private employer	36,788	28,650	77.9	1,121	873	77.9	435	299	68.7
Private individual	40,250	31,850	79.1	1,823	1,351	74.1	882	631	71.5
Medicare	35,872	29,440	82.1	1,187	950	80.0	688	483	70.2
Medicaid	90,346	71,336	79.0	7,832	5,748	73.4	6,993	4,843	69.3
Medicare and Medicaid	21,726	18,331	84.4	1,036	835	80.6	812	631	77.7
Veterans Administration	373	265	71.0	19	11	57.9	7	3	42.9
Indian Health Service	61	41	67.2	3	1	33.3	1	1	100.0
Other plan	5,890	4,678	79.4	746	567	76.0	482	338	70.1
No coverage	59,249	45,925	77.5	6,618	4,883	73.8	3,194	2,037	63.8
Multiple coverages	35,060	29,386	83.8	3,058	2,475	80.9	1,939	1,465	75.6
Total ^b	326,747	260,622	79.8	23,558	17,744	75.3	15,478	10,751	69.5

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 13b. Viral suppression among patients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2024—United States and 3 territories

	Stable			Temporary			Unstable		
	Total N	Viral Suppression		Total N	Viral Suppression		Total N	Viral Suppression	
		N	%		N	%		N	%
Age group (yrs)									
<13	421	378	89.8	17	16	94.1	6	6	100.0
13–14	159	146	91.8	3	3	100.0	3	3	100.0
15–19	1,387	1,199	86.4	106	92	86.8	35	25	71.4
20–24	8,793	7,648	87.0	960	819	85.3	464	374	80.6
25–29	22,008	19,512	88.7	2,409	2,051	85.1	1,359	1,076	79.2
30–34	36,519	32,604	89.3	3,863	3,271	84.7	2,648	2,048	77.3
35–39	39,402	35,328	89.7	3,777	3,189	84.4	2,598	2,023	77.9
40–44	34,895	31,733	90.9	3,089	2,636	85.3	2,239	1,752	78.2
45–49	32,814	30,194	92.0	2,509	2,207	88.0	1,786	1,408	78.8
50–54	35,442	32,978	93.0	2,461	2,161	87.8	1,667	1,350	81.0
55–59	42,148	39,596	93.9	2,565	2,290	89.3	1,743	1,417	81.3
60–64	41,485	39,344	94.8	2,007	1,828	91.1	1,354	1,139	84.1
≥65	46,187	44,609	96.6	1,647	1,541	93.6	802	714	89.0
Race/ethnicity									
American Indian/Alaska Native	1,349	1,244	92.2	143	122	85.3	153	114	74.5
Asian	5,394	5,164	95.7	299	278	93.0	148	134	90.5
Black/African American	154,049	139,081	90.3	11,773	9,992	84.9	7,856	6,162	78.4
Hispanic/Latino ^a	97,595	91,159	93.4	7,586	6,795	89.6	3,910	3,229	82.6
Native Hawaiian/Pacific Islander	468	427	91.2	28	25	89.3	32	27	84.4
White	76,688	72,609	94.7	4,992	4,373	87.6	4,200	3,336	79.4
Multiple races	3,870	3,523	91.0	403	361	89.6	278	225	80.9
Sex									
Male	251,495	231,984	92.2	19,435	16,841	86.7	13,311	10,584	79.5
Female	88,851	82,082	92.4	5,802	5,115	88.2	3,304	2,681	81.1
Federal poverty level									
0–100%	190,823	172,896	90.6	19,617	16,861	86.0	14,372	11,331	78.8
101–138%	33,172	31,080	93.7	1,722	1,538	89.3	747	627	83.9
139–250%	64,224	60,467	94.2	2,639	2,395	90.8	1,012	881	87.1
251–400%	35,849	34,183	95.4	974	907	93.1	326	296	90.8
>400%	10,421	10,079	96.7	173	159	91.9	58	53	91.4
Health care coverage									
Private employer	38,971	37,118	95.2	1,230	1,112	90.4	463	383	82.7
Private individual	41,650	39,296	94.3	1,968	1,739	88.4	943	769	81.5
Medicare	36,409	34,604	95.0	1,248	1,115	89.3	723	610	84.4
Medicaid	94,770	85,476	90.2	8,472	7,252	85.6	7,561	5,945	78.6
Medicare and Medicaid	22,289	21,016	94.3	1,077	989	91.8	867	713	82.2
Veterans Administration	417	396	95.0	21	18	85.7	6	5	83.3
Indian Health Service	66	61	92.4	3	3	100.0	1	1	100.0
Other plan	6,132	5,618	91.6	807	698	86.5	501	413	82.4
No coverage	63,615	56,494	88.8	7,263	6,169	84.9	3,574	2,771	77.5
Multiple coverages	36,246	34,211	94.4	3,210	2,917	90.9	2,029	1,699	83.7
Total ^b	341,660	315,269	92.3	25,413	22,104	87.0	16,704	13,335	79.8

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

This page intentionally left blank

Section 3.

State- and EMA/TGA-Level Data: Client Characteristics

Table 14a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2020–2024—United States and 3 territories

	2020	2021	2022	2023	2024
State					
Alabama	9,989	10,542	10,707	11,180	11,646
Alaska	464	647	621	676	748
Arizona	9,731	9,582	9,331	9,500	10,259
Arkansas	2,833	3,005	3,103	3,350	3,446
California	56,188	57,078	52,676	52,666	55,857
Colorado	8,958	9,890	8,196	8,583	10,344
Connecticut	4,774	4,671	4,435	4,487	4,671
Delaware	2,100	2,162	2,076	2,191	2,225
District of Columbia	6,299	5,666	5,494	5,175	6,040
Florida	53,406	52,402	54,777	52,737	54,358
Georgia	23,361	26,011	25,661	27,358	28,453
Hawaii	1,361	1,321	1,183	1,257	1,288
Idaho	984	1,004	1,043	1,144	1,156
Illinois	26,256	25,870	25,376	22,341	24,638
Indiana ^a	6,071	8,069	—	6,779	6,840
Iowa	2,090	2,151	2,196	2,356	2,480
Kansas	1,129	951	1,129	1,114	1,188
Kentucky	5,643	5,743	5,772	6,711	7,222
Louisiana	13,007	13,347	12,838	14,637	13,625
Maine	1,220	1,059	923	934	960
Maryland	15,411	14,487	15,032	14,195	14,741
Massachusetts	13,288	13,495	13,432	13,435	13,241
Michigan	9,559	10,913	10,697	10,576	10,719
Minnesota	6,972	7,041	4,559	4,950	3,310
Mississippi	4,727	5,572	5,492	5,676	5,959
Missouri	8,494	8,520	8,449	8,933	9,377
Montana	487	487	475	479	463
Nebraska	1,198	1,332	1,441	1,703	1,945
Nevada	5,262	5,135	5,006	5,289	5,695
New Hampshire	1,112	1,119	1,038	1,065	1,161
New Jersey	15,290	15,024	15,326	16,200	16,312
New Mexico	2,275	2,476	2,113	2,371	2,268
New York	50,865	49,742	50,191	51,591	51,626
North Carolina	15,468	15,803	15,573	15,758	15,842
North Dakota	310	331	353	367	386
Ohio	13,505	13,861	13,300	13,065	14,232
Oklahoma	3,698	3,734	3,905	4,184	4,070
Oregon	3,700	7,466	7,771	7,866	10,149
Pennsylvania	24,436	25,745	26,298	27,188	27,465
Rhode Island	2,335	2,507	2,632	2,644	2,725
South Carolina	17,032	16,651	14,102	14,386	14,743
South Dakota	383	397	403	431	426
Tennessee	15,849	15,015	15,283	15,407	18,509
Texas	46,647	46,889	49,012	49,980	51,246
Utah	1,850	1,881	1,892	2,413	2,208
Vermont	621	631	610	645	634
Virginia	10,617	10,348	10,595	11,295	12,560
Washington	8,225	7,688	8,358	8,334	9,349
West Virginia	1,553	1,569	1,610	1,709	1,708
Wisconsin	2,299	5,395	5,337	5,471	5,719
Wyoming	209	203	204	187	215
Subtotal	539,541	552,628	538,026	552,969	576,447
Territory					
Guam ^a	—	35	34	29	26
Puerto Rico	11,542	12,332	11,592	12,255	12,448
U.S. Virgin Islands	266	251	258	266	247
Subtotal	11,808	12,618	11,884	12,550	12,721
Total	551,349	565,246	549,910	565,519	589,168

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a 2020 data for Guam and 2022 data for Indiana are unavailable.

Table 14b. Ryan White HIV/AIDS Program clients (non-ADAP), by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico

State/Territory	EMA/TGA	2020	2021	2022	2023	2024
Arizona	Phoenix	6,307	5,916	6,276	6,629	10,136
California	Los Angeles	25,352	25,352	21,481	21,251	22,085
	Oakland	2,986	3,689	3,728	3,960	4,134
	Orange County	2,374	2,349	2,242	2,145	4,118
	Riverside–San Bernardino	3,306	2,964	3,122	3,463	3,702
	Sacramento	2,777	2,851	2,811	2,540	2,906
	San Diego	7,153	7,201	6,814	6,501	7,011
	San Francisco	5,832	5,714	5,402	5,381	5,854
	San Jose	1,845	1,682	1,730	1,836	2,374
Colorado	Denver	8,330	9,093	7,656	7,902	9,644
Connecticut	Hartford	2,135	2,041	1,964	2,017	2,047
	New Haven	2,594	2,524	2,367	2,335	1,526
District of Columbia	Washington ^a	11,781	11,216	11,152	11,105	11,703
Florida	Ft. Lauderdale	17,018	11,335	12,536	10,857	11,172
	Jacksonville	4,031	3,921	4,011	3,903	4,028
	Miami	10,013	11,031	11,051	11,405	12,178
	Orlando	4,575	5,445	5,559	5,643	6,014
	Tampa–St. Petersburg	6,546	6,723	8,458	8,082	7,938
	West Palm Beach	3,889	4,155	3,804	3,318	3,535
Georgia	Atlanta	15,481	18,020	17,360	18,529	19,428
Illinois	Chicago	24,064	24,190	23,838	20,726	23,028
Indiana	Indianapolis	5,513	6,840	4,243	4,599	7,098
Louisiana	Baton Rouge	5,199	4,672	4,511	5,396	6,102
	New Orleans	6,779	6,844	6,554	7,738	6,498
Maryland	Baltimore	13,436	12,266	12,766	11,865	13,050
Massachusetts	Boston ^a	11,775	12,151	12,292	12,409	12,188
Michigan	Detroit	5,490	6,631	6,512	7,642	7,567
Minnesota	Minneapolis–St. Paul ^a	7,027	7,083	4,620	4,998	5,164
Missouri	Kansas City ^a	2,692	2,818	2,840	3,072	3,283
	St. Louis ^a	7,903	10,037	9,284	9,975	8,099
Nevada	Las Vegas ^a	4,182	3,754	3,868	4,175	4,467
New Jersey	Bergen–Passaic	1,804	1,810	1,802	1,878	1,877
	Jersey City	1,671	1,652	1,798	1,185	1,842
	Middlesex	1,582	1,625	1,643	1,163	1,428
	Newark	6,724	6,837	6,747	8,130	7,235
New York	Nassau–Suffolk	2,989	3,039	3,162	3,184	3,274
	New York	43,353	42,092	42,379	43,593	43,645
North Carolina	Charlotte ^a	4,180	4,274	4,333	4,648	4,778
Ohio	Cleveland	3,640	3,815	3,859	3,786	3,999
	Columbus	6,965	7,011	6,572	6,066	6,514
Oregon	Portland ^a	2,665	4,393	4,597	4,827	7,269
Pennsylvania	Philadelphia ^a	18,847	18,654	19,039	19,627	19,881
Puerto Rico	San Juan	7,057	7,851	6,839	7,110	7,843
Tennessee	Memphis ^a	4,819	4,444	4,854	5,026	5,394
	Nashville	10,199	9,741	9,704	9,464	11,327
Texas	Austin	3,442	2,206	3,050	3,352	3,972
	Dallas	12,564	12,968	14,717	14,277	14,200
	Ft. Worth	3,699	3,824	3,682	3,860	3,789
	Houston	17,400	17,544	17,643	17,826	18,531
	San Antonio	3,653	3,541	3,901	4,075	3,896
Virginia	Norfolk ^a	3,257	3,316	3,485	3,318	3,320
Washington	Seattle	6,215	5,801	6,245	6,628	7,703

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 15a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2024—United States and 3 territories

	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total N
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
State															
Alabama	59	0.5	483	4.1	2,388	20.5	2,678	23.0	2,320	19.9	2,503	21.5	1,215	10.4	11,646
Alaska	0	0.0	32	4.3	136	18.2	157	21.0	156	20.9	186	24.9	81	10.8	748
Arizona	99	1.0	349	3.4	1,815	17.7	2,130	20.8	2,035	19.8	2,403	23.4	1,428	13.9	10,259
Arkansas	2	0.1	145	4.2	777	22.5	868	25.2	672	19.5	671	19.5	311	9.0	3,446
California	182	0.3	1,264	2.3	8,904	15.9	12,301	22.0	11,086	19.8	13,958	25.0	8,162	14.6	55,857
Colorado	89	0.9	398	3.8	2,079	20.1	2,470	23.9	1,996	19.3	2,220	21.5	1,092	10.6	10,344
Connecticut	7	0.1	95	2.0	528	11.3	702	15.0	886	19.0	1,493	32.0	960	20.6	4,671
Delaware	0	0.0	44	2.0	244	11.0	360	16.2	408	18.3	676	30.4	493	22.2	2,225
District of Columbia	21	0.3	268	4.4	937	15.5	1,287	21.3	1,096	18.1	1,478	24.5	953	15.8	6,040
Florida	349	0.6	1,419	2.6	8,877	16.3	11,678	21.5	10,901	20.1	14,028	25.8	7,106	13.1	54,358
Georgia	167	0.6	1,120	3.9	6,318	22.2	7,073	24.9	5,193	18.3	5,794	20.4	2,788	9.8	28,453
Hawaii	1	0.1	6	0.5	113	8.8	217	16.8	205	15.9	398	30.9	348	27.0	1,288
Idaho	2	0.2	32	2.8	183	15.8	241	20.8	241	20.8	293	25.3	164	14.2	1,156
Illinois	126	0.5	755	3.1	5,012	20.3	5,752	23.3	4,733	19.2	5,351	21.7	2,909	11.8	24,638
Indiana	16	0.2	265	3.9	1,339	19.6	1,680	24.6	1,441	21.1	1,396	20.4	703	10.3	6,840
Iowa	4	0.2	86	3.5	462	18.6	568	22.9	532	21.5	547	22.1	281	11.3	2,480
Kansas	2	0.2	25	2.1	189	15.9	224	18.9	219	18.4	352	29.6	177	14.9	1,188
Kentucky	24	0.3	207	2.9	1,432	19.8	1,736	24.0	1,519	21.0	1,550	21.5	754	10.4	7,222
Louisiana	8	0.1	499	3.7	2,276	16.7	3,211	23.6	2,950	21.7	3,088	22.7	1,593	11.7	13,625
Maine	3	0.3	10	1.0	82	8.5	156	16.3	208	21.7	292	30.4	209	21.8	960
Maryland	80	0.5	310	2.1	1,856	12.6	2,928	19.9	2,729	18.5	4,117	27.9	2,721	18.5	14,741
Massachusetts	103	0.8	248	1.9	1,599	12.1	2,454	18.5	2,598	19.6	3,814	28.8	2,425	18.3	13,241
Michigan	75	0.7	348	3.2	2,003	18.7	2,351	21.9	1,998	18.6	2,547	23.8	1,397	13.0	10,719
Minnesota	7	0.2	162	4.9	586	17.7	801	24.2	602	18.2	715	21.6	437	13.2	3,310
Mississippi	53	0.9	265	4.4	1,193	20.0	1,336	22.4	1,249	21.0	1,285	21.6	578	9.7	5,959
Missouri	76	0.8	346	3.7	1,826	19.5	2,075	22.1	1,839	19.6	2,209	23.6	1,006	10.7	9,377
Montana	0	0.0	7	1.5	68	14.7	110	23.8	71	15.3	138	29.8	69	14.9	463
Nebraska	1	0.1	48	2.5	385	19.8	439	22.6	453	23.3	412	21.2	207	10.6	1,945
Nevada	57	1.0	178	3.1	1,149	20.2	1,443	25.3	1,028	18.1	1,188	20.9	652	11.4	5,695
New Hampshire	2	0.2	17	1.5	150	12.9	201	17.3	220	18.9	340	29.3	231	19.9	1,161
New Jersey	127	0.8	430	2.6	2,491	15.3	3,172	19.4	2,925	17.9	4,321	26.5	2,846	17.4	16,312
New Mexico	2	0.1	59	2.6	362	16.0	425	18.7	421	18.6	570	25.1	429	18.9	2,268
New York	214	0.4	1,314	2.5	7,918	15.3	10,479	20.3	9,394	18.2	13,305	25.8	9,002	17.4	51,626
North Carolina	75	0.5	598	3.8	3,162	20.0	3,331	21.0	3,039	19.2	3,623	22.9	2,014	12.7	15,842
North Dakota	0	0.0	15	3.9	76	19.7	107	27.7	88	22.8	77	19.9	23	6.0	386
Ohio	94	0.7	407	2.9	2,593	18.2	3,259	22.9	2,818	19.8	3,263	22.9	1,798	12.6	14,232
Oklahoma	2	<0.1	134	3.3	751	18.5	971	23.9	855	21.0	955	23.5	402	9.9	4,070
Oregon	3	<0.1	516	5.1	2,407	23.7	2,475	24.4	1,805	17.8	1,817	17.9	1,126	11.1	10,149
Pennsylvania	167	0.6	678	2.5	3,924	14.3	5,324	19.4	5,139	18.7	7,710	28.1	4,523	16.5	27,465
Rhode Island	18	0.7	63	2.3	286	10.5	486	17.8	549	20.1	817	30.0	506	18.6	2,725
South Carolina	4	<0.1	480	3.3	2,638	17.9	3,130	21.2	2,848	19.3	3,646	24.7	1,997	13.5	14,743
South Dakota	1	0.2	14	3.3	62	14.6	109	25.6	98	23.0	98	23.0	44	10.3	426
Tennessee	27	0.1	558	3.0	3,575	19.3	4,238	22.9	3,924	21.2	4,355	23.5	1,832	9.9	18,509
Texas	455	0.9	2,074	4.0	11,257	22.0	13,062	25.5	10,351	20.2	9,929	19.4	4,118	8.0	51,246

Table 15a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2024—United States and 3 territories (cont.)

	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total N
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
State															
Utah	1	<0.1	78	3.5	553	25.0	543	24.6	479	21.7	375	17.0	179	8.1	2,208
Vermont	0	0.0	7	1.1	47	7.4	81	12.8	133	21.0	223	35.2	143	22.6	634
Virginia	36	0.3	487	3.9	2,353	18.7	2,762	22.0	2,350	18.7	2,909	23.2	1,663	13.2	12,560
Washington	8	0.1	194	2.1	1,321	14.1	2,108	22.5	2,092	22.4	2,276	24.3	1,350	14.4	9,349
West Virginia	2	0.1	14	0.8	262	15.3	390	22.8	360	21.1	443	25.9	237	13.9	1,708
Wisconsin	77	1.3	257	4.5	1,059	18.5	1,174	20.5	1,092	19.1	1,316	23.0	744	13.0	5,719
Wyoming	0	0.0	2	0.9	31	14.4	45	20.9	46	21.4	54	25.1	37	17.2	215
Subtotal	2,928	0.5	17,810	3.1	102,034	17.7	127,298	22.1	112,390	19.5	137,524	23.9	76,463	13.3	576,447
Territory															
Guam	0	0.0	3	11.5	5	19.2	8	30.8	4	15.4	1	3.8	5	19.2	26
Puerto Rico	16	0.1	132	1.1	1,248	10.0	1,744	14.0	2,486	20.0	4,018	32.3	2,804	22.5	12,448
U.S. Virgin Islands	0	0.0	1	0.4	25	10.1	43	17.4	51	20.6	65	26.3	62	25.1	247
Subtotal	16	0.1	136	1.1	1,278	10.0	1,795	14.1	2,541	20.0	4,084	32.1	2,871	22.6	12,721
Total	2,944	0.5	17,946	3.0	103,312	17.5	129,093	21.9	114,931	19.5	141,608	24.0	79,334	13.5	589,168

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 15b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total N
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Arizona	Phoenix	99	1.0	369	3.6	1,890	18.6	2,188	21.6	1,993	19.7	2,283	22.5	1,314	13.0	10,136
California	Los Angeles	102	0.5	493	2.2	3,968	18.0	5,344	24.2	4,484	20.3	5,204	23.6	2,490	11.3	22,085
	Oakland	36	0.9	123	3.0	622	15.0	870	21.0	759	18.4	1,011	24.5	713	17.2	4,134
	Orange County	1	<0.1	115	2.8	616	15.0	908	22.0	946	23.0	973	23.6	559	13.6	4,118
	Riverside–San Bernardino	0	0.0	90	2.4	584	15.8	704	19.0	618	16.7	1,020	27.6	686	18.5	3,702
	Sacramento	1	<0.1	59	2.0	431	14.8	640	22.0	572	19.7	778	26.8	425	14.6	2,906
	San Diego	41	0.6	138	2.0	1,002	14.3	1,488	21.2	1,416	20.2	1,866	26.6	1,060	15.1	7,011
	San Francisco	0	0.0	68	1.2	620	10.6	1,125	19.2	1,124	19.2	1,619	27.7	1,298	22.2	5,854
	San Jose	0	0.0	66	2.8	453	19.1	576	24.3	495	20.9	513	21.6	271	11.4	2,374
Colorado	Denver	89	0.9	404	4.2	1,998	20.7	2,339	24.3	1,844	19.1	1,996	20.7	974	10.1	9,644
Connecticut	Hartford	6	0.3	42	2.1	227	11.1	308	15.0	383	18.7	659	32.2	422	20.6	2,047
	New Haven	1	0.1	42	2.8	195	12.8	234	15.3	285	18.7	472	30.9	297	19.5	1,526
District of Columbia	Washington ^a	35	0.3	422	3.6	1,843	15.7	2,516	21.5	2,389	20.4	2,774	23.7	1,724	14.7	11,703
Florida	Ft. Lauderdale	136	1.2	284	2.5	1,719	15.4	2,409	21.6	2,217	19.8	2,921	26.1	1,486	13.3	11,172
	Jacksonville	2	<0.1	102	2.5	732	18.2	881	21.9	871	21.6	980	24.3	460	11.4	4,028
	Miami	97	0.8	263	2.2	2,217	18.2	2,966	24.4	2,531	20.8	2,971	24.4	1,133	9.3	12,178
	Orlando	21	0.3	184	3.1	1,178	19.6	1,460	24.3	1,207	20.1	1,346	22.4	618	10.3	6,014
	Tampa–St. Petersburg	94	1.2	268	3.4	1,427	18.0	1,633	20.6	1,485	18.7	1,980	24.9	1,051	13.2	7,938
	West Palm Beach	1	<0.1	87	2.5	501	14.2	697	19.7	706	20.0	963	27.2	580	16.4	3,535
Georgia	Atlanta	167	0.9	822	4.2	4,761	24.5	5,164	26.6	3,465	17.8	3,498	18.0	1,551	8.0	19,428
Illinois	Chicago	125	0.5	734	3.2	4,830	21.0	5,491	23.8	4,376	19.0	4,854	21.1	2,618	11.4	23,028
Indiana	Indianapolis	18	0.3	266	3.7	1,403	19.8	1,736	24.5	1,501	21.1	1,454	20.5	720	10.1	7,098
Louisiana	Baton Rouge	1	<0.1	145	2.4	899	14.7	1,388	22.7	1,341	22.0	1,454	23.8	874	14.3	6,102
	New Orleans	4	0.1	228	3.5	1,027	15.8	1,562	24.0	1,408	21.7	1,506	23.2	763	11.7	6,498
Maryland	Baltimore	80	0.6	272	2.1	1,634	12.5	2,588	19.8	2,301	17.6	3,708	28.4	2,467	18.9	13,050
Massachusetts	Boston ^a	105	0.9	234	1.9	1,539	12.6	2,367	19.4	2,372	19.5	3,411	28.0	2,160	17.7	12,188
Michigan	Detroit	74	1.0	277	3.7	1,548	20.5	1,717	22.7	1,367	18.1	1,634	21.6	950	12.6	7,567
Minnesota	Minneapolis–St. Paul ^a	8	0.2	222	4.3	820	15.9	1,173	22.7	1,018	19.7	1,201	23.3	722	14.0	5,164
Missouri	Kansas City ^a	4	0.1	94	2.9	686	20.9	795	24.2	660	20.1	732	22.3	312	9.5	3,283
	St. Louis ^a	70	0.9	303	3.7	1,562	19.3	1,795	22.2	1,616	20.0	1,907	23.5	846	10.4	8,099
Nevada	Las Vegas ^a	47	1.1	154	3.4	1,012	22.7	1,253	28.1	824	18.4	801	17.9	376	8.4	4,467
New Jersey	Bergen–Passaic	15	0.8	43	2.3	298	15.9	365	19.4	329	17.5	507	27.0	320	17.0	1,877
	Jersey City	5	0.3	48	2.6	305	16.6	363	19.7	355	19.3	454	24.6	312	16.9	1,842
	Middlesex	13	0.9	60	4.2	264	18.5	285	20.0	246	17.2	372	26.1	188	13.2	1,428
	Newark	41	0.6	188	2.6	1,130	15.6	1,441	19.9	1,309	18.1	1,863	25.7	1,263	17.5	7,235
New York	Nassau–Suffolk	20	0.6	252	7.7	549	16.8	571	17.4	519	15.9	767	23.4	596	18.2	3,274
	New York	192	0.4	953	2.2	6,767	15.5	9,161	21.0	7,965	18.2	11,079	25.4	7,528	17.2	43,645
North Carolina	Charlotte ^a	2	<0.1	204	4.3	1,278	26.7	1,117	23.4	824	17.2	913	19.1	440	9.2	4,778
Ohio	Cleveland	2	0.1	122	3.1	725	18.1	818	20.5	737	18.4	1,022	25.6	573	14.3	3,999
	Columbus	87	1.3	184	2.8	1,210	18.6	1,581	24.3	1,286	19.7	1,423	21.8	743	11.4	6,514
Oregon	Portland ^a	1	<0.1	422	5.8	2,039	28.1	1,916	26.4	1,236	17.0	1,101	15.1	554	7.6	7,269
Pennsylvania	Philadelphia ^a	198	1.0	551	2.8	3,066	15.4	4,092	20.6	3,537	17.8	5,341	26.9	3,096	15.6	19,881
Puerto Rico	San Juan	16	0.2	92	1.2	795	10.1	1,095	14.0	1,507	19.2	2,541	32.4	1,797	22.9	7,843

Table 15b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total N
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Tennessee	Memphis ^a	22	0.4	271	5.0	1,198	22.2	1,313	24.3	1,092	20.2	1,029	19.1	469	8.7	5,394
	Nashville	10	0.1	269	2.4	2,077	18.3	2,570	22.7	2,454	21.7	2,805	24.8	1,142	10.1	11,327
Texas	Austin	0	0.0	150	3.8	900	22.7	1,069	26.9	768	19.3	763	19.2	322	8.1	3,972
	Dallas	167	1.2	510	3.6	2,942	20.7	3,684	25.9	2,855	20.1	2,846	20.0	1,196	8.4	14,200
	Ft. Worth	0	0.0	194	5.1	1,017	26.8	947	25.0	717	18.9	638	16.8	276	7.3	3,789
	Houston	245	1.3	772	4.2	4,166	22.5	4,652	25.1	3,812	20.6	3,477	18.8	1,407	7.6	18,531
	San Antonio	8	0.2	126	3.2	925	23.7	1,065	27.3	728	18.7	771	19.8	273	7.0	3,896
Virginia	Norfolk ^a	1	<0.1	122	3.7	645	19.4	785	23.6	595	17.9	760	22.9	412	12.4	3,320
Washington	Seattle	5	0.1	149	1.9	1,097	14.2	1,771	23.0	1,734	22.5	1,872	24.3	1,075	14.0	7,703

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 16a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total N
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
State															
Alabama	18	0.2	57	0.5	7,865	67.8	565	4.9	18	0.2	3,027	26.1	42	0.4	11,592
Alaska	237	32.6	31	4.3	117	16.1	104	14.3	14	1.9	205	28.2	20	2.7	728
Arizona	316	3.1	162	1.6	1,776	17.3	3,740	36.5	21	0.2	3,979	38.8	258	2.5	10,252
Arkansas	10	0.3	28	0.8	1,543	44.8	357	10.4	11	0.3	1,456	42.3	38	1.1	3,443
California	354	0.6	2,311	4.2	10,346	18.9	25,517	46.6	214	0.4	15,548	28.4	519	0.9	54,809
Colorado	67	0.7	107	1.0	1,030	10.1	3,895	38.2	13	0.1	4,037	39.5	1,060	10.4	10,209
Connecticut	6	0.1	32	0.7	1,870	40.3	1,940	41.8	7	0.2	740	15.9	47	1.0	4,642
Delaware	3	0.1	12	0.5	1,372	61.7	216	9.7	1	<0.1	607	27.3	12	0.5	2,223
District of Columbia	11	0.2	47	0.8	4,542	75.5	913	15.2	5	0.1	362	6.0	139	2.3	6,019
Florida	58	0.1	399	0.7	24,166	44.7	17,294	32.0	48	0.1	11,641	21.5	496	0.9	54,102
Georgia	29	0.1	180	0.6	21,468	75.7	2,595	9.2	14	<0.1	3,871	13.7	191	0.7	28,348
Hawaii	10	0.8	187	14.6	84	6.6	207	16.2	156	12.2	493	38.5	144	11.2	1,281
Idaho	15	1.3	14	1.2	117	10.1	251	21.7	5	0.4	744	64.4	9	0.8	1,155
Illinois	67	0.3	437	1.8	12,300	50.2	6,404	26.1	30	0.1	5,128	20.9	130	0.5	24,496
Indiana	9	0.1	157	2.3	3,064	45.0	906	13.3	7	0.1	2,574	37.8	95	1.4	6,812
Iowa	13	0.5	78	3.2	735	29.8	354	14.3	13	0.5	1,220	49.4	56	2.3	2,469
Kansas	12	1.0	21	1.8	294	24.7	140	11.8	1	0.1	689	58.0	31	2.6	1,188
Kentucky	22	0.3	78	1.1	2,399	33.3	935	13.0	11	0.2	3,651	50.6	117	1.6	7,213
Louisiana	26	0.2	58	0.4	9,565	70.3	768	5.6	8	0.1	3,097	22.8	81	0.6	13,603
Maine	9	0.9	7	0.7	253	26.4	56	5.9	0	0.0	605	63.2	27	2.8	957
Maryland	33	0.2	120	0.8	10,435	72.0	996	6.9	8	0.1	1,778	12.3	1,120	7.7	14,490
Massachusetts	25	0.2	242	1.9	4,064	32.1	4,456	35.2	7	0.1	3,721	29.4	148	1.2	12,663
Michigan	35	0.3	90	0.8	6,250	58.8	788	7.4	6	0.1	3,277	30.8	190	1.8	10,636
Minnesota	76	2.3	66	2.0	1,341	40.5	517	15.6	7	0.2	1,090	33.0	211	6.4	3,308
Mississippi	14	0.2	13	0.2	4,676	79.1	131	2.2	1	<0.1	1,058	17.9	15	0.3	5,908
Missouri	37	0.4	96	1.0	4,597	49.0	849	9.1	12	0.1	3,614	38.5	172	1.8	9,377
Montana	37	8.0	4	0.9	21	4.5	49	10.6	2	0.4	343	74.1	7	1.5	463
Nebraska	42	2.2	52	2.7	530	27.4	492	25.4	0	0.0	802	41.4	17	0.9	1,935
Nevada	30	0.5	171	3.0	1,941	34.2	1,895	33.4	38	0.7	1,487	26.2	119	2.1	5,681
New Hampshire	2	0.2	34	3.0	168	14.9	192	17.0	2	0.2	710	62.9	20	1.8	1,128
New Jersey	20	0.1	211	1.3	7,905	48.5	5,908	36.3	22	0.1	2,162	13.3	60	0.4	16,288
New Mexico	130	6.0	28	1.3	155	7.1	979	44.9	9	0.4	870	39.9	10	0.5	2,181
New York	160	0.3	1,139	2.3	21,941	43.5	19,342	38.4	70	0.1	7,320	14.5	459	0.9	50,431
North Carolina	118	0.7	112	0.7	9,840	62.2	2,129	13.5	9	0.1	3,373	21.3	231	1.5	15,812
North Dakota	14	3.7	4	1.0	180	47.0	24	6.3	1	0.3	138	36.0	22	5.7	383
Ohio	14	0.1	71	0.5	5,313	37.8	5,186	36.9	7	<0.1	3,289	23.4	161	1.1	14,041
Oklahoma	173	4.3	89	2.2	1,006	24.9	609	15.1	7	0.2	1,829	45.2	332	8.2	4,045
Oregon	124	1.3	289	3.0	879	9.2	2,321	24.2	54	0.6	5,572	58.2	339	3.5	9,578
Pennsylvania	57	0.2	314	1.2	13,241	48.8	5,154	19.0	27	0.1	6,699	24.7	1,616	6.0	27,108
Rhode Island	17	0.6	45	1.7	649	24.0	828	30.7	7	0.3	1,127	41.7	28	1.0	2,701
South Carolina	22	0.1	76	0.5	10,133	68.8	953	6.5	8	0.1	3,398	23.1	145	1.0	14,735
South Dakota	28	6.6	4	0.9	160	37.7	60	14.2	0	0.0	154	36.3	18	4.2	424
Tennessee	29	0.2	187	1.0	9,501	51.4	1,649	8.9	31	0.2	7,032	38.0	72	0.4	18,501
Texas	124	0.2	601	1.2	20,166	39.9	20,669	40.9	40	0.1	8,591	17.0	300	0.6	50,491

Table 16a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories (cont.)

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total N
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
State															
Utah	38	1.8	49	2.3	182	8.4	1,128	52.1	13	0.6	745	34.4	11	0.5	2,166
Vermont	7	1.1	14	2.3	78	12.7	45	7.3	1	0.2	459	74.6	11	1.8	615
Virginia	20	0.2	206	1.6	7,648	61.2	1,594	12.8	14	0.1	2,875	23.0	143	1.1	12,500
Washington	129	1.4	400	4.4	2,525	28.1	1,900	21.1	73	0.8	3,773	41.9	199	2.2	8,999
West Virginia	9	0.5	15	0.9	321	18.8	64	3.7	0	0.0	1,278	74.9	20	1.2	1,707
Wisconsin	59	1.0	110	1.9	2,326	41.0	1,091	19.2	7	0.1	2,046	36.0	38	0.7	5,677
Wyoming	11	5.1	3	1.4	8	3.7	50	23.3	1	0.5	137	63.7	5	2.3	215
Subtotal	2,926	0.5	9,258	1.6	253,086	44.4	149,205	26.2	1,081	0.2	144,421	25.3	9,751	1.7	569,728
Territory															
Guam	0	0.0	9	34.6	1	3.8	0	0.0	15	57.7	1	3.8	0	0.0	26
Puerto Rico	0	0.0	1	<0.1	48	0.4	12,163	97.7	0	0.0	207	1.7	25	0.2	12,444
U.S. Virgin Islands	0	0.0	2	0.8	145	59.2	82	33.5	0	0.0	15	6.1	1	0.4	245
Subtotal	0	0.0	12	0.1	194	1.5	12,245	96.3	15	0.1	223	1.8	26	0.2	12,715
Total	2,926	0.5	9,270	1.6	253,280	43.5	161,450	27.7	1,096	0.2	144,644	24.8	9,777	1.7	582,443

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 16b. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total N ^b
		N	%	N	%	N	%	N	%	N	%	N	%	
Arizona	Phoenix	298	2.9	158	1.6	1,895	18.7	3,719	36.7	19	0.2	3,793	37.4	10,130
California	Los Angeles	90	0.4	825	3.7	4,970	22.6	11,399	51.8	56	0.3	4,492	20.4	22,008
	Oakland	28	0.7	232	5.7	1,784	44.2	1,261	31.2	22	0.5	670	16.6	4,038
	Orange County	27	0.7	180	4.4	881	21.6	1,678	41.1	10	0.2	1,041	25.5	4,085
	Riverside–San Bernardino	12	0.3	88	2.4	435	11.8	1,677	45.4	7	0.2	1,443	39.0	3,696
	Sacramento	38	1.3	107	3.7	668	23.3	758	26.4	18	0.6	1,257	43.8	2,867
	San Diego	37	0.6	179	2.7	826	12.5	3,398	51.4	26	0.4	2,085	31.6	6,608
	San Francisco	67	1.2	335	5.9	1,098	19.3	1,846	32.4	44	0.8	2,188	38.4	5,699
	San Jose	*	*	280	12.1	211	9.1	1,385	59.8	8	0.3	411	17.7	2,316
Colorado	Denver	50	0.5	87	0.9	1,003	10.5	3,737	39.2	12	0.1	3,580	37.6	9,528
Connecticut	Hartford	5	0.2	17	0.8	712	35.3	939	46.5	*	*	326	16.1	2,019
	New Haven	*	*	10	0.7	689	45.2	567	37.2	*	*	239	15.7	1,525
District of Columbia	Washington ^c	16	0.1	188	1.6	7,809	67.0	2,296	19.7	6	0.1	1,073	9.2	11,650
Florida	Ft. Lauderdale	7	0.1	81	0.7	5,410	49.0	2,993	27.1	14	0.1	2,396	21.7	11,032
	Jacksonville	7	0.2	55	1.4	2,609	65.3	422	10.6	*	*	870	21.8	3,995
	Miami	6	<0.1	34	0.3	3,962	32.6	7,363	60.6	6	<0.1	736	6.1	12,142
	Orlando	12	0.2	55	0.9	2,548	42.4	2,185	36.3	6	0.1	1,144	19.0	6,013
	Tampa–St. Petersburg	6	0.1	89	1.1	2,965	37.4	2,258	28.4	6	0.1	2,520	31.8	7,937
	West Palm Beach	5	0.1	19	0.5	2,117	60.4	802	22.9	*	*	541	15.4	3,504
Georgia	Atlanta	26	0.1	152	0.8	15,117	78.1	2,066	10.7	12	0.1	1,847	9.5	19,368
Illinois	Chicago	57	0.2	419	1.8	11,753	51.4	6,298	27.5	30	0.1	4,230	18.5	22,886
Indiana	Indianapolis	11	0.2	164	2.3	3,195	45.1	929	13.1	8	0.1	2,684	37.9	7,090
Louisiana	Baton Rouge	11	0.2	32	0.5	4,129	67.7	438	7.2	*	*	1,449	23.8	6,098
	New Orleans	14	0.2	22	0.3	4,397	67.8	496	7.6	*	*	1,528	23.5	6,489
Maryland	Baltimore	31	0.2	101	0.8	9,402	73.4	657	5.1	7	0.1	1,642	12.8	12,817
Massachusetts	Boston ^c	22	0.2	241	2.1	3,875	33.3	3,727	32.1	9	0.1	3,600	31.0	11,626
Michigan	Detroit	18	0.2	49	0.7	5,291	70.2	554	7.4	*	*	1,525	20.2	7,532
Minnesota	Minneapolis–St. Paul ^c	95	1.8	104	2.0	2,115	41.0	798	15.5	8	0.2	1,588	30.8	5,162
Missouri	Kansas City ^c	14	0.4	37	1.1	1,301	39.6	569	17.3	7	0.2	1,280	39.0	3,283
	St. Louis ^c	30	0.4	76	0.9	4,340	53.6	681	8.4	10	0.1	2,835	35.0	8,099
Nevada	Las Vegas ^c	22	0.5	147	3.3	1,401	31.5	1,735	39.0	31	0.7	1,010	22.7	4,454
New Jersey	Bergen–Passaic	*	*	17	0.9	684	36.5	1,019	54.3	*	*	150	8.0	1,876
	Jersey City	*	*	45	2.4	630	34.2	1,004	54.5	*	*	157	8.5	1,842
	Middlesex	*	*	30	2.1	647	45.4	601	42.1	*	*	142	10.0	1,426
	Newark	7	0.1	58	0.8	4,383	60.6	2,235	30.9	14	0.2	531	7.3	7,235
New York	Nassau–Suffolk	*	*	106	3.2	1,284	39.2	995	30.4	*	*	853	26.1	3,274
	New York	120	0.3	949	2.2	18,834	44.4	17,579	41.4	64	0.2	4,554	10.7	42,457
North Carolina	Charlotte ^c	10	0.2	38	0.8	3,213	67.3	738	15.5	*	*	735	15.4	4,776
Ohio	Cleveland	*	*	17	0.4	2,295	57.4	491	12.3	*	*	1,148	28.7	3,997
	Columbus	*	*	18	0.3	1,171	18.2	4,532	70.4	*	*	629	9.8	6,434
Oregon	Portland ^c	81	1.2	241	3.5	791	11.5	1,595	23.2	41	0.6	3,846	56.0	6,866
Pennsylvania	Philadelphia ^c	40	0.2	249	1.3	11,344	58.0	3,501	17.9	20	0.1	3,081	15.7	19,563
Puerto Rico	San Juan	*	*	*	*	39	0.5	7,655	97.6	*	*	124	1.6	7,840

Table 16b. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total N ^b
		N	%	N	%	N	%	N	%	N	%	N	%	
Tennessee	Memphis ^c	*	*	12	0.2	4,644	86.2	257	4.8	*	*	431	8.0	5,386
	Nashville	15	0.1	157	1.4	4,945	43.7	1,205	10.6	25	0.2	4,948	43.7	11,325
Texas	Austin	17	0.4	54	1.4	974	24.6	1,762	44.5	7	0.2	1,093	27.6	3,957
	Dallas	28	0.2	170	1.3	6,661	49.4	4,376	32.5	14	0.1	2,151	16.0	13,476
	Ft. Worth	17	0.4	48	1.3	1,813	47.9	1,133	29.9	5	0.1	733	19.4	3,786
	Houston	31	0.2	249	1.3	9,060	48.9	6,674	36.0	10	0.1	2,413	13.0	18,526
	San Antonio	14	0.4	35	0.9	580	14.9	2,627	67.5	5	0.1	610	15.7	3,892
Virginia	Norfolk ^c	*	*	28	0.8	2,495	75.2	191	5.8	*	*	545	16.4	3,318
Washington	Seattle	109	1.5	373	5.1	2,311	31.4	1,487	20.2	55	0.7	2,890	39.2	7,366

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed. In addition, all data for clients of multiple races have been suppressed; therefore, the numbers for each subpopulation may not sum to the row total.

^a Hispanics/Latinos can be of any race.

^b Includes all clients with reported race/ethnicity information.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

**Table 17a. Ryan White HIV/AIDS Program clients (non-ADAP), by sex and state, 2024—
United States and 3 territories**

	Male		Female		Total N	
	N	%	N	%		
State						
Alabama	8,432	73.0	3,121	27.0	11,553	17.4
Alaska	582	77.8	166	22.2	748	14.0
Arizona	8,487	82.8	1,769	17.2	10,256	21.0
Arkansas	2,696	78.2	750	21.8	3,446	23.3
California	46,863	85.0	8,288	15.0	55,151	18.1
Colorado	8,499	82.5	1,807	17.5	10,306	13.3
Connecticut	2,863	61.4	1,802	38.6	4,665	19.5
Delaware	1,504	67.6	721	32.4	2,225	23.3
District of Columbia	4,172	69.1	1,866	30.9	6,038	13.9
Florida	39,010	72.4	14,895	27.6	53,905	24.0
Georgia	21,063	74.4	7,243	25.6	28,306	19.9
Hawaii	1,143	88.8	144	11.2	1,287	23.0
Idaho	958	82.9	197	17.1	1,155	22.9
Illinois	19,439	79.1	5,121	20.9	24,560	14.1
Indiana	5,133	75.0	1,707	25.0	6,840	24.3
Iowa	1,863	75.1	617	24.9	2,480	22.9
Kansas	960	80.8	228	19.2	1,188	16.4
Kentucky	5,792	80.2	1,426	19.8	7,218	19.7
Louisiana	8,719	69.6	3,813	30.4	12,532	17.2
Maine	708	73.8	252	26.3	960	24.0
Maryland	9,246	62.8	5,488	37.2	14,734	15.1
Massachusetts	8,859	67.0	4,357	33.0	13,216	13.8
Michigan	8,410	78.5	2,309	21.5	10,719	19.5
Minnesota	2,500	75.5	810	24.5	3,310	18.7
Mississippi	4,200	70.9	1,721	29.1	5,921	17.9
Missouri	7,315	78.0	2,060	22.0	9,375	19.9
Montana	393	84.9	70	15.1	463	21.7
Nebraska	1,507	77.6	436	22.4	1,943	24.0
Nevada	4,697	82.5	998	17.5	5,695	24.9
New Hampshire	887	76.4	274	23.6	1,161	20.7
New Jersey	10,834	66.4	5,475	33.6	16,309	18.1
New Mexico	1,988	87.7	280	12.3	2,268	22.8
New York	35,694	69.5	15,668	30.5	51,362	15.2
North Carolina	11,515	72.7	4,324	27.3	15,839	21.6
North Dakota	243	63.0	143	37.0	386	27.5
Ohio	10,879	76.5	3,333	23.5	14,212	18.7
Oklahoma	3,226	79.4	836	20.6	4,062	21.8
Oregon	8,320	83.3	1,664	16.7	9,984	17.1
Pennsylvania	18,864	69.1	8,452	30.9	27,316	17.3
Rhode Island	1,978	72.6	746	27.4	2,724	17.4
South Carolina	10,569	71.7	4,168	28.3	14,737	18.7
South Dakota	265	62.2	161	37.8	426	33.2
Tennessee	14,305	77.3	4,203	22.7	18,508	21.1
Texas	39,222	76.8	11,873	23.2	51,095	16.4
Utah	1,881	85.3	325	14.7	2,206	17.9
Vermont	512	81.1	119	18.9	631	21.9
Virginia	9,121	72.6	3,437	27.4	12,558	20.7
Washington	7,195	77.0	2,151	23.0	9,346	17.0
West Virginia	1,277	75.0	425	25.0	1,702	20.2
Wisconsin	4,406	77.2	1,298	22.8	5,704	9.8
Wyoming	167	77.7	48	22.3	215	25.0
Subtotal	429,361	74.9	143,585	25.1	572,946	18.5
Territory						
Guam	21	80.8	5	19.2	26	20.7
Puerto Rico	8,617	69.2	3,829	30.8	12,446	6.5
U.S. Virgin Islands	133	53.8	114	46.2	247	20.8
Subtotal	8,771	69.0	3,948	31.0	12,719	6.8
Total	438,132	74.8	147,533	25.2	585,665	18.2

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 17b. Ryan White HIV/AIDS Program clients (non-ADAP), by sex and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	Male		Female		Total N
		N	%	N	%	
Arizona	Phoenix	8,353	82.5	1,777	17.5	10,130
California	Los Angeles	19,224	87.2	2,812	12.8	22,036
	Oakland	3,059	75.8	978	24.2	4,037
	Orange County	3,075	76.9	926	23.1	4,001
	Riverside—San Bernardino	3,294	89.4	391	10.6	3,685
	Sacramento	2,345	80.7	560	19.3	2,905
	San Diego	5,658	85.3	976	14.7	6,634
	San Francisco	5,006	86.2	802	13.8	5,808
	San Jose	2,031	85.8	337	14.2	2,368
Colorado ^c	Denver	7,934	82.6	1,670	17.4	9,604
Connecticut	Hartford	1,278	62.6	765	37.4	2,043
	New Haven	974	63.9	550	36.1	1,524
District of Columbia	Washington ^a	7,744	66.2	3,955	33.8	11,699
Florida	Ft. Lauderdale	7,760	72.4	2,961	27.6	10,721
	Jacksonville	2,770	68.8	1,255	31.2	4,025
	Miami	9,454	77.8	2,703	22.2	12,157
	Orlando	4,477	74.6	1,528	25.4	6,005
	Tampa—St. Petersburg	6,080	76.7	1,851	23.3	7,931
	West Palm Beach	2,282	64.8	1,242	35.2	3,524
Georgia	Atlanta	15,270	78.6	4,149	21.4	19,419
Illinois	Chicago	18,291	79.7	4,648	20.3	22,939
Indiana	Indianapolis	5,334	75.2	1,761	24.8	7,095
Louisiana	Baton Rouge	3,625	72.6	1,368	27.4	4,993
	New Orleans	4,250	71.4	1,699	28.6	5,949
Maryland	Baltimore	8,284	63.5	4,757	36.5	13,041
Massachusetts	Boston ^a	8,172	67.2	3,987	32.8	12,159
Michigan	Detroit	5,851	77.3	1,716	22.7	7,567
Minnesota	Minneapolis—St. Paul ^a	3,765	73.0	1,396	27.0	5,161
Missouri	Kansas City ^a	2,640	80.4	643	19.6	3,283
	St. Louis ^a	6,259	77.3	1,835	22.7	8,094
Nevada	Las Vegas ^a	3,720	83.4	742	16.6	4,462
New Jersey	Bergen—Passaic	1,222	65.1	655	34.9	1,877
	Jersey City	1,373	74.6	468	25.4	1,841
	Middlesex	945	66.2	483	33.8	1,428
	Newark	4,604	63.7	2,629	36.3	7,233
New York	Nassau—Suffolk	1,655	50.6	1,616	49.4	3,271
	New York	30,842	71.1	12,538	28.9	43,380
North Carolina	Charlotte ^a	3,715	77.8	1,058	22.2	4,773
Ohio	Cleveland	3,119	78.0	879	22.0	3,998
	Columbus	5,006	77.1	1,490	22.9	6,496
Oregon	Portland ^a	5,939	83.6	1,162	16.4	7,101
Pennsylvania	Philadelphia ^a	13,570	68.8	6,157	31.2	19,727
Puerto Rico	San Juan	5,306	67.7	2,536	32.3	7,842
Tennessee	Memphis ^a	3,791	70.3	1,602	29.7	5,393
	Nashville	8,947	79.0	2,378	21.0	11,325
Texas	Austin	3,297	83.7	640	16.3	3,937
	Dallas	10,677	75.3	3,500	24.7	14,177
	Ft. Worth	2,886	76.5	888	23.5	3,774
	Houston	13,956	75.5	4,540	24.5	18,496
	San Antonio	3,251	83.8	628	16.2	3,879
Virginia	Norfolk ^a	2,390	72.0	928	28.0	3,318
Washington	Seattle	5,949	77.3	1,748	22.7	7,697

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 18a. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2024—United States and 3 territories

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	N	%	N	%	N	%	N	%	N	%
State										
Alabama	6,839	61.2	985	8.8	1,746	15.6	1,062	9.5	543	4.9
Alaska	450	68.4	50	7.6	94	14.3	49	7.4	15	2.3
Arizona	4,364	49.6	909	10.3	1,811	20.6	1,382	15.7	328	3.7
Arkansas	1,335	41.7	411	12.8	803	25.1	501	15.7	151	4.7
California	32,936	60.9	6,072	11.2	9,600	17.8	4,172	7.7	1,271	2.4
Colorado	6,130	63.8	697	7.3	1,368	14.2	944	9.8	466	4.9
Connecticut	2,840	63.5	512	11.4	828	18.5	261	5.8	34	0.8
Delaware	807	39.9	242	12.0	417	20.6	342	16.9	215	10.6
District of Columbia	3,152	67.2	350	7.5	687	14.7	375	8.0	124	2.6
Florida	25,605	50.3	5,597	11.0	12,015	23.6	7,301	14.3	413	0.8
Georgia	15,247	55.7	3,048	11.1	5,787	21.1	2,942	10.7	364	1.3
Hawaii	695	54.0	173	13.4	289	22.5	125	9.7	5	0.4
Idaho	386	37.3	107	10.3	275	26.6	160	15.5	107	10.3
Illinois	16,877	72.2	1,238	5.3	2,855	12.2	1,595	6.8	800	3.4
Indiana	3,597	54.6	690	10.5	1,537	23.3	677	10.3	86	1.3
Iowa	862	40.1	183	8.5	493	23.0	402	18.7	207	9.6
Kansas	644	54.4	113	9.5	217	18.3	159	13.4	51	4.3
Kentucky	3,644	51.7	671	9.5	1,463	20.8	907	12.9	365	5.2
Louisiana	6,384	60.2	1,257	11.9	1,916	18.1	840	7.9	208	2.0
Maine	249	40.1	66	10.6	157	25.3	111	17.9	38	6.1
Maryland	7,939	64.8	1,136	9.3	1,648	13.5	1,063	8.7	461	3.8
Massachusetts	7,504	65.6	996	8.7	1,645	14.4	957	8.4	335	2.9
Michigan	4,992	53.1	881	9.4	1,906	20.3	1,141	12.1	483	5.1
Minnesota	1,356	51.1	220	8.3	510	19.2	543	20.5	26	1.0
Mississippi	3,574	62.8	536	9.4	1,113	19.6	401	7.0	67	1.2
Missouri	5,644	60.8	902	9.7	1,825	19.6	828	8.9	91	1.0
Montana	177	39.8	53	11.9	91	20.4	93	20.9	31	7.0
Nebraska	876	45.3	209	10.8	421	21.8	364	18.8	64	3.3
Nevada	2,365	45.6	493	9.5	1,278	24.7	972	18.8	74	1.4
New Hampshire	302	35.4	97	11.4	195	22.9	181	21.2	77	9.0
New Jersey	9,267	59.5	1,588	10.2	2,858	18.4	1,420	9.1	430	2.8
New Mexico	996	44.8	227	10.2	478	21.5	331	14.9	193	8.7
New York	34,530	69.7	4,123	8.3	7,209	14.5	2,843	5.7	843	1.7
North Carolina	7,541	54.1	1,547	11.1	3,212	23.0	1,411	10.1	239	1.7
North Dakota	140	36.3	28	7.3	106	27.5	94	24.4	18	4.7
Ohio	6,344	52.9	1,080	9.0	2,394	19.9	1,580	13.2	605	5.0
Oklahoma	1,662	42.3	490	12.5	939	23.9	604	15.4	235	6.0
Oregon	2,159	52.7	380	9.3	715	17.5	593	14.5	246	6.0
Pennsylvania	13,867	58.8	2,536	10.8	4,086	17.3	2,244	9.5	838	3.6
Rhode Island	1,340	52.2	253	9.9	451	17.6	309	12.0	215	8.4
South Carolina	7,740	53.8	1,328	9.2	2,722	18.9	1,852	12.9	736	5.1
South Dakota	145	34.0	39	9.2	149	35.0	74	17.4	19	4.5
Tennessee	9,480	53.3	1,979	11.1	3,951	22.2	2,072	11.6	305	1.7
Texas	27,514	62.9	4,716	10.8	7,584	17.3	3,162	7.2	752	1.7
Utah	1,234	59.2	150	7.2	400	19.2	244	11.7	55	2.6
Vermont	218	35.8	91	14.9	125	20.5	98	16.1	77	12.6
Virginia	5,410	47.8	1,173	10.4	2,375	21.0	1,722	15.2	632	5.6
Washington	4,312	50.8	718	8.5	1,350	15.9	1,353	15.9	753	8.9
West Virginia	827	53.7	219	14.2	340	22.1	134	8.7	21	1.4
Wisconsin	4,072	74.8	327	6.0	525	9.6	336	6.2	183	3.4
Wyoming	33	33.3	12	12.1	32	32.3	18	18.2	4	4.0
Subtotal	306,603	58.5	51,898	9.9	96,991	18.5	53,344	10.2	14,899	2.8
Territory										
Guam	18	69.2	3	11.5	4	15.4	1	3.8	0	0.0
Puerto Rico	9,995	82.5	689	5.7	938	7.7	341	2.8	146	1.2
U.S. Virgin Islands	140	60.9	27	11.7	43	18.7	12	5.2	8	3.5
Subtotal	10,153	82.1	719	5.8	985	8.0	354	2.9	154	1.2
Total	316,756	59.1	52,617	9.8	97,976	18.3	53,698	10.0	15,053	2.8

Abbreviation: FPL, federal poverty level.

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 18b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
		N	%	N	%	N	%	N	%	N	%
Arizona	Phoenix	4,555	52.4	884	10.2	1,808	20.8	1,306	15.0	141	1.6
California	Los Angeles	13,272	62.1	2,223	10.4	3,500	16.4	1,835	8.6	557	2.6
	Oakland	2,712	67.9	402	10.1	633	15.9	174	4.4	72	1.8
	Orange County	1,742	45.6	396	10.4	945	24.7	644	16.9	93	2.4
	Riverside–San Bernardino	2,010	54.9	556	15.2	807	22.1	239	6.5	47	1.3
	Sacramento	1,898	65.3	266	9.2	461	15.9	228	7.8	53	1.8
	San Diego	4,664	72.2	635	9.8	854	13.2	243	3.8	67	1.0
	San Francisco	3,026	52.2	977	16.9	1,313	22.7	379	6.5	98	1.7
	San Jose	1,679	71.3	141	6.0	289	12.3	190	8.1	55	2.3
	Colorado	6,025	67.5	543	6.1	1,210	13.6	821	9.2	325	3.6
Connecticut	Hartford	1,350	69.2	205	10.5	313	16.0	78	4.0	6	0.3
	New Haven	859	58.4	185	12.6	299	20.3	113	7.7	14	1.0
District of Columbia	Washington ^a	5,655	58.7	842	8.7	1,699	17.6	1,091	11.3	354	3.7
Florida	Ft. Lauderdale	5,707	54.8	1,053	10.1	2,258	21.7	1,327	12.7	78	0.7
	Jacksonville	2,146	55.8	419	10.9	777	20.2	470	12.2	36	0.9
	Miami	4,575	43.5	1,176	11.2	2,904	27.6	1,845	17.5	28	0.3
	Orlando	3,555	61.1	558	9.6	1,045	18.0	617	10.6	44	0.8
	Tampa–St. Petersburg	3,941	49.8	885	11.2	1,848	23.4	1,200	15.2	40	0.5
	West Palm Beach	1,963	57.6	365	10.7	750	22.0	317	9.3	13	0.4
Georgia	Atlanta	10,288	55.4	2,044	11.0	4,036	21.7	2,020	10.9	192	1.0
Illinois	Chicago	16,168	74.3	1,067	4.9	2,467	11.3	1,324	6.1	723	3.3
Indiana	Indianapolis	3,853	56.0	716	10.4	1,582	23.0	659	9.6	75	1.1
Louisiana	Baton Rouge	2,034	45.9	589	13.3	1,133	25.6	551	12.4	126	2.8
	New Orleans	3,505	57.8	730	12.0	1,113	18.4	563	9.3	151	2.5
Maryland	Baltimore	7,342	67.0	1,000	9.1	1,379	12.6	839	7.7	399	3.6
Massachusetts	Boston ^a	6,556	63.1	968	9.3	1,592	15.3	946	9.1	326	3.1
Michigan	Detroit	3,839	57.0	597	8.9	1,337	19.9	749	11.1	212	3.1
Minnesota	Minneapolis–St. Paul ^a	2,285	52.5	401	9.2	861	19.8	782	18.0	25	0.6
Missouri	Kansas City ^a	1,865	56.9	309	9.4	693	21.1	378	11.5	34	1.0
	St. Louis ^a	4,913	61.3	731	9.1	1,516	18.9	763	9.5	89	1.1
Nevada	Las Vegas ^a	2,128	48.8	393	9.0	1,006	23.1	784	18.0	46	1.1
New Jersey	Bergen–Passaic	1,101	59.1	225	12.1	374	20.1	123	6.6	41	2.2
	Jersey City	1,044	57.8	223	12.3	345	19.1	171	9.5	24	1.3
	Middlesex	819	59.2	139	10.1	241	17.4	136	9.8	48	3.5
	Newark	4,667	64.7	682	9.4	1,178	16.3	556	7.7	134	1.9
New York	Nassau–Suffolk	1,471	56.6	286	11.0	507	19.5	258	9.9	79	3.0
	New York	30,315	71.7	3,353	7.9	5,955	14.1	2,029	4.8	653	1.5
North Carolina	Charlotte ^a	2,296	55.4	319	7.7	830	20.0	602	14.5	98	2.4
Ohio	Cleveland	2,237	62.6	265	7.4	612	17.1	343	9.6	118	3.3
	Columbus	2,073	41.8	527	10.6	1,236	24.9	868	17.5	256	5.2
Oregon	Portland ^a	1,568	55.3	233	8.2	430	15.2	419	14.8	186	6.6
Pennsylvania	Philadelphia ^a	10,086	62.3	1,631	10.1	2,665	16.4	1,387	8.6	433	2.7
Puerto Rico	San Juan	6,401	84.8	375	5.0	531	7.0	177	2.3	64	0.8

Table 18b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
		N	%	N	%	N	%	N	%	N	%
Tennessee	Memphis ^a	3,169	64.2	383	7.8	812	16.4	561	11.4	13	0.3
	Nashville	5,492	49.6	1,389	12.6	2,715	24.5	1,205	10.9	262	2.4
Texas	Austin	2,739	84.2	106	3.3	239	7.3	135	4.2	34	1.0
	Dallas	6,914	67.1	1,454	14.1	1,489	14.5	383	3.7	61	0.6
	Ft. Worth	2,391	64.4	287	7.7	660	17.8	326	8.8	47	1.3
	Houston	10,548	58.8	1,918	10.7	3,474	19.4	1,567	8.7	431	2.4
	San Antonio	2,033	62.6	323	10.0	595	18.3	256	7.9	39	1.2
Virginia	Norfolk ^a	1,715	52.2	336	10.2	693	21.1	434	13.2	110	3.3
Washington	Seattle	3,609	52.6	523	7.6	1,010	14.7	1,053	15.4	660	9.6

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 19a. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2024—United States and 3 territories

	Stable		Temporary		Unstable		Total N
	N	%	N	%	N	%	
State							
Alabama	6,926	61.6	4,056	36.1	260	2.3	11,242
Alaska	598	88.2	43	6.3	37	5.5	678
Arizona	7,872	88.9	443	5.0	538	6.1	8,853
Arkansas	2,977	93.0	177	5.5	47	1.5	3,201
California	45,734	83.9	3,620	6.6	5,139	9.4	54,493
Colorado	6,473	66.5	2,448	25.1	815	8.4	9,736
Connecticut	4,106	90.6	244	5.4	181	4.0	4,531
Delaware	1,948	95.3	38	1.9	58	2.8	2,044
District of Columbia	4,106	84.0	418	8.6	362	7.4	4,886
Florida	45,456	87.3	4,513	8.7	2,124	4.1	52,093
Georgia	25,216	93.9	775	2.9	851	3.2	26,842
Hawaii	1,176	91.3	47	3.6	65	5.0	1,288
Idaho	990	88.9	61	5.5	63	5.7	1,114
Illinois	21,952	90.8	1,002	4.1	1,211	5.0	24,165
Indiana	5,598	84.6	469	7.1	549	8.3	6,616
Iowa	1,973	90.5	107	4.9	101	4.6	2,181
Kansas	1,049	90.2	28	2.4	86	7.4	1,163
Kentucky	6,177	87.4	495	7.0	399	5.6	7,071
Louisiana	9,792	90.9	619	5.7	356	3.3	10,767
Maine	689	86.0	50	6.2	62	7.7	801
Maryland	10,940	94.6	269	2.3	351	3.0	11,560
Massachusetts	10,806	87.6	917	7.4	618	5.0	12,341
Michigan	8,913	94.1	240	2.5	315	3.3	9,468
Minnesota	2,261	85.1	196	7.4	199	7.5	2,656
Mississippi	5,576	96.5	98	1.7	104	1.8	5,778
Missouri	7,720	84.6	779	8.5	622	6.8	9,121
Montana	404	88.8	17	3.7	34	7.5	455
Nebraska	1,689	87.3	116	6.0	129	6.7	1,934
Nevada	4,500	86.8	288	5.6	394	7.6	5,182
New Hampshire	935	93.2	42	4.2	26	2.6	1,003
New Jersey	13,092	83.8	2,073	13.3	453	2.9	15,618
New Mexico	1,976	87.4	147	6.5	137	6.1	2,260
New York	41,434	85.2	4,158	8.6	3,015	6.2	48,607
North Carolina	13,295	92.9	433	3.0	580	4.1	14,308
North Dakota	341	88.3	26	6.7	19	4.9	386
Ohio	11,924	91.9	494	3.8	561	4.3	12,979
Oklahoma	3,158	89.3	267	7.6	111	3.1	3,536
Oregon	3,868	87.3	283	6.4	278	6.3	4,429
Pennsylvania	21,665	90.0	1,450	6.0	947	3.9	24,062
Rhode Island	2,320	87.9	212	8.0	106	4.0	2,638
South Carolina	13,683	95.1	589	4.1	120	0.8	14,392
South Dakota	395	92.7	23	5.4	8	1.9	426
Tennessee	16,286	90.7	1,359	7.6	304	1.7	17,949
Texas	36,605	82.0	5,983	13.4	2,078	4.7	44,666
Utah	1,813	87.0	216	10.4	54	2.6	2,083
Vermont	562	91.1	34	5.5	21	3.4	617
Virginia	10,566	92.2	490	4.3	405	3.5	11,461
Washington	6,767	82.6	723	8.8	698	8.5	8,188
West Virginia	1,486	90.6	40	2.4	115	7.0	1,641
Wisconsin	4,609	83.9	224	4.1	659	12.0	5,492
Wyoming	111	86.0	10	7.8	8	6.2	129
Subtotal	460,508	87.0	41,849	7.9	26,773	5.1	529,130
Territory							
Guam	25	96.2	0	0.0	1	3.8	26
Puerto Rico	11,828	97.6	216	1.8	71	0.6	12,115
U.S. Virgin Islands	227	95.0	2	0.8	10	4.2	239
Subtotal	12,080	97.6	218	1.8	82	0.7	12,380
Total	472,588	87.3	42,067	7.8	26,855	5.0	541,510

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 19b. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	Stable		Temporary		Unstable		Total N
		N	%	N	%	N	%	
Arizona	Phoenix	7,602	86.9	515	5.9	630	7.2	8,747
California	Los Angeles	18,744	86.8	553	2.6	2,295	10.6	21,592
	Oakland	3,295	80.3	362	8.8	448	10.9	4,105
	Orange County	3,286	85.6	289	7.5	266	6.9	3,841
	Riverside—San Bernardino	3,169	85.7	179	4.8	350	9.5	3,698
	Sacramento	2,338	80.5	229	7.9	339	11.7	2,906
	San Diego	5,038	77.2	792	12.1	694	10.6	6,524
	San Francisco	4,395	76.0	856	14.8	529	9.2	5,780
	San Jose	2,050	87.2	120	5.1	180	7.7	2,350
Colorado	Denver	5,711	63.0	2,495	27.5	861	9.5	9,067
Connecticut	Hartford	1,720	86.6	130	6.5	135	6.8	1,985
	New Haven	1,390	93.0	77	5.2	27	1.8	1,494
District of Columbia	Washington ^a	8,758	88.7	565	5.7	546	5.5	9,869
Florida	Ft. Lauderdale	7,998	76.1	2,256	21.5	257	2.4	10,511
	Jacksonville	3,451	90.5	232	6.1	132	3.5	3,815
	Miami	10,838	92.8	359	3.1	484	4.1	11,681
	Orlando	4,771	82.0	515	8.9	531	9.1	5,817
	Tampa—St. Petersburg	6,749	85.2	781	9.9	390	4.9	7,920
	West Palm Beach	2,833	84.2	372	11.1	160	4.8	3,365
Georgia	Atlanta	17,349	92.6	633	3.4	751	4.0	18,733
Illinois	Chicago	20,287	90.0	1,005	4.5	1,259	5.6	22,551
Indiana	Indianapolis	5,750	83.2	522	7.6	641	9.3	6,913
Louisiana	Baton Rouge	4,367	95.6	121	2.6	82	1.8	4,570
	New Orleans	5,472	90.3	348	5.7	237	3.9	6,057
Maryland	Baltimore	9,643	93.9	272	2.6	354	3.4	10,269
Massachusetts	Boston ^a	9,730	86.2	954	8.5	605	5.4	11,289
Michigan	Detroit	6,362	94.1	172	2.5	227	3.4	6,761
Minnesota	Minneapolis—St. Paul ^a	3,700	84.9	325	7.5	332	7.6	4,357
Missouri	Kansas City ^a	2,740	85.6	221	6.9	241	7.5	3,202
	St. Louis ^a	6,697	84.4	651	8.2	591	7.4	7,939
Nevada	Las Vegas ^a	3,716	85.3	284	6.5	357	8.2	4,357
New Jersey	Bergen—Passaic	1,752	94.1	57	3.1	53	2.8	1,862
	Jersey City	1,666	92.0	67	3.7	78	4.3	1,811
	Middlesex	1,178	84.1	122	8.7	100	7.1	1,400
	Newark	5,074	70.3	1,911	26.5	233	3.2	7,218
New York	Nassau—Suffolk	2,304	88.8	252	9.7	38	1.5	2,594
	New York	35,176	84.8	3,451	8.3	2,874	6.9	41,501
North Carolina	Charlotte ^a	3,713	89.6	174	4.2	256	6.2	4,143
Ohio	Cleveland	3,190	89.2	242	6.8	144	4.0	3,576
	Columbus	5,654	95.4	124	2.1	150	2.5	5,928
Oregon	Portland ^a	2,690	84.9	255	8.0	225	7.1	3,170
Pennsylvania	Philadelphia ^a	14,771	89.0	1,004	6.1	816	4.9	16,591
Puerto Rico	San Juan	7,322	97.0	165	2.2	63	0.8	7,550
Tennessee	Memphis ^a	4,748	95.8	76	1.5	131	2.6	4,955
	Nashville	9,832	87.8	1,278	11.4	85	0.8	11,195
Texas	Austin	2,546	70.8	480	13.3	570	15.9	3,596
	Dallas	6,570	61.9	3,446	32.5	600	5.7	10,616
	Ft. Worth	3,308	87.6	332	8.8	136	3.6	3,776
	Houston	16,119	88.9	1,417	7.8	591	3.3	18,127
	San Antonio	2,716	83.2	324	9.9	223	6.8	3,263
Virginia	Norfolk ^a	3,051	92.8	114	3.5	124	3.8	3,289
Washington	Seattle	5,358	81.9	572	8.7	614	9.4	6,544

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Section 4.

State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression

Table 20a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by year and state, 2020–2024—United States and 3 territories

	2020			2021			2022			2023			2024		
	Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained	
		N	%		N	%		N	%		N	%		N	%
State															
Alabama	5,250	3,991	76.0	5,636	4,669	82.8	8,570	6,270	73.2	5,567	4,514	81.1	6,231	4,707	75.5
Alaska	146	114	78.1	326	248	76.1	319	221	69.3	324	216	66.7	347	233	67.1
Arizona	5,109	4,331	84.8	5,318	4,482	84.3	5,745	4,936	85.9	5,822	4,968	85.3	5,953	4,902	82.3
Arkansas	1,140	801	70.3	1,254	944	75.3	1,324	1,022	77.2	1,461	1,113	76.2	1,596	1,174	73.6
California	33,538	27,060	80.7	34,126	26,979	79.1	29,600	22,259	75.2	28,694	21,650	75.5	31,460	24,918	79.2
Colorado	4,373	2,964	67.8	4,451	3,258	73.2	4,721	3,477	73.6	4,365	3,373	77.3	5,765	4,580	79.4
Connecticut	3,216	2,611	81.2	3,226	2,637	81.7	3,149	2,619	83.2	3,292	2,730	82.9	3,404	2,749	80.8
Delaware	1,521	1,221	80.3	1,535	1,214	79.1	1,549	1,164	75.1	1,676	1,256	74.9	1,636	1,268	77.5
District of Columbia	3,080	2,593	84.2	2,832	2,310	81.6	2,745	1,891	68.9	2,675	2,011	75.2	3,997	3,070	76.8
Florida	28,088	22,259	79.2	26,958	21,370	79.3	28,625	22,672	79.2	27,525	21,397	77.7	30,870	24,641	79.8
Georgia	19,901	16,747	84.2	22,569	18,074	80.1	22,217	18,354	82.6	23,966	20,019	83.5	24,945	20,934	83.9
Hawaii	341	257	75.4	577	300	52.0	124	1	0.8	290	210	72.4	245	174	71.0
Idaho	779	600	77.0	813	613	75.4	839	589	70.2	946	681	72.0	967	695	71.9
Illinois	15,883	11,811	74.4	16,934	12,092	71.4	16,911	12,202	72.2	15,203	11,456	75.4	16,620	12,445	74.9
Indiana ^a	2,585	2,115	81.8	2,625	2,192	83.5	—	—	—	2,780	2,151	77.4	2,792	2,263	81.1
Iowa	1,511	1,199	79.4	1,479	1,229	83.1	1,546	1,265	81.8	1,568	1,221	77.9	1,642	1,284	78.2
Kansas	569	416	73.1	392	309	78.8	522	423	81.0	417	324	77.7	405	319	78.8
Kentucky	4,101	3,041	74.2	4,095	3,028	73.9	3,872	2,873	74.2	4,673	3,491	74.7	4,722	3,708	78.5
Louisiana	7,275	5,387	74.0	6,949	5,010	72.1	6,845	5,206	76.1	7,154	5,144	71.9	8,148	6,311	77.5
Maine	461	375	81.3	492	417	84.8	507	405	79.9	467	345	73.9	528	313	59.3
Maryland	10,077	8,209	81.5	9,690	7,420	76.6	10,064	8,017	79.7	9,751	7,714	79.1	9,894	7,771	78.5
Massachusetts	6,770	5,457	80.6	6,970	5,420	77.8	6,863	5,069	73.9	6,710	5,075	75.6	6,871	5,315	77.4
Michigan	5,907	4,025	68.1	6,630	4,492	67.8	6,803	4,738	69.6	7,152	5,121	71.6	7,371	5,232	71.0
Minnesota	3,362	1,733	51.5	3,946	2,158	54.7	1,033	420	40.7	2,226	1,534	68.9	1,678	1,146	68.3
Mississippi	3,895	3,246	83.3	4,772	3,914	82.0	4,750	3,755	79.1	4,939	3,830	77.5	5,189	4,174	80.4
Missouri	4,172	3,304	79.2	3,974	3,196	80.4	3,911	2,648	67.7	4,222	3,199	75.8	4,653	3,509	75.4
Montana	397	308	77.6	397	285	71.8	363	274	75.5	293	200	68.3	311	223	71.7
Nebraska	682	513	75.2	725	531	73.2	731	540	73.9	860	617	71.7	987	752	76.2
Nevada	2,823	1,916	67.9	2,623	1,954	74.5	2,547	1,766	69.3	2,674	1,785	66.8	3,467	2,482	71.6
New Hampshire	695	452	65.0	804	756	94.0	748	718	96.0	723	406	56.2	791	657	83.1
New Jersey	10,965	9,280	84.6	10,934	9,074	83.0	11,320	9,370	82.8	12,249	10,267	83.8	12,346	10,367	84.0
New Mexico	1,950	1,743	89.4	1,916	1,583	82.6	1,288	1,052	81.7	1,379	1,129	81.9	1,457	1,216	83.5
New York	30,679	26,006	84.8	29,522	25,105	85.0	31,825	26,309	82.7	31,136	25,948	83.3	31,857	26,876	84.4
North Carolina	11,755	9,297	79.1	11,954	9,337	78.1	11,996	9,393	78.3	12,018	8,656	72.0	11,657	8,040	69.0
North Dakota	76	66	86.8	75	53	70.7	96	79	82.3	93	66	71.0	113	85	75.2
Ohio	8,573	6,163	71.9	8,510	6,172	72.5	7,899	5,305	67.2	8,488	6,089	71.7	8,858	6,452	72.8
Oklahoma	2,902	2,245	77.4	1,923	1,230	64.0	2,308	1,637	70.9	2,949	2,337	79.2	2,999	2,064	68.8
Oregon	1,225	921	75.2	1,217	854	70.2	1,225	887	72.4	1,296	937	72.3	1,496	1,032	69.0
Pennsylvania	17,970	14,535	80.9	17,816	14,443	81.1	18,677	14,957	80.1	18,769	15,307	81.6	18,291	14,956	81.8
Rhode Island	1,697	1,389	81.9	1,784	1,484	83.2	1,768	1,395	78.9	1,945	1,555	79.9	2,030	1,621	79.9
South Carolina	10,518	8,859	84.2	11,067	9,272	83.8	11,216	9,113	81.3	11,455	9,199	80.3	12,016	9,678	80.5
South Dakota	204	135	66.2	232	158	68.1	204	143	70.1	243	182	74.9	253	175	69.2
Tennessee	8,573	6,690	78.0	8,128	6,442	79.3	8,539	6,775	79.3	9,009	7,148	79.3	9,351	7,489	80.1
Texas	30,801	24,011	78.0	29,885	21,779	72.9	28,907	21,330	73.8	31,120	23,015	74.0	31,366	22,920	73.1

Table 20a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by year and state, 2020–2024—United States and 3 territories (cont.)

	2020			2021			2022			2023			2024		
	Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State															
Utah	1,069	796	74.5	942	698	74.1	1,185	709	59.8	205	115	56.1	1,468	1,090	74.3
Vermont	440	320	72.7	441	345	78.2	447	341	76.3	472	323	68.4	451	331	73.4
Virginia	5,781	4,343	75.1	6,298	4,606	73.1	6,233	4,497	72.1	6,364	4,910	77.2	7,111	5,554	78.1
Washington	4,085	2,637	64.6	3,470	2,501	72.1	3,536	2,570	72.7	3,296	2,359	71.6	3,735	2,820	75.5
West Virginia	1,183	830	70.2	1,250	810	64.8	1,211	781	64.5	1,330	813	61.1	1,333	818	61.4
Wisconsin	1,737	1,395	80.3	3,432	2,651	77.2	3,686	2,683	72.8	3,640	2,721	74.8	3,797	2,870	75.6
Wyoming	39	9	23.1	28	3	10.7	46	15	32.6	32	3	9.4	50	16	32.0
Subtotal	329,869	260,726	79.0	333,942	260,101	77.9	331,155	255,135	77.0	335,903	260,830	77.7	355,520	278,419	78.3
Territory															
Guam ^a	—	—	—	30	28	93.3	27	23	85.2	27	24	88.9	22	17	77.3
Puerto Rico	9,227	8,375	90.8	10,128	9,249	91.3	10,156	9,260	91.2	10,526	9,681	92.0	10,413	9,625	92.4
U.S. Virgin Islands	181	131	72.4	192	128	66.7	219	157	71.7	125	38	30.4	182	94	51.6
Subtotal	9,408	8,506	90.4	10,350	9,405	90.9	10,402	9,440	90.8	10,678	9,743	91.2	10,617	9,736	91.7
Total	339,277	269,232	79.4	344,292	269,506	78.3	341,557	264,575	77.5	346,581	270,573	78.1	366,137	288,155	78.7

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a 2020 data for Guam and 2022 data for Indiana are unavailable.

Table 20b. Retention in care among Ryan White HIV/AIDS Program patients, by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico

State/Territory	EMA/TGA	2020			2021			2022			2023			2024		
		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained	
			N	%		N	%		N	%		N	%		N	%
Arizona	Phoenix	3,831	3,284	85.7	3,781	3,184	84.2	4,164	3,513	84.4	4,252	3,581	84.2	6,047	4,963	82.1
California	Los Angeles	16,741	13,850	82.7	17,103	14,107	82.5	12,403	9,682	78.1	10,881	8,644	79.4	12,438	10,283	82.7
	Oakland	923	645	69.9	1,181	794	67.2	1,509	969	64.2	1,846	1,449	78.5	1,926	1,522	79.0
	Orange County	906	712	78.6	779	573	73.6	727	552	75.9	732	535	73.1	1,481	1,093	73.8
	Riverside–San Bernardino	1,002	797	79.5	849	661	77.9	1,029	717	69.7	1,289	912	70.8	1,564	1,146	73.3
	Sacramento	2,303	1,950	84.7	2,337	1,980	84.7	2,239	1,883	84.1	1,986	1,768	89.0	2,315	1,965	84.9
	San Diego	5,317	4,263	80.2	5,198	3,794	73.0	5,116	3,549	69.4	5,296	3,194	60.3	5,815	4,150	71.4
	San Francisco	2,010	1,485	73.9	2,065	1,485	71.9	1,958	1,329	67.9	1,791	1,236	69.0	3,006	2,301	76.5
	San Jose	1,221	804	65.8	1,176	903	76.8	1,121	884	78.9	1,266	1,022	80.7	77	64	83.1
Colorado	Denver	3,955	2,682	67.8	3,814	2,791	73.2	4,305	3,172	73.7	3,817	2,990	78.3	5,223	4,163	79.7
Connecticut	Hartford	1,510	1,227	81.3	1,456	1,119	76.9	1,486	1,230	82.8	1,534	1,227	80.0	1,569	1,193	76.0
	New Haven	1,738	1,402	80.7	1,761	1,507	85.6	1,652	1,380	83.5	1,738	1,475	84.9	1,041	861	82.7
District of Columbia	Washington ^a	6,702	5,536	82.6	6,345	4,922	77.6	6,274	4,612	73.5	6,415	4,726	73.7	7,591	5,841	76.9
Florida	Ft. Lauderdale	7,813	5,928	75.9	4,276	3,286	76.8	4,633	3,470	74.9	4,715	3,498	74.2	5,124	3,984	77.8
	Jacksonville	2,113	1,606	76.0	1,902	1,450	76.2	2,107	1,639	77.8	2,029	1,580	77.9	2,077	1,590	76.6
	Miami	5,862	4,846	82.7	6,480	5,211	80.4	6,453	5,367	83.2	6,523	5,366	82.3	9,772	8,424	86.2
	Orlando	2,691	2,301	85.5	3,188	2,553	80.1	3,228	2,615	81.0	3,145	2,672	85.0	3,347	2,753	82.3
	Tampa–St. Petersburg	3,459	2,707	78.3	3,775	2,947	78.1	5,096	4,112	80.7	4,108	3,235	78.7	4,350	3,276	75.3
	West Palm Beach	1,338	1,127	84.2	1,147	958	83.5	1,198	970	81.0	1,054	875	83.0	1,187	965	81.3
Georgia	Atlanta	12,877	10,705	83.1	15,294	11,775	77.0	14,652	11,939	81.5	15,850	13,039	82.3	16,658	13,895	83.4
Illinois	Chicago	15,233	11,371	74.6	16,327	11,632	71.2	16,449	11,919	72.5	14,741	11,159	75.7	16,188	12,194	75.3
Indiana	Indianapolis	2,795	2,278	81.5	2,794	2,323	83.1	2,546	2,030	79.7	2,759	2,188	79.3	3,106	2,502	80.6
Louisiana	Baton Rouge	3,028	2,358	77.9	2,458	1,996	81.2	2,347	1,911	81.4	2,647	2,050	77.4	3,406	2,789	81.9
	New Orleans	3,850	2,839	73.7	3,610	2,453	68.0	3,574	2,728	76.3	3,169	2,362	74.5	4,160	3,276	78.8
Maryland	Baltimore	9,269	7,616	82.2	8,792	6,827	77.7	9,152	7,346	80.3	8,834	7,060	79.9	9,521	7,466	78.4
Massachusetts	Boston ^a	5,685	4,706	82.8	6,001	4,874	81.2	6,076	4,630	76.2	5,941	4,576	77.0	6,092	4,876	80.0
Michigan	Detroit	3,743	2,548	68.1	4,171	2,781	66.7	4,378	3,078	70.3	5,496	3,922	71.4	5,635	3,982	70.7
Minnesota	Minneapolis–St. Paul ^a	3,457	1,788	51.7	4,055	2,222	54.8	1,128	471	41.8	2,329	1,604	68.9	2,457	1,744	71.0
Missouri	Kansas City ^a	1,456	1,083	74.4	1,409	1,046	74.2	1,341	944	70.4	1,388	973	70.1	1,762	1,299	73.7
	St. Louis ^a	3,887	3,146	80.9	5,166	4,213	81.6	4,843	3,420	70.6	4,855	3,703	76.3	4,196	3,223	76.8
Nevada	Las Vegas ^a	2,465	1,597	64.8	2,076	1,435	69.1	2,098	1,361	64.9	2,219	1,432	64.5	2,981	2,073	69.5
New Jersey	Bergen–Passaic	1,260	1,110	88.1	1,252	1,118	89.3	1,263	1,101	87.2	1,349	1,181	87.5	1,375	1,219	88.7
	Jersey City	1,303	1,176	90.3	1,358	1,232	90.7	1,487	1,301	87.5	991	854	86.2	1,524	1,358	89.1
	Middlesex	1,083	966	89.2	1,104	945	85.6	1,127	942	83.6	819	705	86.1	1,050	885	84.3
	Newark	5,034	4,135	82.1	5,338	4,478	83.9	5,271	4,357	82.7	6,511	5,470	84.0	5,769	4,856	84.2
New York	Nassau–Suffolk	1,075	811	75.4	1,170	923	78.9	1,182	939	79.4	1,112	817	73.5	1,124	864	76.9
	New York	27,243	23,148	85.0	26,916	22,972	85.3	27,816	23,073	82.9	27,029	22,712	84.0	27,817	23,648	85.0
North Carolina	Charlotte ^a	3,071	2,353	76.6	3,193	2,369	74.2	2,970	2,297	77.3	3,147	2,162	68.7	2,945	2,092	71.0
Ohio	Cleveland	2,683	2,087	77.8	2,773	2,165	78.1	2,575	1,971	76.5	2,536	1,947	76.8	2,674	1,926	72.0
	Columbus	3,796	2,609	68.7	3,533	2,480	70.2	3,252	1,898	58.4	3,571	2,558	71.6	3,493	2,583	73.9
Oregon	Portland ^a	1,307	985	75.4	1,291	915	70.9	1,326	965	72.8	1,369	992	72.5	1,587	1,099	69.3
Pennsylvania	Philadelphia ^a	12,905	10,380	80.4	12,822	10,206	79.6	13,199	10,361	78.5	13,339	10,619	79.6	13,057	10,562	80.9
Puerto Rico	San Juan	5,534	5,011	90.5	6,396	5,775	90.3	5,858	5,317	90.8	6,006	5,530	92.1	6,481	5,954	91.9

Table 20b. Retention in care among Ryan White HIV/AIDS Program patients, by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	2020			2021			2022			2023			2024		
		Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	3,154	2,691	85.3	2,870	2,446	85.2	3,473	2,953	85.0	3,707	3,165	85.4	3,941	3,311	84.0
	Nashville	4,866	3,745	77.0	4,312	3,357	77.9	4,371	3,437	78.6	4,349	3,449	79.3	3,775	2,931	77.6
Texas	Austin	2,783	2,250	80.8	1,060	619	58.4	1,410	1,010	71.6	1,805	1,224	67.8	2,132	1,333	62.5
	Dallas	9,057	7,427	82.0	9,540	7,541	79.0	9,559	7,706	80.6	9,937	8,056	81.1	9,187	7,389	80.4
	Ft. Worth	1,916	1,638	85.5	2,135	1,720	80.6	2,007	1,638	81.6	2,163	1,719	79.5	2,164	1,759	81.3
	Houston	11,067	8,178	73.9	11,266	8,058	71.5	11,121	8,014	72.1	11,171	7,950	71.2	11,714	8,053	68.7
	San Antonio	1,752	1,295	73.9	1,674	1,077	64.3	1,858	1,158	62.3	2,153	1,307	60.7	2,090	1,380	66.0
Virginia	Norfolk ^a	2,343	1,511	64.5	2,529	1,657	65.5	2,477	1,469	59.3	2,496	2,009	80.5	2,458	1,913	77.8
Washington	Seattle	3,735	2,312	61.9	2,983	2,177	73.0	3,133	2,244	71.6	3,413	2,447	71.7	3,697	2,828	76.5

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 21a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by year and state, 2020–2024—United States and 3 territories

State	2020			2021			2022			2023			2024		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Alabama	5,227	4,595	87.9	5,978	5,289	88.5	8,672	7,762	89.5	5,963	5,277	88.5	6,297	5,597	88.9
Alaska	148	138	93.2	348	320	92.0	319	282	88.4	348	318	91.4	375	353	94.1
Arizona	5,413	5,042	93.1	5,811	5,382	92.6	6,023	5,558	92.3	6,180	5,688	92.0	6,191	5,742	92.7
Arkansas	1,272	1,102	86.6	1,364	1,196	87.7	1,406	1,211	86.1	1,561	1,412	90.5	1,665	1,509	90.6
California	33,743	30,515	90.4	35,166	31,886	90.7	30,882	27,781	90.0	30,174	27,410	90.8	32,566	29,750	91.4
Colorado	3,971	3,655	92.0	4,350	4,065	93.4	4,616	4,294	93.0	4,631	4,351	94.0	6,099	5,721	93.8
Connecticut	3,120	2,891	92.7	3,211	3,003	93.5	3,156	2,961	93.8	3,257	3,063	94.0	3,458	3,298	95.4
Delaware	1,630	1,509	92.6	1,629	1,503	92.3	1,607	1,485	92.4	1,763	1,550	87.9	1,768	1,651	93.4
District of Columbia	3,064	2,683	87.6	2,721	2,421	89.0	2,927	2,584	88.3	2,941	2,654	90.2	4,389	3,963	90.3
Florida	29,550	25,875	87.6	28,275	25,090	88.7	29,973	26,634	88.9	29,173	26,429	90.6	32,477	29,786	91.7
Georgia	20,910	18,245	87.3	23,763	20,556	86.5	23,697	20,328	85.8	25,488	22,356	87.7	25,859	23,214	89.8
Hawaii	352	307	87.2	588	520	88.4	122	102	83.6	321	291	90.7	288	265	92.0
Idaho	864	834	96.5	866	843	97.3	917	895	97.6	1,027	1,005	97.9	1,044	1,011	96.8
Illinois	15,858	14,051	88.6	17,461	15,691	89.9	17,255	15,613	90.5	15,794	13,873	87.8	17,356	16,052	92.5
Indiana ^a	2,610	2,345	89.8	2,657	2,400	90.3	—	—	—	2,990	2,679	89.6	3,036	2,739	90.2
Iowa	1,606	1,496	93.2	1,581	1,490	94.2	1,607	1,506	93.7	1,692	1,620	95.7	1,760	1,666	94.7
Kansas	608	554	91.1	414	391	94.4	551	492	89.3	464	428	92.2	438	408	93.2
Kentucky	4,050	3,738	92.3	4,236	3,921	92.6	4,152	3,792	91.3	5,006	4,598	91.8	4,973	4,596	92.4
Louisiana	7,849	6,991	89.1	7,188	6,390	88.9	6,540	5,783	88.4	7,402	6,708	90.6	8,391	7,663	91.3
Maine	461	445	96.5	486	468	96.3	504	482	95.6	522	503	96.4	509	494	97.1
Maryland	9,941	9,069	91.2	9,843	8,911	90.5	10,168	9,151	90.0	10,054	9,164	91.1	9,223	8,497	92.1
Massachusetts	6,540	6,187	94.6	6,923	6,573	94.9	6,857	6,498	94.8	6,916	6,587	95.2	7,075	6,736	95.2
Michigan	6,508	5,885	90.4	7,363	6,684	90.8	7,558	6,805	90.0	7,835	7,171	91.5	8,073	7,420	91.9
Minnesota	3,423	3,124	91.3	4,051	3,716	91.7	1,014	953	94.0	2,400	2,226	92.8	1,738	1,601	92.1
Mississippi	4,157	3,634	87.4	5,017	4,453	88.8	5,037	4,443	88.2	5,264	4,784	90.9	5,517	5,008	90.8
Missouri	4,492	4,021	89.5	4,413	3,947	89.4	4,130	3,716	90.0	4,742	4,316	91.0	5,072	4,679	92.3
Montana	407	377	92.6	396	371	93.7	375	358	95.5	363	337	92.8	340	327	96.2
Nebraska	746	670	89.8	775	713	92.0	788	728	92.4	951	887	93.3	1,094	1,016	92.9
Nevada	3,039	2,785	91.6	2,852	2,597	91.1	2,778	2,543	91.5	3,391	3,134	92.4	3,747	3,456	92.2
New Hampshire	741	703	94.9	772	735	95.2	715	688	96.2	694	671	96.7	697	668	95.8
New Jersey	11,408	10,178	89.2	11,327	10,223	90.3	12,011	10,798	89.9	12,821	11,724	91.4	12,992	11,906	91.6
New Mexico	1,940	1,824	94.0	2,036	1,873	92.0	1,345	1,225	91.1	1,462	1,345	92.0	1,562	1,455	93.1
New York	31,361	27,886	88.9	30,262	26,863	88.8	32,816	29,667	90.4	32,682	29,656	90.7	33,149	30,462	91.9
North Carolina	12,389	11,076	89.4	12,617	11,293	89.5	12,862	11,539	89.7	12,930	11,663	90.2	12,549	11,498	91.6
North Dakota	80	79.0	98.8	80	72	90.0	101	96	95.0	102	96	94.1	123	113	91.9
Ohio	8,656	7,792	90.0	8,776	7,981	90.9	8,309	7,560	91.0	8,965	8,249	92.0	9,365	8,632	92.2
Oklahoma	3,028	2,627	86.8	2,008	1,819	90.6	2,839	2,590	91.2	3,117	2,850	91.4	3,138	2,566	81.8
Oregon	1,203	1,090	90.6	1,280	1,149	89.8	1,315	1,170	89.0	1,499	1,347	89.9	1,570	1,457	92.8
Pennsylvania	17,866	16,333	91.4	18,194	16,666	91.6	18,989	17,318	91.2	19,426	18,024	92.8	19,296	17,963	93.1
Rhode Island	1,730	1,636	94.6	1,886	1,809	95.9	1,791	1,714	95.7	1,999	1,903	95.2	2,102	1,979	94.1
South Carolina	11,075	10,000	90.3	11,381	10,370	91.1	11,845	10,662	90.0	12,077	11,142	92.3	12,596	11,676	92.7
South Dakota	212	203	95.8	253	240	94.9	227	219	96.5	264	251	95.1	265	255	96.2
Tennessee	8,984	7,912	88.1	8,538	7,583	88.8	9,061	7,882	87.0	9,459	8,437	89.2	9,928	8,773	88.4
Texas	33,033	28,494	86.3	32,112	27,367	85.2	31,032	26,571	85.6	33,551	29,096	86.7	32,745	28,563	87.2

Table 21a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by year and state, 2020–2024—United States and 3 territories (cont.)

	2020			2021			2022			2023			2024		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State															
Utah	1,159	1,082	93.4	988	921	93.2	1,007	970	96.3	265	241	90.9	1,523	1,391	91.3
Vermont	418	398	95.2	458	434	94.8	457	434	95.0	499	477	95.6	475	456	96.0
Virginia	6,220	5,545	89.1	6,652	6,038	90.8	6,615	5,930	89.6	6,667	6,061	90.9	7,598	6,896	90.8
Washington	4,164	3,857	92.6	3,629	3,362	92.6	3,807	3,483	91.5	3,403	3,114	91.5	4,053	3,737	92.2
West Virginia	1,276	1,154	90.4	1,261	1,132	89.8	1,318	1,178	89.4	1,457	1,355	93.0	1,420	1,300	91.5
Wisconsin	1,828	1,671	91.4	3,623	3,348	92.4	3,909	3,605	92.2	3,992	3,705	92.8	4,084	3,819	93.5
Wyoming	46	41	89.1	34	30	88.2	55	52	94.5	45	41	91.1	80	77	96.3
Subtotal	340,376	304,344	89.4	347,893	312,098	89.7	346,057	310,091	89.6	355,989	322,267	90.5	372,128	339,860	91.3
Territory															
Guam ^a	—	—	—	30	21	70.0	29	23	79.3	27	20	74.1	24	16	66.7
Puerto Rico	9,303	8,497	91.3	10,295	9,486	92.1	10,318	9,488	92.0	10,847	10,117	93.3	10,521	9,872	93.8
U.S. Virgin Islands	195	168	86.2	162	144	88.9	253	221	87.4	219	191	87.2	208	170	81.7
Subtotal	9,498	8,665	91.2	10,487	9,651	92.0	10,600	9,732	91.8	11,093	10,328	93.1	10,753	10,058	93.5
Total	349,874	313,009	89.5	358,380	321,749	89.8	356,657	319,823	89.7	367,082	332,595	90.6	382,881	349,918	91.4

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a 2020 data for Guam and 2022 data for Indiana are unavailable.

Table 21b. Viral suppression among Ryan White HIV/AIDS Program patients, by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico

State/Territory	EMA/TGA	2020			2021			2022			2023			2024		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	4,023	3,718	92.4	4,182	3,852	92.1	4,451	4,058	91.2	4,621	4,193	90.7	6,354	5,862	92.3
California	Los Angeles	16,888	15,131	89.6	17,458	15,719	90.0	12,616	11,258	89.2	11,548	10,390	90.0	12,841	11,728	91.3
	Oakland	991	892	90.0	1,556	1,398	89.8	1,677	1,518	90.5	1,992	1,778	89.3	2,131	1,912	89.7
	Orange County	816	758	92.9	826	732	88.6	795	692	87.0	836	740	88.5	1,598	1,472	92.1
	Riverside–San Bernardino	1,069	954	89.2	928	825	88.9	1,184	991	83.7	1,491	1,305	87.5	1,718	1,525	88.8
	Sacramento	2,137	1,886	88.3	2,156	1,909	88.5	2,182	1,927	88.3	1,888	1,699	90.0	2,257	2,055	91.1
	San Diego	5,338	4,946	92.7	5,225	4,864	93.1	5,557	5,156	92.8	5,408	5,101	94.3	5,898	5,517	93.5
	San Francisco	2,098	1,888	90.0	2,137	1,930	90.3	2,001	1,768	88.4	1,925	1,714	89.0	3,070	2,787	90.8
	San Jose	1,225	1,154	94.2	1,242	1,187	95.6	1,232	1,176	95.5	1,301	1,217	93.5	81	75	92.6
Colorado	Denver	3,435	3,137	91.3	3,672	3,406	92.8	4,158	3,834	92.2	4,030	3,776	93.7	5,491	5,131	93.4
Connecticut	Hartford	1,341	1,250	93.2	1,378	1,274	92.5	1,402	1,312	93.6	1,400	1,297	92.6	1,501	1,427	95.1
	New Haven	1,801	1,658	92.1	1,811	1,707	94.3	1,739	1,630	93.7	1,820	1,722	94.6	1,126	1,067	94.8
District of Columbia	Washington ^a	6,921	6,204	89.6	6,458	5,880	91.0	6,735	6,054	89.9	6,941	6,353	91.5	8,267	7,542	91.2
Florida	Ft. Lauderdale	8,708	7,543	86.6	4,778	4,180	87.5	4,935	4,355	88.2	5,071	4,515	89.0	5,463	4,981	91.2
	Jacksonville	2,235	1,894	84.7	2,049	1,757	85.7	2,241	1,965	87.7	2,209	1,964	88.9	2,259	2,029	89.8
	Miami	5,822	4,964	85.3	6,526	5,699	87.3	6,807	5,990	88.0	6,618	6,029	91.1	9,909	9,137	92.2
	Orlando	2,810	2,515	89.5	3,237	2,931	90.5	3,396	3,081	90.7	3,366	3,099	92.1	3,553	3,262	91.8
	Tampa–St. Petersburg	3,839	3,406	88.7	3,999	3,584	89.6	5,338	4,770	89.4	4,490	4,082	90.9	4,625	4,258	92.1
	West Palm Beach	1,329	1,201	90.4	1,151	1,028	89.3	1,192	1,047	87.8	1,150	1,061	92.3	1,270	1,160	91.3
Georgia	Atlanta	13,452	11,510	85.6	16,026	13,789	86.0	15,722	13,344	84.9	16,908	14,659	86.7	17,808	15,901	89.3
Illinois	Chicago	15,130	13,413	88.7	16,839	15,129	89.8	16,752	15,153	90.5	15,282	13,723	89.8	16,872	15,577	92.3
Indiana	Indianapolis	2,821	2,535	89.9	2,840	2,569	90.5	2,717	2,378	87.5	2,998	2,685	89.6	3,378	3,062	90.6
Louisiana	Baton Rouge	3,204	2,887	90.1	2,554	2,314	90.6	2,401	2,172	90.5	2,794	2,575	92.2	3,641	3,397	93.3
	New Orleans	4,364	3,872	88.7	3,862	3,394	87.9	3,725	3,267	87.7	3,412	3,021	88.5	4,418	3,998	90.5
Maryland	Baltimore	9,096	8,291	91.1	8,890	8,034	90.4	9,167	8,249	90.0	9,063	8,247	91.0	8,770	8,092	92.3
Massachusetts	Boston ^a	5,418	5,140	94.9	5,865	5,563	94.9	5,913	5,593	94.6	6,081	5,785	95.1	6,177	5,881	95.2
Michigan	Detroit	4,112	3,623	88.1	4,663	4,117	88.3	4,849	4,223	87.1	6,043	5,467	90.5	6,187	5,631	91.0
Minnesota	Minneapolis–St. Paul ^a	3,532	3,220	91.2	4,165	3,817	91.6	1,116	1,046	93.7	2,514	2,330	92.7	2,541	2,370	93.3
Missouri	Kansas City ^a	1,552	1,380	88.9	1,542	1,364	88.5	1,411	1,254	88.9	1,652	1,525	92.3	1,941	1,779	91.7
	St. Louis ^a	4,216	3,751	89.0	5,650	5,041	89.2	5,142	4,609	89.6	5,389	4,900	90.9	4,560	4,210	92.3
Nevada	Las Vegas ^a	2,692	2,453	91.1	2,317	2,109	91.0	2,359	2,152	91.2	2,978	2,731	91.7	3,349	3,093	92.4
New Jersey	Bergen–Passaic	1,304	1,188	91.1	1,310	1,189	90.8	1,337	1,213	90.7	1,418	1,302	91.8	1,425	1,328	93.2
	Jersey City	1,354	1,236	91.3	1,396	1,286	92.1	1,546	1,417	91.7	1,043	974	93.4	1,599	1,495	93.5
	Middlesex	1,112	1,014	91.2	1,132	1,034	91.3	1,157	1,062	91.8	848	790	93.2	1,107	1,026	92.7
	Newark	5,269	4,660	88.4	5,572	4,980	89.4	5,635	4,993	88.6	6,868	6,227	90.7	6,114	5,524	90.4
New York	Nassau–Suffolk	1,150	1,083	94.2	1,246	1,185	95.1	1,261	1,189	94.3	1,184	1,111	93.8	1,195	1,142	95.6
	New York	27,902	24,620	88.2	27,516	24,256	88.2	28,628	25,732	89.9	28,375	25,583	90.2	28,883	26,421	91.5
North Carolina	Charlotte ^a	3,325	2,981	89.7	3,393	3,020	89.0	3,282	2,894	88.2	3,358	3,026	90.1	3,188	2,922	91.7
Ohio	Cleveland	2,740	2,468	90.1	2,857	2,580	90.3	2,726	2,477	90.9	2,680	2,480	92.5	2,869	2,646	92.2
	Columbus	3,714	3,363	90.5	3,642	3,337	91.6	3,379	3,109	92.0	3,773	3,493	92.6	3,700	3,457	93.4
Oregon	Portland ^a	1,288	1,163	90.3	1,364	1,226	89.9	1,426	1,268	88.9	1,581	1,420	89.8	1,673	1,552	92.8
Pennsylvania	Philadelphia ^a	12,745	11,490	90.2	13,052	11,781	90.3	13,451	12,095	89.9	13,749	12,608	91.7	13,881	12,775	92.0
Puerto Rico	San Juan	5,521	4,984	90.3	6,550	5,966	91.1	5,987	5,461	91.2	6,189	5,745	92.8	6,548	6,114	93.4

Table 21b. Viral suppression among Ryan White HIV/AIDS Program patients, by year and eligible metropolitan area and transitional grant area, 2020–2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	2020			2021			2022			2023			2024		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	3,145	2,547	81.0	3,045	2,496	82.0	3,643	2,891	79.4	3,794	3,134	82.6	4,114	3,389	82.4
	Nashville	5,199	4,712	90.6	4,510	4,125	91.5	4,646	4,222	90.9	4,582	4,254	92.8	4,054	3,735	92.1
Texas	Austin	2,895	2,594	89.6	1,192	1,084	90.9	1,575	1,389	88.2	1,884	1,665	88.4	2,058	1,857	90.2
	Dallas	9,421	8,113	86.1	10,017	8,526	85.1	9,715	8,398	86.4	10,502	9,134	87.0	9,667	8,405	86.9
	Ft. Worth	2,121	1,805	85.1	2,275	1,918	84.3	2,184	1,836	84.1	2,375	2,068	87.1	2,384	2,110	88.5
	Houston	12,198	10,472	85.9	12,251	10,380	84.7	12,277	10,447	85.1	12,162	10,491	86.3	11,909	10,380	87.2
	San Antonio	1,885	1,513	80.3	1,785	1,478	82.8	2,012	1,680	83.5	2,264	1,906	84.2	2,206	1,860	84.3
Virginia	Norfolk ^a	2,555	2,210	86.5	2,630	2,325	88.4	2,627	2,288	87.1	2,577	2,266	87.9	2,634	2,277	86.4
Washington	Seattle	3,795	3,537	93.2	3,115	2,900	93.1	3,371	3,091	91.7	3,527	3,225	91.4	3,932	3,632	92.4

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 22a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and state, 2024—United States and 3 territories

State	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Alabama	6	5	83.3	327	241	73.7	1,429	1,027	71.9	1,515	1,139	75.2	1,218	937	76.9	1,189	917	77.1	547	441	80.6
Alaska	0	—	—	9	4	44.4	63	41	65.1	69	47	68.1	70	42	60.0	97	74	76.3	39	25	64.1
Arizona	12	12	100.0	180	145	80.6	1,065	797	74.8	1,301	1,034	79.5	1,273	1,087	85.4	1,400	1,207	86.2	722	620	85.9
Arkansas	1	1	100.0	74	41	55.4	404	281	69.6	426	300	70.4	309	237	76.7	278	220	79.1	104	94	90.4
California	32	31	96.9	730	524	71.8	5,068	3,683	72.7	7,137	5,436	76.2	6,615	5,281	79.8	7,754	6,474	83.5	4,124	3,489	84.6
Colorado	12	12	100.0	190	142	74.7	1,041	763	73.3	1,343	1,033	76.9	1,177	957	81.3	1,335	1,101	82.5	667	572	85.8
Connecticut	3	3	100.0	66	55	83.3	370	288	77.8	501	408	81.4	676	546	80.8	1,092	875	80.1	696	574	82.5
Delaware	0	—	—	35	23	65.7	184	127	69.0	280	203	72.5	297	230	77.4	501	408	81.4	339	277	81.7
District of Columbia	19	18	94.7	154	135	87.7	493	354	71.8	830	599	72.2	774	590	76.2	1,045	814	77.9	682	560	82.1
Florida	44	43	97.7	881	671	76.2	5,450	4,192	76.9	7,060	5,508	78.0	6,565	5,302	80.8	7,641	6,321	82.7	3,229	2,604	80.6
Georgia	48	41	85.4	937	762	81.3	5,474	4,421	80.8	6,228	5,109	82.0	4,590	3,922	85.4	5,153	4,488	87.1	2,515	2,191	87.1
Hawaii	0	—	—	0	—	—	25	15	60.0	37	29	78.4	47	34	72.3	81	62	76.5	55	34	61.8
Idaho	1	1	100.0	22	18	81.8	141	102	72.3	198	131	66.2	209	145	69.4	260	197	75.8	136	101	74.3
Illinois	18	15	83.3	475	354	74.5	3,331	2,293	68.8	3,980	2,876	72.3	3,318	2,522	76.0	3,649	2,879	78.9	1,849	1,506	81.4
Indiana	8	7	87.5	115	89	77.4	574	435	75.8	709	555	78.3	634	530	83.6	527	455	86.3	225	192	85.3
Iowa	2	1	50.0	37	27	73.0	240	190	79.2	394	302	76.6	381	296	77.7	376	302	80.3	212	166	78.3
Kansas	0	—	—	0	—	—	44	29	65.9	61	42	68.9	72	55	76.4	147	125	85.0	81	68	84.0
Kentucky	5	5	100.0	120	92	76.7	878	636	72.4	1,113	843	75.7	1,005	813	80.9	1,091	883	80.9	510	436	85.5
Louisiana	1	1	100.0	253	175	69.2	1,323	919	69.5	1,890	1,425	75.4	1,812	1,418	78.3	1,906	1,574	82.6	963	799	83.0
Maine	1	1	100.0	3	2	66.7	51	29	56.9	92	56	60.9	127	70	55.1	152	87	57.2	102	68	66.7
Maryland	13	13	100.0	214	168	78.5	1,177	852	72.4	1,893	1,397	73.8	1,806	1,403	77.7	2,893	2,347	81.1	1,898	1,591	83.8
Massachusetts	13	13	100.0	147	116	78.9	855	614	71.8	1,249	945	75.7	1,367	1,061	77.6	2,018	1,584	78.5	1,222	982	80.4
Michigan	5	5	100.0	222	170	76.6	1,376	923	67.1	1,602	1,136	70.9	1,405	976	69.5	1,772	1,280	72.2	989	742	75.0
Minnesota	0	—	—	79	47	59.5	293	193	65.9	422	287	68.0	345	229	66.4	350	250	71.4	189	140	74.1
Mississippi	4	3	75.0	202	154	76.2	1,005	777	77.3	1,160	926	79.8	1,129	903	80.0	1,160	958	82.6	529	453	85.6
Missouri	10	9	90.0	191	142	74.3	927	647	69.8	1,064	756	71.1	923	704	76.3	1,033	832	80.5	505	419	83.0
Montana	0	—	—	3	2	66.7	38	27	71.1	64	37	57.8	45	34	75.6	101	79	78.2	60	44	73.3
Nebraska	0	—	—	28	16	57.1	164	123	75.0	214	157	73.4	229	173	75.5	242	192	79.3	110	91	82.7
Nevada	12	7	58.3	120	85	70.8	740	532	71.9	922	640	69.4	654	467	71.4	689	506	73.4	330	245	74.2
New Hampshire	1	1	100.0	13	11	84.6	93	77	82.8	133	115	86.5	157	127	80.9	228	189	82.9	166	137	82.5
New Jersey	17	15	88.2	327	250	76.5	1,909	1,530	80.1	2,456	1,994	81.2	2,242	1,920	85.6	3,240	2,782	85.9	2,155	1,876	87.1
New Mexico	0	—	—	43	37	86.0	226	166	73.5	255	200	78.4	277	231	83.4	380	332	87.4	276	250	90.6
New York	22	18	81.8	618	494	79.9	4,166	3,276	78.6	6,264	5,066	80.9	5,978	5,115	85.6	8,739	7,566	86.6	6,070	5,341	88.0
North Carolina	17	14	82.4	373	261	70.0	2,230	1,465	65.7	2,458	1,676	68.2	2,288	1,550	67.7	2,759	1,951	70.7	1,532	1,123	73.3
North Dakota	0	—	—	4	4	100.0	23	16	69.6	29	21	72.4	23	18	78.3	27	20	74.1	7	6	85.7
Ohio	15	13	86.7	283	190	67.1	1,598	1,136	71.1	2,003	1,432	71.5	1,790	1,300	72.6	2,064	1,545	74.9	1,105	836	75.7
Oklahoma	2	2	100.0	97	65	67.0	560	357	63.8	733	498	67.9	637	448	70.3	701	504	71.9	269	190	70.6
Oregon	0	—	—	31	15	48.4	206	127	61.7	393	255	64.9	345	239	69.3	364	274	75.3	157	122	77.7
Pennsylvania	27	26	96.3	416	327	78.6	2,365	1,809	76.5	3,425	2,661	77.7	3,506	2,836	80.9	5,272	4,456	84.5	3,280	2,841	86.6
Rhode Island	2	2	100.0	40	34	85.0	207	162	78.3	361	269	74.5	423	337	79.7	622	508	81.7	375	309	82.4
South Carolina	1	1	100.0	352	279	79.3	2,073	1,613	77.8	2,514	2,002	79.6	2,357	1,903	80.7	3,058	2,508	82.0	1,661	1,372	82.6
South Dakota	1	1	100.0	10	8	80.0	32	18	56.3	64	39	60.9	63	45	71.4	54	43	79.6	29	21	72.4
Tennessee	12	11	91.7	280	231	82.5	1,652	1,243	75.2	2,110	1,625	77.0	2,000	1,631	81.6	2,296	1,898	82.7	1,001	850	84.9
Texas	26	23	88.5	1,290	922	71.5	7,313	5,031	68.8	8,598	6,101	71.0	6,607	5,027	76.1	5,633	4,357	77.3	1,899	1,459	76.8

Table 22a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and state, 2024—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State																					
Utah	0	—	—	46	34	73.9	371	257	69.3	353	264	74.8	327	235	71.9	245	197	80.4	126	103	81.7
Vermont	0	—	—	4	4	100.0	31	23	74.2	53	39	73.6	92	61	66.3	160	116	72.5	111	88	79.3
Virginia	3	3	100.0	201	154	76.6	1,199	887	74.0	1,555	1,187	76.3	1,466	1,135	77.4	1,725	1,386	80.3	962	802	83.4
Washington	0	—	—	54	42	77.8	535	378	70.7	862	634	73.5	888	664	74.8	974	749	76.9	422	353	83.6
West Virginia	2	1	50.0	8	5	62.5	198	119	60.1	290	173	59.7	276	172	62.3	366	227	62.0	193	121	62.7
Wisconsin	2	2	100.0	130	97	74.6	752	522	69.4	798	585	73.3	756	580	76.7	882	711	80.6	477	373	78.2
Wyoming	0	—	—	0	—	—	6	3	50.0	12	6	50.0	10	2	20.0	10	1	10.0	12	4	33.3
Subtotal	420	380	90.5	10,434	7,864	75.4	61,968	45,525	73.5	79,473	60,198	75.7	71,580	56,540	79.0	85,731	69,811	81.4	45,914	38,101	83.0
Territory																					
Guam	0	—	—	3	2	66.7	4	3	75.0	7	4	57.1	3	3	100.0	0	—	—	5	5	100.0
Puerto Rico	0	—	—	99	85	85.9	1,038	911	87.8	1,473	1,339	90.9	2,052	1,884	91.8	3,365	3,162	94.0	2,386	2,244	94.0
U.S. Virgin Islands	0	—	—	1	1	100.0	16	8	50.0	25	9	36.0	39	24	61.5	51	27	52.9	50	25	50.0
Subtotal	0	—	—	103	88	85.4	1,058	922	87.1	1,505	1,352	89.8	2,094	1,911	91.3	3,416	3,189	93.4	2,441	2,274	93.2
Total	420	380	90.5	10,537	7,952	75.5	63,026	46,447	73.7	80,978	61,550	76.0	73,674	58,451	79.3	89,147	73,000	81.9	48,355	40,375	83.5

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 22b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Retained			Retained			Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	12	12	100.0	201	161	80.1	1,154	869	75.3	1,372	1,082	78.9	1,272	1,088	85.5	1,368	1,184	86.5	668	567	84.9
California	Los Angeles	11	10	90.9	292	208	71.2	2,239	1,689	75.4	3,088	2,439	79.0	2,640	2,221	84.1	2,888	2,549	88.3	1,280	1,167	91.2
	Oakland	6	6	100.0	69	54	78.3	296	219	74.0	407	315	77.4	351	280	79.8	461	376	81.6	336	272	81.0
	Orange County	0	—	—	55	34	61.8	288	192	66.7	375	281	74.9	359	264	73.5	274	219	79.9	130	103	79.2
	Riverside–San Bernardino	0	—	—	53	35	66.0	387	270	69.8	412	298	72.3	320	249	77.8	293	226	77.1	99	68	68.7
	Sacramento	1	1	100.0	44	37	84.1	349	266	76.2	516	429	83.1	460	393	85.4	616	546	88.6	329	293	89.1
	San Diego	13	13	100.0	108	82	75.9	782	530	67.8	1,232	847	68.8	1,245	875	70.3	1,576	1,149	72.9	859	654	76.1
	San Francisco	0	—	—	44	26	59.1	339	216	63.7	625	438	70.1	632	471	74.5	832	703	84.5	534	447	83.7
	San Jose	0	—	—	0	—	—	27	24	88.9	28	22	78.6	16	14	87.5	3	3	100.0	3	1	33.3
Colorado	Denver	12	12	100.0	196	145	74.0	974	723	74.2	1,243	954	76.7	1,063	862	81.1	1,163	974	83.7	572	493	86.2
Connecticut	Hartford	3	3	100.0	36	31	86.1	166	117	70.5	217	157	72.4	302	227	75.2	519	393	75.7	326	265	81.3
	New Haven	0	—	—	23	19	82.6	133	116	87.2	172	141	82.0	205	177	86.3	308	248	80.5	200	160	80.0
District of Columbia	Washington ^a	19	18	94.7	252	217	86.1	1,074	804	74.9	1,648	1,217	73.8	1,624	1,257	77.4	1,852	1,424	76.9	1,122	904	80.6
Florida	Ft. Lauderdale	8	7	87.5	139	106	76.3	908	694	76.4	1,270	953	75.0	1,094	850	77.7	1,248	1,018	81.6	457	356	77.9
	Jacksonville	0	—	—	47	35	74.5	387	270	69.8	468	345	73.7	456	365	80.0	506	405	80.0	213	170	79.8
	Miami	12	12	100.0	215	177	82.3	1,802	1,529	84.9	2,414	2,056	85.2	2,089	1,817	87.0	2,366	2,106	89.0	874	727	83.2
	Orlando	5	5	100.0	117	89	76.1	718	574	79.9	833	673	80.8	701	594	84.7	731	615	84.1	242	203	83.9
	Tampa–St. Petersburg	20	20	100.0	209	170	81.3	899	647	72.0	988	739	74.8	880	666	75.7	958	728	76.0	396	306	77.3
	West Palm Beach	0	—	—	32	26	81.3	180	141	78.3	249	192	77.1	256	217	84.8	314	265	84.4	156	124	79.5
Georgia	Atlanta	48	41	85.4	696	577	82.9	4,086	3,280	80.3	4,493	3,685	82.0	2,984	2,545	85.3	3,005	2,616	87.1	1,346	1,151	85.5
Illinois	Chicago	18	15	83.3	482	361	74.9	3,317	2,307	69.6	3,925	2,845	72.5	3,201	2,451	76.6	3,478	2,765	79.5	1,767	1,450	82.1
Indiana	Indianapolis	8	7	87.5	122	95	77.9	657	497	75.6	782	614	78.5	705	587	83.3	585	496	84.8	247	206	83.4
Louisiana	Baton Rouge	0	—	—	93	64	68.8	501	372	74.3	793	643	81.1	749	613	81.8	811	705	86.9	459	392	85.4
	New Orleans	1	1	100.0	65	45	69.2	574	377	65.7	955	724	75.8	963	777	80.7	1,047	884	84.4	555	468	84.3
Maryland	Baltimore	13	13	100.0	203	157	77.3	1,126	808	71.8	1,807	1,328	73.5	1,684	1,306	77.6	2,824	2,289	81.1	1,864	1,565	84.0
Massachusetts	Boston ^a	14	14	100.0	139	109	78.4	796	600	75.4	1,171	924	78.9	1,207	963	79.8	1,732	1,408	81.3	1,033	858	83.1
Michigan	Detroit	5	5	100.0	187	144	77.0	1,138	761	66.9	1,252	879	70.2	1,038	711	68.5	1,265	914	72.3	750	568	75.7
Minnesota	Minneapolis–St. Paul ^a	0	—	—	95	58	61.1	405	275	67.9	587	413	70.4	519	359	69.2	543	403	74.2	308	236	76.6
Missouri	Kansas City ^a	0	—	—	44	30	68.2	393	273	69.5	456	314	68.9	364	266	73.1	361	296	82.0	144	120	83.3
	St. Louis ^a	11	10	90.9	180	136	75.6	821	597	72.7	949	703	74.1	822	636	77.4	961	769	80.0	452	372	82.3
Nevada	Las Vegas ^a	4	3	75.0	112	79	70.5	692	499	72.1	852	582	68.3	554	379	68.4	524	365	69.7	243	166	68.3
New Jersey	Bergen–Passaic	0	—	—	36	24	66.7	229	198	86.5	291	251	86.3	250	229	91.6	337	303	89.9	232	214	92.2
	Jersey City	1	1	100.0	37	31	83.8	245	211	86.1	298	260	87.2	294	266	90.5	382	346	90.6	267	243	91.0
	Middlesex	3	3	100.0	48	39	81.3	205	171	83.4	216	178	82.4	185	162	87.6	263	222	84.4	130	110	84.6
	Newark	6	4	66.7	147	113	76.9	910	725	79.7	1,169	944	80.8	1,054	909	86.2	1,492	1,287	86.3	991	874	88.2
New York	Nassau–Suffolk	2	1	50.0	70	50	71.4	102	79	77.5	162	122	75.3	194	151	77.8	312	240	76.9	282	221	78.4
	New York	20	17	85.0	509	411	80.7	3,741	2,962	79.2	5,673	4,629	81.6	5,231	4,513	86.3	7,449	6,511	87.4	5,194	4,605	88.7
North Carolina	Charlotte ^a	0	—	—	92	70	76.1	775	538	69.4	723	507	70.1	523	377	72.1	571	419	73.4	261	181	69.3
Ohio	Cleveland	1	0	0.0	87	55	63.2	447	327	73.2	514	361	70.2	493	356	72.2	728	526	72.3	404	301	74.5
	Columbus	12	11	91.7	129	90	69.8	728	525	72.1	898	666	74.2	700	513	73.3	693	532	76.8	333	246	73.9
Oregon	Portland ^a	0	—	—	36	17	47.2	225	142	63.1	423	280	66.2	365	254	69.6	376	282	75.0	162	124	76.5
Pennsylvania	Philadelphia ^a	26	25	96.2	347	274	79.0	1,891	1,455	76.9	2,658	2,069	77.8	2,360	1,907	80.8	3,610	3,015	83.5	2,165	1,817	83.9
Puerto Rico	San Juan	0	—	—	68	57	83.8	646	561	86.8	901	810	89.9	1,239	1,127	91.0	2,115	1,984	93.8	1,512	1,415	93.6

Table 22b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Retained			Retained			Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	9	9	100.0	191	168	88.0	851	652	76.6	976	780	79.9	806	692	85.9	770	706	91.7	338	304	89.9
	Nashville	10	9	90.0	71	55	77.5	540	396	73.3	813	614	75.5	847	656	77.4	1,048	835	79.7	446	366	82.1
Texas	Austin	0	—	—	73	39	53.4	533	335	62.9	672	421	62.6	430	264	61.4	327	224	68.5	97	50	51.5
	Dallas	24	24	100.0	338	243	71.9	1,942	1,413	72.8	2,461	1,918	77.9	1,940	1,615	83.2	1,785	1,561	87.5	697	615	88.2
	Ft. Worth	0	—	—	126	110	87.3	661	527	79.7	623	488	78.3	430	366	85.1	264	218	82.6	60	50	83.3
	Houston	1	1	100.0	478	346	72.4	2,803	1,844	65.8	3,130	2,104	67.2	2,488	1,794	72.1	2,124	1,495	70.4	690	469	68.0
	San Antonio	3	0	0.0	72	52	72.2	590	370	62.7	657	424	64.5	386	271	70.2	325	222	68.3	57	41	71.9
Virginia	Norfolk ^a	1	1	100.0	75	56	74.7	449	323	71.9	564	430	76.2	459	345	75.2	573	471	82.2	337	287	85.2
Washington	Seattle	0	—	—	54	43	79.6	544	390	71.7	863	645	74.7	871	660	75.8	957	744	77.7	408	346	84.8

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 23a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and state, 2024—United States and 3 territories

State	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N
	N	%		N	%		N	%		N	%		N	%		N	%		N	%	
Alabama	8	7	87.5	350	298	85.1	1,451	1,236	85.2	1,536	1,353	88.1	1,235	1,109	89.8	1,180	1,085	91.9	537	509	94.8
Alaska	0	—	—	10	9	90.0	66	61	92.4	80	78	97.5	76	69	90.8	104	98	94.2	39	38	97.4
Arizona	12	9	75.0	198	181	91.4	1,137	1,023	90.0	1,354	1,231	90.9	1,328	1,231	92.7	1,436	1,359	94.6	726	708	97.5
Arkansas	1	1	100.0	78	73	93.6	426	372	87.3	442	402	91.0	323	297	92.0	288	263	91.3	107	101	94.4
California	37	36	97.3	832	721	86.7	5,479	4,809	87.8	7,469	6,656	89.1	6,795	6,216	91.5	7,833	7,330	93.6	4,121	3,982	96.6
Colorado	13	13	100.0	210	188	89.5	1,125	1,047	93.1	1,420	1,312	92.4	1,235	1,153	93.4	1,404	1,348	96.0	692	660	95.4
Connecticut	3	3	100.0	73	63	86.3	393	362	92.1	520	492	94.6	678	643	94.8	1,091	1,047	96.0	700	688	98.3
Delaware	0	—	—	41	36	87.8	210	183	87.1	305	273	89.5	325	301	92.6	533	513	96.2	354	345	97.5
District of Columbia	19	16	84.2	167	143	85.6	571	488	85.5	924	810	87.7	837	762	91.0	1,132	1,042	92.0	739	702	95.0
Florida	45	42	93.3	978	851	87.0	5,871	5,240	89.3	7,517	6,750	89.8	6,873	6,310	91.8	7,918	7,447	94.1	3,275	3,146	96.1
Georgia	50	44	88.0	1,037	890	85.8	5,839	5,039	86.3	6,515	5,708	87.6	4,726	4,274	90.4	5,203	4,872	93.6	2,489	2,387	95.9
Hawaii	0	—	—	0	—	—	28	25	89.3	44	39	88.6	54	51	94.4	94	87	92.6	68	63	92.6
Idaho	1	0	0.0	28	23	82.1	166	162	97.6	216	209	96.8	219	211	96.3	271	264	97.4	143	142	99.3
Illinois	18	17	94.4	522	437	83.7	3,608	3,193	88.5	4,193	3,844	91.7	3,412	3,192	93.6	3,730	3,554	95.3	1,873	1,815	96.9
Indiana	10	10	100.0	129	111	86.0	639	547	85.6	775	679	87.6	680	631	92.8	567	534	94.2	236	227	96.2
Iowa	2	1	50.0	46	40	87.0	270	250	92.6	422	391	92.7	398	380	95.5	407	391	96.1	215	213	99.1
Kansas	0	—	—	0	—	—	56	42	75.0	68	62	91.2	77	72	93.5	150	146	97.3	87	86	98.9
Kentucky	5	4	80.0	133	112	84.2	948	850	89.7	1,186	1,072	90.4	1,063	986	92.8	1,119	1,067	95.4	519	505	97.3
Louisiana	0	—	—	267	223	83.5	1,370	1,209	88.2	1,977	1,772	89.6	1,878	1,732	92.2	1,936	1,793	92.6	963	934	97.0
Maine	0	—	—	3	3	100.0	46	45	97.8	91	88	96.7	123	122	99.2	144	141	97.9	102	95	93.1
Maryland	13	10	76.9	228	201	88.2	1,169	1,023	87.5	1,816	1,609	88.6	1,678	1,559	92.9	2,627	2,471	94.1	1,692	1,624	96.0
Massachusetts	14	12	85.7	166	143	86.1	889	830	93.4	1,304	1,223	93.8	1,401	1,342	95.8	2,062	1,986	96.3	1,239	1,200	96.9
Michigan	7	6	85.7	253	228	90.1	1,518	1,339	88.2	1,786	1,589	89.0	1,538	1,415	92.0	1,903	1,800	94.6	1,068	1,043	97.7
Minnesota	0	—	—	84	79	94.0	320	288	90.0	436	401	92.0	359	330	91.9	361	332	92.0	178	171	96.1
Mississippi	5	3	60.0	238	202	84.9	1,096	956	87.2	1,238	1,115	90.1	1,182	1,092	92.4	1,213	1,116	92.0	545	524	96.1
Missouri	10	10	100.0	223	199	89.2	1,052	931	88.5	1,161	1,043	89.8	996	926	93.0	1,111	1,066	95.9	519	504	97.1
Montana	0	—	—	2	2	100.0	47	45	95.7	71	66	93.0	50	50	100.0	107	103	96.3	63	61	96.8
Nebraska	0	—	—	33	30	90.9	199	181	91.0	243	217	89.3	253	234	92.5	252	243	96.4	114	111	97.4
Nevada	10	10	100.0	135	119	88.1	833	757	90.9	1,020	913	89.5	704	649	92.2	712	682	95.8	333	326	97.9
New Hampshire	1	1	100.0	11	9	81.8	88	83	94.3	117	109	93.2	138	130	94.2	200	194	97.0	142	142	100.0
New Jersey	19	16	84.2	368	307	83.4	2,077	1,850	89.1	2,608	2,327	89.2	2,353	2,156	91.6	3,357	3,134	93.4	2,210	2,116	95.7
New Mexico	0	—	—	49	43	87.8	250	213	85.2	286	262	91.6	295	276	93.6	401	383	95.5	281	278	98.9
New York	20	19	95.0	668	593	88.8	4,474	4,029	90.1	6,633	5,918	89.2	6,218	5,727	92.1	8,951	8,263	92.3	6,185	5,913	95.6
North Carolina	19	16	84.2	434	382	88.0	2,469	2,188	88.6	2,635	2,376	90.2	2,446	2,223	90.9	2,914	2,735	93.9	1,632	1,578	96.7
North Dakota	0	—	—	5	5	100.0	26	21	80.8	30	27	90.0	25	24	96.0	28	28	100.0	9	8	88.9
Ohio	18	18	100.0	303	264	87.1	1,710	1,504	88.0	2,134	1,929	90.4	1,876	1,738	92.6	2,178	2,059	94.5	1,146	1,120	97.7
Oklahoma	2	2	100.0	106	82	77.4	595	468	78.7	774	613	79.2	667	553	82.9	719	608	84.6	275	240	87.3
Oregon	0	—	—	34	29	85.3	228	212	93.0	418	381	91.1	357	330	92.4	375	354	94.4	158	151	95.6
Pennsylvania	28	27	96.4	475	419	88.2	2,610	2,323	89.0	3,652	3,322	91.0	3,683	3,409	92.6	5,494	5,204	94.7	3,354	3,259	97.2
Rhode Island	2	2	100.0	48	42	87.5	227	206	90.7	377	343	91.0	433	405	93.5	633	608	96.1	382	373	97.6
South Carolina	1	1	100.0	402	350	87.1	2,224	1,994	89.7	2,669	2,447	91.7	2,448	2,270	92.7	3,157	2,972	94.1	1,695	1,642	96.9
South Dakota	1	1	100.0	11	9	81.8	34	32	94.1	73	69	94.5	64	62	96.9	53	53	100.0	29	29	100.0
Tennessee	12	12	100.0	325	283	87.1	1,805	1,493	82.7	2,244	1,898	84.6	2,116	1,872	88.5	2,390	2,221	92.9	1,036	994	95.9
Texas	27	22	81.5	1,455	1,207	83.0	7,845	6,682	85.2	8,949	7,617	85.1	6,851	6,047	88.3	5,713	5,193	90.9	1,905	1,795	94.2

Table 23a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and state, 2024—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State																					
Utah	0	—	—	52	48	92.3	395	361	91.4	370	331	89.5	330	297	90.0	252	234	92.9	124	120	96.8
Vermont	0	—	—	5	5	100.0	37	34	91.9	57	53	93.0	95	91	95.8	168	161	95.8	113	112	99.1
Virginia	3	3	100.0	232	189	81.5	1,317	1,147	87.1	1,690	1,505	89.1	1,546	1,407	91.0	1,803	1,683	93.3	1,007	962	95.5
Washington	0	—	—	72	62	86.1	603	542	89.9	963	867	90.0	948	867	91.5	1,028	970	94.4	439	429	97.7
West Virginia	1	1	100.0	10	8	80.0	207	175	84.5	323	284	87.9	291	272	93.5	385	361	93.8	203	199	98.0
Wisconsin	2	2	100.0	148	131	88.5	823	745	90.5	865	798	92.3	809	763	94.3	943	897	95.1	494	483	97.8
Wyoming	0	—	—	0	—	—	13	12	92.3	20	18	90.0	13	13	100.0	19	19	100.0	15	15	100.0
Subtotal	439	397	90.4	11,677	10,072	86.3	66,879	58,847	88.0	84,016	74,891	89.1	74,498	68,271	91.6	88,049	82,514	93.7	46,570	44,868	96.3
Territory																					
Guam	0	—	—	3	2	66.7	4	3	75.0	7	5	71.4	4	1	25.0	1	0	0.0	5	5	100.0
Puerto Rico	0	—	—	105	95	90.5	1,073	961	89.6	1,492	1,353	90.7	2,063	1,918	93.0	3,400	3,242	95.4	2,388	2,303	96.4
U.S. Virgin Islands	0	—	—	1	1	100.0	21	18	85.7	33	26	78.8	39	35	89.7	58	43	74.1	56	47	83.9
Subtotal	0	—	—	109	98	89.9	1,098	982	89.4	1,532	1,384	90.3	2,106	1,954	92.8	3,459	3,285	95.0	2,449	2,355	96.2
Total	439	397	90.4	11,786	10,170	86.3	67,977	59,829	88.0	85,548	76,275	89.2	76,604	70,225	91.7	91,508	85,799	93.8	49,019	47,223	96.3

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 23b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	12	9	75.0	220	201	91.4	1,246	1,116	89.6	1,449	1,310	90.4	1,335	1,234	92.4	1,413	1,331	94.2	679	661	97.3
California	Los Angeles	12	11	91.7	329	286	86.9	2,400	2,118	88.3	3,215	2,886	89.8	2,720	2,492	91.6	2,900	2,722	93.9	1,265	1,213	95.9
	Oakland	8	8	100.0	82	63	76.8	334	295	88.3	437	378	86.5	396	353	89.1	502	459	91.4	372	356	95.7
	Orange County	0	—	—	65	58	89.2	326	284	87.1	408	368	90.2	381	356	93.4	286	276	96.5	132	130	98.5
	Riverside–San Bernardino	0	—	—	61	51	83.6	444	374	84.2	456	401	87.9	342	314	91.8	315	290	92.1	100	95	95.0
	Sacramento	1	1	100.0	49	43	87.8	336	294	87.5	512	468	91.4	461	406	88.1	598	546	91.3	300	297	99.0
	San Diego	14	14	100.0	119	114	95.8	843	759	90.0	1,243	1,132	91.1	1,244	1,157	93.0	1,579	1,504	95.3	856	837	97.8
	San Francisco	0	—	—	51	44	86.3	366	323	88.3	668	571	85.5	633	574	90.7	825	766	92.8	527	509	96.6
	San Jose	0	—	—	0	—	—	29	27	93.1	28	26	92.9	17	16	94.1	4	4	100.0	3	2	66.7
Colorado	Denver	13	13	100.0	210	190	90.5	1,049	978	93.2	1,308	1,203	92.0	1,106	1,024	92.6	1,213	1,162	95.8	592	561	94.8
Connecticut	Hartford	3	3	100.0	35	31	88.6	165	149	90.3	213	199	93.4	290	277	95.5	484	462	95.5	311	306	98.4
	New Haven	0	—	—	28	23	82.1	148	135	91.2	180	171	95.0	215	200	93.0	336	322	95.8	219	216	98.6
District of Columbia	Washington ^a	19	16	84.2	282	239	84.8	1,216	1,066	87.7	1,811	1,621	89.5	1,751	1,604	91.6	1,987	1,851	93.2	1,201	1,145	95.3
Florida	Ft. Lauderdale	8	8	100.0	150	129	86.0	986	884	89.7	1,369	1,204	87.9	1,158	1,063	91.8	1,306	1,227	94.0	486	466	95.9
	Jacksonville	0	—	—	56	48	85.7	433	372	85.9	506	442	87.4	497	454	91.3	541	499	92.2	226	214	94.7
	Miami	11	11	100.0	235	194	82.6	1,888	1,697	89.9	2,497	2,290	91.7	2,131	1,976	92.7	2,330	2,185	93.8	817	784	96.0
	Orlando	5	5	100.0	130	116	89.2	790	708	89.6	880	787	89.4	731	677	92.6	772	731	94.7	245	238	97.1
	Tampa–St. Petersburg	21	19	90.5	226	208	92.0	982	880	89.6	1,057	950	89.9	913	842	92.2	1,018	961	94.4	408	398	97.5
	West Palm Beach	0	—	—	40	34	85.0	198	178	89.9	269	241	89.6	273	251	91.9	336	312	92.9	154	144	93.5
Georgia	Atlanta	50	44	88.0	779	674	86.5	4,468	3,849	86.1	4,794	4,185	87.3	3,176	2,876	90.6	3,157	2,954	93.6	1,384	1,319	95.3
Illinois	Chicago	18	17	94.4	529	446	84.3	3,584	3,165	88.3	4,132	3,776	91.4	3,279	3,062	93.4	3,543	3,380	95.4	1,787	1,731	96.9
Indiana	Indianapolis	11	10	90.9	137	120	87.6	728	633	87.0	861	755	87.7	753	698	92.7	630	597	94.8	258	249	96.5
Louisiana	Baton Rouge	0	—	—	104	92	88.5	540	488	90.4	869	808	93.0	801	748	93.4	849	795	93.6	478	466	97.5
	New Orleans	0	—	—	93	72	77.4	649	553	85.2	1,016	892	87.8	1,024	938	91.6	1,085	1,007	92.8	551	536	97.3
Maryland	Baltimore	13	10	76.9	215	190	88.4	1,095	961	87.8	1,706	1,509	88.5	1,538	1,434	93.2	2,553	2,406	94.2	1,650	1,582	95.9
Massachusetts	Boston ^a	15	13	86.7	154	130	84.4	819	770	94.0	1,215	1,139	93.7	1,215	1,160	95.5	1,733	1,672	96.5	1,026	997	97.2
Michigan	Detroit	7	6	85.7	216	193	89.4	1,261	1,100	87.2	1,403	1,237	88.2	1,133	1,034	91.3	1,355	1,269	93.7	812	792	97.5
Minnesota	Minneapolis–St. Paul ^a	0	—	—	104	99	95.2	439	401	91.3	605	558	92.2	538	498	92.6	558	525	94.1	297	289	97.3
Missouri	Kansas City ^a	0	—	—	55	46	83.6	455	412	90.5	510	451	88.4	387	358	92.5	388	370	95.4	146	142	97.3
	St. Louis ^a	11	10	90.9	210	185	88.1	943	832	88.2	1,019	914	89.7	888	831	93.6	1,025	983	95.9	464	455	98.1
Nevada	Las Vegas ^a	5	5	100.0	128	112	87.5	793	710	89.5	964	870	90.2	625	586	93.8	569	547	96.1	265	263	99.2
New Jersey	Bergen–Passaic	0	—	—	38	30	78.9	245	220	89.8	303	282	93.1	262	245	93.5	345	324	93.9	232	227	97.8
	Jersey City	1	1	100.0	43	40	93.0	269	245	91.1	310	286	92.3	309	288	93.2	396	375	94.7	271	260	95.9
	Middlesex	3	3	100.0	54	48	88.9	223	208	93.3	232	208	89.7	193	178	92.2	267	251	94.0	135	130	96.3
	Newark	8	5	62.5	167	136	81.4	994	865	87.0	1,256	1,096	87.3	1,112	1,015	91.3	1,553	1,441	92.8	1,024	966	94.3
New York	Nassau–Suffolk	2	2	100.0	75	69	92.0	114	107	93.9	169	156	92.3	201	192	95.5	337	327	97.0	297	289	97.3
	New York	18	17	94.4	550	484	88.0	4,010	3,594	89.6	5,999	5,340	89.0	5,420	4,982	91.9	7,611	6,981	91.7	5,275	5,023	95.2
North Carolina	Charlotte ^a	0	—	—	105	91	86.7	857	762	88.9	773	717	92.8	563	512	90.9	608	567	93.3	282	273	96.8
Ohio	Cleveland	1	1	100.0	94	78	83.0	485	432	89.1	567	513	90.5	522	472	90.4	766	725	94.6	434	425	97.9
	Columbus	15	15	100.0	138	128	92.8	780	707	90.6	944	864	91.5	735	694	94.4	746	709	95.0	342	340	99.4
Oregon	Portland ^a	0	—	—	39	34	87.2	251	233	92.8	453	415	91.6	378	347	91.8	389	367	94.3	163	156	95.7
Pennsylvania	Philadelphia ^a	28	26	92.9	399	354	88.7	2,086	1,847	88.5	2,830	2,541	89.8	2,520	2,288	90.8	3,793	3,566	94.0	2,225	2,153	96.8
Puerto Rico	San Juan	0	—	—	71	64	90.1	669	596	89.1	921	820	89.0	1,234	1,147	92.9	2,134	2,021	94.7	1,519	1,466	96.5

Table 23b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	9	8	88.9	220	189	85.9	904	688	76.1	1,010	792	78.4	836	697	83.4	790	700	88.6	345	315	91.3
	Nashville	10	10	100.0	80	73	91.3	611	542	88.7	886	792	89.4	903	829	91.8	1,100	1,035	94.1	464	454	97.8
Texas	Austin	0	—	—	84	71	84.5	537	485	90.3	640	572	89.4	394	356	90.4	310	285	91.9	93	88	94.6
	Dallas	24	19	79.2	388	329	84.8	2,141	1,810	84.5	2,606	2,204	84.6	1,987	1,742	87.7	1,826	1,646	90.1	695	655	94.2
	Ft. Worth	0	—	—	145	129	89.0	749	647	86.4	682	589	86.4	463	427	92.2	285	265	93.0	60	53	88.3
	Houston	2	2	100.0	507	422	83.2	2,896	2,486	85.8	3,175	2,703	85.1	2,547	2,232	87.6	2,104	1,902	90.4	678	633	93.4
	San Antonio	3	3	100.0	91	69	75.8	608	500	82.2	679	555	81.7	417	355	85.1	341	313	91.8	67	65	97.0
Virginia	Norfolk ^a	1	1	100.0	89	70	78.7	496	399	80.4	616	522	84.7	489	428	87.5	597	541	90.6	346	316	91.3
Washington	Seattle	0	—	—	68	59	86.8	600	539	89.8	930	838	90.1	913	838	91.8	1,002	949	94.7	419	409	97.6

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 24a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories

State	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N
	N	%		N	%		N	%		N	%		N	%		N	%		N	%	
Alabama	8	6	75.0	40	36	90.0	4,270	3,200	74.9	322	267	82.9	15	10	66.7	1,551	1,167	75.2	22	18	81.8
Alaska	172	103	59.9	13	11	84.6	46	37	80.4	31	26	83.9	2	1	50.0	65	44	67.7	3	1	33.3
Arizona	89	68	76.4	109	97	89.0	1,057	850	80.4	2,481	2,092	84.3	14	11	78.6	2,076	1,679	80.9	124	104	83.9
Arkansas	3	3	100.0	13	11	84.6	796	578	72.6	204	143	70.1	3	2	66.7	555	421	75.9	21	15	71.4
California	199	155	77.9	1,264	1,006	79.6	5,624	4,404	78.3	15,007	12,173	81.1	99	75	75.8	8,434	6,511	77.2	315	255	81.0
Colorado	27	20	74.1	58	45	77.6	451	352	78.0	2,080	1,685	81.0	3	0	0.0	2,468	1,969	79.8	637	487	76.5
Connecticut	5	1	20.0	23	19	82.6	1,351	1,086	80.4	1,502	1,247	83.0	5	4	80.0	468	353	75.4	28	20	71.4
Delaware	0	—	—	9	6	66.7	1,008	772	76.6	171	123	71.9	1	0	0.0	439	361	82.2	6	4	66.7
District of Columbia	7	5	71.4	17	12	70.6	3,061	2,345	76.6	615	485	78.9	3	2	66.7	204	152	74.5	86	65	75.6
Florida	20	16	80.0	219	184	84.0	13,244	10,243	77.3	11,692	9,850	84.2	27	24	88.9	5,343	4,086	76.5	297	215	72.4
Georgia	26	20	76.9	164	141	86.0	18,763	15,622	83.3	2,325	2,043	87.9	12	9	75.0	3,415	2,908	85.2	173	142	82.1
Hawaii	3	3	100.0	33	25	75.8	20	18	90.0	47	31	66.0	41	31	75.6	86	54	62.8	15	12	80.0
Idaho	11	6	54.5	12	8	66.7	102	69	67.6	209	161	77.0	5	3	60.0	623	443	71.1	5	5	100.0
Illinois	39	30	76.9	323	247	76.5	8,341	6,107	73.2	4,422	3,490	78.9	18	10	55.6	3,346	2,487	74.3	55	32	58.2
Indiana	1	0	0.0	82	70	85.4	1,523	1,246	81.8	426	348	81.7	0	—	—	704	554	78.7	55	44	80.0
Iowa	9	7	77.8	59	53	89.8	499	391	78.4	222	179	80.6	5	5	100.0	816	623	76.3	32	26	81.3
Kansas	1	1	100.0	7	6	85.7	75	56	74.7	40	32	80.0	0	—	—	277	221	79.8	5	3	60.0
Kentucky	12	11	91.7	57	48	84.2	1,560	1,120	71.8	593	456	76.9	9	7	77.8	2,435	2,021	83.0	54	43	79.6
Louisiana	12	10	83.3	36	31	86.1	5,805	4,441	76.5	457	382	83.6	3	2	66.7	1,791	1,410	78.7	35	29	82.9
Maine	4	4	100.0	6	4	66.7	133	67	50.4	30	14	46.7	0	—	—	331	207	62.5	21	14	66.7
Maryland	25	21	84.0	90	70	77.8	7,514	5,932	78.9	568	465	81.9	7	5	71.4	1,292	990	76.6	279	202	72.4
Massachusetts	7	3	42.9	155	114	73.5	1,827	1,470	80.5	2,426	1,864	76.8	3	3	100.0	2,113	1,605	76.0	90	71	78.9
Michigan	23	18	78.3	59	48	81.4	4,492	3,182	70.8	531	400	75.3	1	1	100.0	2,110	1,493	70.8	131	74	56.5
Minnesota	32	20	62.5	34	16	47.1	802	540	67.3	325	239	73.5	4	4	100.0	456	313	68.6	25	14	56.0
Mississippi	13	11	84.6	11	10	90.9	4,124	3,343	81.1	112	89	79.5	0	—	—	914	707	77.4	14	13	92.9
Missouri	17	14	82.4	57	48	84.2	2,471	1,864	75.4	503	379	75.3	5	3	60.0	1,519	1,142	75.2	81	59	72.8
Montana	27	23	85.2	3	3	100.0	15	10	66.7	28	18	64.3	2	1	50.0	231	165	71.4	5	3	60.0
Nebraska	18	12	66.7	31	28	90.3	281	218	77.6	259	191	73.7	0	—	—	394	301	76.4	1	0	0.0
Nevada	15	8	53.3	103	73	70.9	1,297	920	70.9	1,238	917	74.1	16	11	68.8	730	504	69.0	68	49	72.1
New Hampshire	2	1	50.0	23	21	91.3	113	89	78.8	114	97	85.1	0	—	—	508	425	83.7	5	4	80.0
New Jersey	13	12	92.3	166	139	83.7	5,936	4,916	82.8	4,666	4,037	86.5	15	9	60.0	1,502	1,216	81.0	37	29	78.4
New Mexico	98	73	74.5	18	12	66.7	108	85	78.7	600	518	86.3	6	5	83.3	553	474	85.7	2	2	100.0
New York	95	75	78.9	765	661	86.4	13,546	11,320	83.6	11,376	9,804	86.2	45	39	86.7	4,755	3,932	82.7	296	239	80.7
North Carolina	87	63	72.4	90	65	72.2	7,108	4,816	67.8	1,717	1,308	76.2	8	6	75.0	2,463	1,652	67.1	168	120	71.4
North Dakota	0	—	—	2	1	50.0	52	41	78.8	10	7	70.0	0	—	—	43	32	74.4	5	3	60.0
Ohio	8	6	75.0	44	32	72.7	3,511	2,516	71.7	2,895	2,157	74.5	6	5	83.3	2,276	1,650	72.5	85	64	75.3
Oklahoma	115	78	67.8	75	53	70.7	782	511	65.3	466	355	76.2	3	2	66.7	1,311	905	69.0	231	151	65.4
Oregon	13	8	61.5	33	24	72.7	182	121	66.5	364	249	68.4	3	1	33.3	765	532	69.5	127	89	70.1
Pennsylvania	28	20	71.4	232	189	81.5	9,555	7,742	81.0	3,301	2,846	86.2	15	10	66.7	4,788	3,863	80.7	231	183	79.2
Rhode Island	11	7	63.6	39	27	69.2	487	376	77.2	572	462	80.8	2	2	100.0	893	723	81.0	14	12	85.7
South Carolina	20	17	85.0	58	48	82.8	8,287	6,591	79.5	791	680	86.0	8	7	87.5	2,734	2,244	82.1	113	87	77.0
South Dakota	14	9	64.3	3	2	66.7	103	80	77.7	34	22	64.7	0	—	—	90	57	63.3	7	3	42.9
Tennessee	12	9	75.0	83	63	75.9	5,090	4,080	80.2	736	618	84.0	7	7	100.0	3,368	2,668	79.2	54	43	79.6
Texas	63	38	60.3	370	274	74.1	12,291	8,827	71.8	13,750	10,324	75.1	21	14	66.7	4,439	3,118	70.2	136	96	70.6

Table 24a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Retained			Retained			Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State																					
Utah	29	17	58.6	43	27	62.8	133	96	72.2	697	530	76.0	5	3	60.0	523	387	74.0	6	5	83.3
Vermont	4	3	75.0	13	12	92.3	48	37	77.1	33	25	75.8	1	1	100.0	344	249	72.4	6	2	33.3
Virginia	9	7	77.8	139	108	77.7	4,257	3,285	77.2	1,081	889	82.2	9	8	88.9	1,528	1,198	78.4	77	54	70.1
Washington	54	39	72.2	189	145	76.7	1,063	816	76.8	740	568	76.8	22	18	81.8	1,407	1,064	75.6	48	32	66.7
West Virginia	7	2	28.6	15	6	40.0	236	132	55.9	40	28	70.0	0	—	—	1,024	646	63.1	11	4	36.4
Wisconsin	30	17	56.7	78	57	73.1	1,612	1,226	76.1	756	614	81.2	4	2	50.0	1,280	929	72.6	22	16	72.7
Wyoming	0	—	—	0	—	—	1	0	0.0	17	7	41.2	0	—	—	32	9	28.1	0	—	—
Subtotal	1,537	1,100	71.6	5,565	4,436	79.7	165,053	128,186	77.7	93,622	75,934	81.1	483	363	75.2	81,812	62,864	76.8	4,364	3,257	74.6
Territory																					
Guam	0	—	—	8	7	87.5	1	1	100.0	0	—	—	12	8	66.7	1	1	100.0	0	—	—
Puerto Rico	0	—	—	1	1	100.0	31	25	80.6	10,210	9,446	92.5	0	—	—	148	134	90.5	20	17	85.0
U.S. Virgin Islands	0	—	—	0	—	—	102	43	42.2	65	44	67.7	0	—	—	12	5	41.7	1	0	0.0
Subtotal	0	—	—	9	8	88.9	134	69	51.5	10,275	9,490	92.4	12	8	66.7	161	140	87.0	21	17	81.0
Total	1,537	1,100	71.6	5,574	4,444	79.7	165,187	128,255	77.6	103,897	85,424	82.2	495	371	74.9	81,973	63,004	76.9	4,385	3,274	74.7

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 24b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Retained			Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	80	63	78.8	110	97	88.2	1,164	937	80.5	2,521	2,114	83.9	13	10	76.9	2,032	1,638	80.6
California	Los Angeles	42	35	83.3	492	404	82.1	2,535	2,015	79.5	6,982	5,884	84.3	20	16	80.0	2,201	1,794	81.5
	Oakland	11	9	81.8	134	112	83.6	894	719	80.4	568	454	79.9	9	8	88.9	281	201	71.5
	Orange County	13	11	84.6	65	49	75.4	407	308	75.7	700	517	73.9	*	—	—	266	189	71.1
	Riverside—San Bernardino	*	—	—	39	31	79.5	245	185	75.5	951	720	75.7	*	—	—	314	202	64.3
	Sacramento	31	24	77.4	94	79	84.0	526	449	85.4	618	533	86.2	17	13	76.5	993	846	85.2
	San Diego	22	13	59.1	161	109	67.7	674	475	70.5	2,925	2,268	77.5	20	12	60.0	1,733	1,111	64.1
	San Francisco	35	28	80.0	181	144	79.6	574	447	77.9	1,016	726	71.5	14	10	71.4	1,026	813	79.2
	San Jose	*	—	—	7	6	85.7	*	—	—	60	51	85.0	*	—	—	*	—	—
Colorado	Denver	17	12	70.6	42	33	78.6	432	338	78.2	1,968	1,592	80.9	*	—	—	2,103	1,688	80.3
Connecticut	Hartford	*	—	—	13	11	84.6	538	388	72.1	744	593	79.7	*	—	—	233	173	74.2
	New Haven	*	—	—	8	6	75.0	454	377	83.0	435	370	85.1	*	—	—	134	101	75.4
District of Columbia	Washington ^b	11	8	72.7	125	96	76.8	5,060	3,863	76.3	1,606	1,306	81.3	*	—	—	659	469	71.2
Florida	Ft. Lauderdale	*	—	—	39	34	87.2	2,500	1,860	74.4	1,558	1,283	82.3	8	8	100.0	930	730	78.5
	Jacksonville	*	—	—	22	20	90.9	1,361	1,031	75.8	230	184	80.0	*	—	—	437	336	76.9
	Miami	*	—	—	28	24	85.7	3,123	2,614	83.7	6,028	5,313	88.1	5	4	80.0	560	445	79.5
	Orlando	*	—	—	32	30	93.8	1,429	1,157	81.0	1,329	1,110	83.5	*	—	—	507	420	82.8
	Tampa—St. Petersburg	*	—	—	42	31	73.8	1,701	1,246	73.3	1,502	1,180	78.6	*	—	—	1,053	781	74.2
	West Palm Beach	*	—	—	11	10	90.9	705	582	82.6	298	232	77.9	*	—	—	160	132	82.5
Georgia	Atlanta	23	18	78.3	137	116	84.7	12,926	10,693	82.7	1,860	1,623	87.3	10	8	80.0	1,545	1,313	85.0
Illinois	Chicago	36	28	77.8	316	242	76.6	8,219	6,044	73.5	4,400	3,486	79.2	18	10	55.6	3,071	2,312	75.3
Indiana	Indianapolis	*	—	—	86	72	83.7	1,648	1,338	81.2	461	377	81.8	*	—	—	850	667	78.5
Louisiana	Baton Rouge	*	—	—	19	17	89.5	2,366	1,906	80.6	260	228	87.7	*	—	—	743	621	83.6
	New Orleans	9	8	88.9	16	15	93.8	2,770	2,150	77.6	334	276	82.6	*	—	—	1,018	816	80.2
Maryland	Baltimore	24	20	83.3	83	66	79.5	7,280	5,746	78.9	437	350	80.1	7	5	71.4	1,304	1,000	76.7
Massachusetts	Boston ^b	7	3	42.9	153	116	75.8	1,654	1,363	82.4	1,880	1,500	79.8	*	—	—	2,064	1,642	79.6
Michigan	Detroit	14	9	64.3	41	33	80.5	3,954	2,793	70.6	421	319	75.8	*	—	—	1,117	781	69.9
Minnesota	Minneapolis—St. Paul ^b	44	30	68.2	46	25	54.3	1,214	855	70.4	466	354	76.0	*	—	—	633	448	70.8
Missouri	Kansas City ^b	6	5	83.3	20	17	85.0	702	505	71.9	372	279	75.0	*	—	—	621	463	74.6
	St. Louis ^b	14	10	71.4	40	31	77.5	2,418	1,854	76.7	379	298	78.6	5	4	80.0	1,274	979	76.8
Nevada	Las Vegas ^b	15	8	53.3	106	75	70.8	875	578	66.1	1,284	951	74.1	16	11	68.8	614	399	65.0
New Jersey	Bergen—Passaic	*	—	—	14	11	78.6	482	417	86.5	789	713	90.4	*	—	—	89	77	86.5
	Jersey City	*	—	—	39	33	84.6	520	458	88.1	843	759	90.0	*	—	—	117	103	88.0
	Middlesex	*	—	—	23	18	78.3	448	370	82.6	478	413	86.4	*	—	—	96	81	84.4
	Newark	6	6	100.0	48	41	85.4	3,408	2,858	83.9	1,866	1,592	85.3	11	7	63.6	423	346	81.8
New York	Nassau—Suffolk	*	—	—	24	18	75.0	558	430	77.1	282	223	79.1	*	—	—	239	179	74.9
	New York	75	60	80.0	686	594	86.6	11,925	10,040	84.2	10,721	9,286	86.6	43	37	86.0	3,140	2,618	83.4
North Carolina	Charlotte ^b	5	4	80.0	28	19	67.9	1,897	1,282	67.6	545	439	80.6	*	—	—	449	332	73.9
Ohio	Cleveland	*	—	—	11	7	63.6	1,488	1,045	70.2	340	243	71.5	*	—	—	804	605	75.2
	Columbus	*	—	—	11	11	100.0	681	501	73.6	2,460	1,855	75.4	*	—	—	279	173	62.0
Oregon	Portland ^b	13	8	61.5	33	24	72.7	203	134	66.0	385	261	67.8	*	—	—	813	573	70.5
Pennsylvania	Philadelphia ^b	15	11	73.3	188	155	82.4	8,306	6,708	80.8	2,148	1,814	84.5	13	10	76.9	2,207	1,732	78.5
Puerto Rico	San Juan	*	—	—	*	—	—	25	20	80.0	6,349	5,841	92.0	*	—	—	87	76	87.4

Table 24b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Retained			Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^b	*	—	—	7	6	85.7	3,431	2,880	83.9	187	161	86.1	*	—	—	289	241	83.4
	Nashville	*	—	—	60	46	76.7	1,680	1,269	75.5	378	303	80.2	*	—	—	1,627	1,289	79.2
Texas	Austin	6	1	16.7	32	20	62.5	466	288	61.8	1,080	674	62.4	*	—	—	530	337	63.6
	Dallas	17	12	70.6	120	97	80.8	4,458	3,575	80.2	3,100	2,540	81.9	7	4	57.1	1,160	908	78.3
	Ft. Worth	*	—	—	26	23	88.5	1,003	789	78.7	759	656	86.4	*	—	—	344	266	77.3
	Houston	16	9	56.3	150	101	67.3	5,557	3,634	65.4	4,716	3,528	74.8	5	5	100.0	1,229	754	61.4
	San Antonio	8	5	62.5	21	15	71.4	277	177	63.9	1,495	1,002	67.0	5	1	20.0	272	170	62.5
Virginia	Norfolk ^b	*	—	—	21	13	61.9	1,836	1,429	77.8	130	105	80.8	*	—	—	432	337	78.0
Washington	Seattle	53	40	75.5	196	151	77.0	1,043	808	77.5	749	578	77.2	23	18	78.3	1,384	1,067	77.1

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed. In addition, all data for clients of multiple races have been suppressed; therefore, the numbers for each subpopulation may not sum to the row total.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 25a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories

State	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Alabama	7	6	85.7	42	39	92.9	4,292	3,772	87.9	325	297	91.4	10	9	90.0	1,594	1,448	90.8	25	24	96.0
Alaska	187	177	94.7	13	13	100.0	48	44	91.7	31	30	96.8	2	2	100.0	74	68	91.9	3	2	66.7
Arizona	98	85	86.7	116	112	96.6	1,099	990	90.1	2,585	2,421	93.7	14	13	92.9	2,147	2,004	93.3	129	115	89.1
Arkansas	3	3	100.0	14	13	92.9	825	727	88.1	204	187	91.7	3	3	100.0	593	554	93.4	23	22	95.7
California	203	182	89.7	1,324	1,259	95.1	5,836	5,149	88.2	15,646	14,373	91.9	105	95	90.5	8,580	7,906	92.1	329	301	91.5
Colorado	31	31	100.0	61	58	95.1	490	448	91.4	2,209	2,074	93.9	3	2	66.7	2,610	2,475	94.8	657	600	91.3
Connecticut	5	5	100.0	23	23	100.0	1,392	1,328	95.4	1,529	1,454	95.1	5	5	100.0	461	443	96.1	28	25	89.3
Delaware	1	0	0.0	10	10	100.0	1,104	1,016	92.0	185	173	93.5	1	1	100.0	459	443	96.5	6	6	100.0
District of Columbia	6	6	100.0	22	22	100.0	3,357	3,003	89.5	672	623	92.7	4	4	100.0	230	218	94.8	93	83	89.2
Florida	22	19	86.4	232	229	98.7	13,920	12,351	88.7	12,227	11,530	94.3	26	26	100.0	5,706	5,332	93.4	306	267	87.3
Georgia	27	23	85.2	171	163	95.3	19,373	17,185	88.7	2,474	2,308	93.3	13	11	84.6	3,552	3,292	92.7	176	166	94.3
Hawaii	4	3	75.0	37	30	81.1	26	26	100.0	50	44	88.0	46	42	91.3	103	101	98.1	22	19	86.4
Idaho	14	12	85.7	14	14	100.0	110	103	93.6	233	223	95.7	5	5	100.0	662	648	97.9	6	6	100.0
Illinois	46	42	91.3	338	326	96.4	8,772	7,930	90.4	4,625	4,348	94.0	18	17	94.4	3,398	3,242	95.4	61	59	96.7
Indiana	2	2	100.0	90	84	93.3	1,661	1,462	88.0	467	434	92.9	1	1	100.0	756	702	92.9	58	54	93.1
Iowa	10	9	90.0	64	61	95.3	528	488	92.4	241	228	94.6	6	5	83.3	874	839	96.0	37	36	97.3
Kansas	4	3	75.0	8	8	100.0	80	71	88.8	47	43	91.5	0	—	—	292	276	94.5	7	7	100.0
Kentucky	13	13	100.0	59	58	98.3	1,647	1,478	89.7	634	587	92.6	9	9	100.0	2,544	2,390	93.9	64	58	90.6
Louisiana	11	11	100.0	36	31	86.1	6,007	5,455	90.8	500	466	93.2	4	3	75.0	1,789	1,658	92.7	40	35	87.5
Maine	4	4	100.0	6	6	100.0	129	127	98.4	26	24	92.3	0	—	—	322	311	96.6	21	21	100.0
Maryland	26	23	88.5	92	90	97.8	6,899	6,314	91.5	597	558	93.5	6	6	100.0	1,269	1,215	95.7	226	199	88.1
Massachusetts	5	5	100.0	161	153	95.0	1,890	1,772	93.8	2,562	2,443	95.4	3	3	100.0	2,097	2,026	96.6	88	84	95.5
Michigan	24	24	100.0	67	66	98.5	4,915	4,408	89.7	593	568	95.8	1	1	100.0	2,306	2,197	95.3	137	129	94.2
Minnesota	32	27	84.4	32	31	96.9	828	746	90.1	345	327	94.8	4	4	100.0	471	443	94.1	26	23	88.5
Mississippi	14	14	100.0	13	12	92.3	4,379	3,945	90.1	120	106	88.3	0	—	—	973	914	93.9	15	14	93.3
Missouri	19	18	94.7	64	64	100.0	2,660	2,422	91.1	567	527	92.9	5	4	80.0	1,664	1,560	93.8	93	84	90.3
Montana	27	27	100.0	3	2	66.7	14	14	100.0	31	29	93.5	2	2	100.0	258	248	96.1	5	5	100.0
Nebraska	23	17	73.9	33	32	97.0	310	285	91.9	302	285	94.4	0	—	—	422	394	93.4	0	—	—
Nevada	16	13	81.3	107	102	95.3	1,371	1,237	90.2	1,377	1,284	93.2	20	18	90.0	783	734	93.7	73	68	93.2
New Hampshire	2	2	100.0	23	22	95.7	106	101	95.3	100	92	92.0	0	—	—	442	429	97.1	5	5	100.0
New Jersey	14	13	92.9	174	165	94.8	6,262	5,617	89.7	4,898	4,566	93.2	15	13	86.7	1,581	1,486	94.0	34	32	94.1
New Mexico	105	96	91.4	19	19	100.0	117	104	88.9	620	578	93.2	7	7	100.0	609	574	94.3	3	3	100.0
New York	98	83	84.7	807	784	97.1	14,106	12,684	89.9	11,884	11,015	92.7	52	47	90.4	4,894	4,644	94.9	307	284	92.5
North Carolina	99	90	90.9	96	94	97.9	7,676	6,944	90.5	1,861	1,726	92.7	7	6	85.7	2,609	2,453	94.0	184	171	92.9
North Dakota	0	—	—	2	2	100.0	56	50	89.3	11	10	90.9	0	—	—	47	44	93.6	5	5	100.0
Ohio	10	9	90.0	48	45	93.8	3,773	3,390	89.8	3,011	2,818	93.6	6	6	100.0	2,395	2,248	93.9	85	82	96.5
Oklahoma	125	108	86.4	76	57	75.0	811	649	80.0	495	413	83.4	3	3	100.0	1,357	1,134	83.6	249	185	74.3
Oregon	17	13	76.5	37	37	100.0	196	180	91.8	389	374	96.1	3	3	100.0	788	725	92.0	130	115	88.5
Pennsylvania	28	26	92.9	259	249	96.1	10,155	9,297	91.6	3,444	3,240	94.1	17	15	88.2	4,994	4,789	95.9	252	223	88.5
Rhode Island	11	10	90.9	41	38	92.7	508	465	91.5	592	557	94.1	2	2	100.0	918	879	95.8	18	16	88.9
South Carolina	20	18	90.0	60	56	93.3	8,669	7,959	91.8	850	809	95.2	8	7	87.5	2,863	2,710	94.7	120	112	93.3
South Dakota	14	14	100.0	4	4	100.0	106	103	97.2	41	38	92.7	0	—	—	92	88	95.7	6	6	100.0
Tennessee	15	13	86.7	90	85	94.4	5,364	4,543	84.7	821	739	90.0	7	7	100.0	3,577	3,337	93.3	54	49	90.7
Texas	65	59	90.8	393	368	93.6	12,909	10,887	84.3	14,235	12,692	89	22	22	100.0	4,624	4,090	88.5	155	132	85.2

Table 25a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and state, 2024—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State																					
Utah	30	26	86.7	39	37	94.9	139	124	89.2	746	688	92.2	7	4	57.1	521	474	91.0	7	7	100.0
Vermont	4	4	100.0	13	12	92.3	55	52	94.5	34	31	91.2	1	1	100.0	358	346	96.6	7	7	100.0
Virginia	11	9	81.8	151	145	96.0	4,551	4,070	89.4	1,178	1,082	91.9	9	9	100.0	1,606	1,499	93.3	80	71	88.8
Washington	61	49	80.3	200	193	96.5	1,185	1,094	92.3	817	761	93.1	28	24	85.7	1,475	1,350	91.5	55	46	83.6
West Virginia	8	8	100.0	14	14	100.0	254	236	92.9	46	41	89.1	0	—	—	1,085	991	91.3	13	10	76.9
Wisconsin	30	29	96.7	82	76	92.7	1,731	1,581	91.3	816	771	94.5	4	4	100.0	1,379	1,318	95.6	23	22	95.7
Wyoming	0	—	—	1	1	100.0	4	4	100.0	26	24	92.3	0	—	—	49	48	98.0	0	—	—
Subtotal	1,651	1,483	89.8	5,881	5,614	95.5	172,695	154,430	89.4	98,319	91,059	92.6	514	471	91.6	85,252	79,737	93.5	4,546	4,095	90.1
Territory																					
Guam	0	—	—	8	5	62.5	1	1	100.0	0	—	—	14	9	64.3	1	1	100.0	0	—	—
Puerto Rico	0	—	—	1	1	100.0	34	32	94.1	10,311	9,674	93.8	0	—	—	153	144	94.1	20	19	95.0
U.S. Virgin Islands	0	—	—	1	1	100.0	117	91	77.8	73	61	83.6	0	—	—	14	14	100.0	1	1	100.0
Subtotal	0	—	—	10	7	70.0	152	124	81.6	10,384	9,735	93.8	14	9	64.3	168	159	94.6	21	20	95.2
Total	1,651	1,483	89.8	5,891	5,621	95.4	172,847	154,554	89.4	108,703	100,794	92.7	528	480	90.9	85,420	79,896	93.5	4,567	4,115	90.1

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 25b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	89	77	86.5	119	115	96.6	1,223	1,097	89.7	2,655	2,476	93.3	13	12	92.3	2,122	1,968	92.7
California	Los Angeles	48	45	93.8	522	504	96.6	2,632	2,313	87.9	7,247	6,649	91.7	22	20	90.9	2,186	2,029	92.8
	Oakland	14	12	85.7	148	138	93.2	973	866	89.0	618	553	89.5	10	10	100.0	341	311	91.2
	Orange County	13	13	100.0	69	63	91.3	422	400	94.8	774	707	91.3	*	—	—	289	260	90.0
	Riverside—San Bernardino	*	—	—	44	40	90.9	266	236	88.7	1,032	929	90.0	*	—	—	354	301	85.0
	Sacramento	28	25	89.3	91	85	93.4	511	454	88.8	636	586	92.1	16	14	87.5	939	860	91.6
	San Diego	23	18	78.3	161	155	96.3	678	612	90.3	2,998	2,813	93.8	19	18	94.7	1,740	1,648	94.7
	San Francisco	35	31	88.6	190	180	94.7	588	507	86.2	1,056	982	93.0	13	13	100.0	1,023	929	90.8
	San Jose	*	—	—	8	8	100.0	5	5	100.0	62	59	95.2	*	—	—	*	—	—
Colorado	Denver	20	20	100.0	43	41	95.3	464	420	90.5	2,079	1,950	93.8	*	—	—	2,208	2,083	94.3
Connecticut	Hartford	*	—	—	11	11	100.0	532	503	94.5	715	681	95.2	*	—	—	209	199	95.2
	New Haven	*	—	—	8	8	100.0	499	472	94.6	463	436	94.2	*	—	—	146	142	97.3
District of Columbia	Washington ^b	10	10	100.0	139	135	97.1	5,533	4,996	90.3	1,737	1,607	92.5	*	—	—	703	668	95.0
Florida	Ft. Lauderdale	*	—	—	41	41	100.0	2,658	2,349	88.4	1,672	1,582	94.6	8	8	100.0	986	915	92.8
	Jacksonville	*	—	—	24	23	95.8	1,444	1,290	89.3	261	239	91.6	*	—	—	501	451	90.0
	Miami	5	4	80.0	28	28	100.0	3,118	2,736	87.7	6,162	5,812	94.3	*	—	—	562	528	94.0
	Orlando	*	—	—	33	33	100.0	1,520	1,346	88.6	1,394	1,327	95.2	*	—	—	551	508	92.2
	Tampa—St. Petersburg	*	—	—	47	47	100.0	1,810	1,604	88.6	1,596	1,506	94.4	*	—	—	1,120	1,054	94.1
	West Palm Beach	*	—	—	14	13	92.9	753	680	90.3	320	298	93.1	*	—	—	172	158	91.9
Georgia	Atlanta	24	20	83.3	147	139	94.6	13,834	12,209	88.3	1,975	1,846	93.5	12	10	83.3	1,651	1,522	92.2
Illinois	Chicago	42	39	92.9	330	319	96.7	8,633	7,787	90.2	4,597	4,320	94.0	18	17	94.4	3,097	2,951	95.3
Indiana	Indianapolis	*	—	—	95	89	93.7	1,793	1,580	88.1	507	475	93.7	*	—	—	916	856	93.4
Louisiana	Baton Rouge	*	—	—	18	16	88.9	2,567	2,373	92.4	280	269	96.1	*	—	—	756	720	95.2
	New Orleans	8	8	100.0	18	18	100.0	2,963	2,648	89.4	368	345	93.8	*	—	—	1,043	964	92.4
Maryland	Baltimore	25	22	88.0	85	82	96.5	6,607	6,057	91.7	453	422	93.2	6	6	100.0	1,281	1,225	95.6
Massachusetts	Boston ^b	5	5	100.0	157	150	95.5	1,697	1,589	93.6	1,971	1,880	95.4	*	—	—	1,998	1,931	96.6
Michigan	Detroit	15	15	100.0	44	43	97.7	4,329	3,858	89.1	470	449	95.5	*	—	—	1,233	1,178	95.5
Minnesota	Minneapolis—St. Paul ^b	44	39	88.6	44	43	97.7	1,252	1,151	91.9	498	473	95.0	*	—	—	647	612	94.6
Missouri	Kansas City ^b	8	8	100.0	22	22	100.0	765	676	88.4	416	391	94.0	*	—	—	684	640	93.6
	St. Louis ^b	18	15	83.3	48	48	100.0	2,610	2,386	91.4	424	394	92.9	5	5	100.0	1,383	1,297	93.8
Nevada	Las Vegas ^b	16	13	81.3	110	105	95.5	1,007	894	88.8	1,429	1,333	93.3	20	18	90.0	692	660	95.4
New Jersey	Bergen—Passaic	*	—	—	14	14	100.0	495	446	90.1	826	781	94.6	*	—	—	89	86	96.6
	Jersey City	*	—	—	39	37	94.9	554	510	92.1	879	831	94.5	*	—	—	122	113	92.6
	Middlesex	*	—	—	25	23	92.0	474	433	91.4	500	468	93.6	*	—	—	103	98	95.1
	Newark	7	6	85.7	52	49	94.2	3,623	3,211	88.6	1,965	1,826	92.9	12	11	91.7	448	415	92.6
New York	Nassau—Suffolk	*	—	—	27	27	100.0	596	562	94.3	306	291	95.1	*	—	—	245	241	98.4
	New York	77	64	83.1	715	693	96.9	12,395	11,086	89.4	11,182	10,355	92.6	49	44	89.8	3,211	3,027	94.3
North Carolina	Charlotte ^b	7	6	85.7	30	29	96.7	2,052	1,862	90.7	591	555	93.9	*	—	—	482	446	92.5
Ohio	Cleveland	*	—	—	11	10	90.9	1,612	1,461	90.6	358	332	92.7	*	—	—	856	812	94.9
	Columbus	*	—	—	13	13	100.0	750	689	91.9	2,554	2,396	93.8	*	—	—	316	295	93.4
Oregon	Portland ^b	17	13	76.5	38	38	100.0	222	202	91.0	410	395	96.3	*	—	—	842	775	92.0
Pennsylvania	Philadelphia ^b	16	14	87.5	210	204	97.1	8,854	8,073	91.2	2,282	2,117	92.8	14	12	85.7	2,308	2,184	94.6
Puerto Rico	San Juan	*	—	—	*	—	—	27	25	92.6	6,412	5,986	93.4	*	—	—	90	85	94.4

Table 25b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^b	*	—	—	10	9	90.0	3,569	2,914	81.6	212	181	85.4	*	—	—	296	260	87.8
	Nashville	*	—	—	64	62	96.9	1,794	1,619	90.2	423	381	90.1	*	—	—	1,742	1,644	94.4
Texas	Austin	5	5	100.0	33	32	97.0	459	400	87.1	1,032	941	91.2	*	—	—	510	460	90.2
	Dallas	15	13	86.7	125	114	91.2	4,710	3,955	84.0	3,223	2,894	89.8	8	7	87.5	1,216	1,085	89.2
	Ft. Worth	6	6	100.0	31	28	90.3	1,123	965	85.9	823	751	91.3	*	—	—	372	335	90.1
	Houston	18	16	88.9	159	152	95.6	5,723	4,876	85.2	4,715	4,212	89.3	6	6	100.0	1,236	1,074	86.9
	San Antonio	8	8	100.0	23	21	91.3	300	239	79.7	1,564	1,331	85.1	5	4	80.0	289	243	84.1
Virginia	Norfolk ^b	*	—	—	24	23	95.8	1,964	1,681	85.6	158	135	85.4	*	—	—	448	402	89.7
Washington	Seattle	60	48	80.0	206	199	96.6	1,132	1,042	92.0	808	750	92.8	26	23	88.5	1,429	1,316	92.1

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed. In addition, all data for clients of multiple races have been suppressed; therefore, the numbers for each subpopulation may not sum to the row total.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 26a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and state, 2024—United States and 3 territories

State	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained	
		N	%		N	%		N	%		N	%		N	%
Alabama	3,935	2,908	73.9	561	451	80.4	989	779	78.8	526	416	79.1	176	140	79.5
Alaska	269	176	65.4	18	15	83.3	24	19	79.2	19	14	73.7	5	4	80.0
Arizona	3,001	2,427	80.9	575	488	84.9	1,212	999	82.4	916	785	85.7	239	199	83.3
Arkansas	674	486	72.1	185	154	83.2	384	300	78.1	208	149	71.6	68	52	76.5
California	18,820	14,720	78.2	3,273	2,700	82.5	5,258	4,324	82.2	2,348	1,959	83.4	697	566	81.2
Colorado	3,580	2,855	79.7	410	318	77.6	770	624	81.0	504	402	79.8	321	246	76.6
Connecticut	2,176	1,769	81.3	372	313	84.1	606	481	79.4	191	153	80.1	24	21	87.5
Delaware	590	445	75.4	176	145	82.4	295	231	78.3	241	203	84.2	176	150	85.2
District of Columbia	2,499	1,952	78.1	290	242	83.4	582	455	78.2	318	243	76.4	105	71	67.6
Florida	15,143	11,740	77.5	3,052	2,500	81.9	6,924	5,741	82.9	4,264	3,560	83.5	204	157	77.0
Georgia	13,425	11,125	82.9	2,746	2,408	87.7	5,247	4,577	87.2	2,651	2,274	85.8	333	259	77.8
Hawaii	147	108	73.5	32	21	65.6	45	30	66.7	19	13	68.4	2	2	100.0
Idaho	312	214	68.6	88	66	75.0	226	166	73.5	140	112	80.0	99	75	75.8
Illinois	11,759	8,736	74.3	851	709	83.3	1,877	1,458	77.7	951	736	77.4	588	449	76.4
Indiana	1,576	1,296	82.2	243	204	84.0	585	476	81.4	301	244	81.1	30	17	56.7
Iowa	592	468	79.1	144	111	77.1	388	312	80.4	306	239	78.1	176	145	82.4
Kansas	209	161	77.0	36	31	86.1	65	54	83.1	59	42	71.2	36	31	86.1
Kentucky	2,389	1,760	73.7	487	406	83.4	960	792	82.5	548	457	83.4	245	215	87.8
Louisiana	4,229	3,301	78.1	842	688	81.7	1,339	1,102	82.3	600	485	80.8	152	126	82.9
Maine	202	108	53.5	58	32	55.2	121	78	64.5	70	43	61.4	33	25	75.8
Maryland	6,074	4,774	78.6	843	715	84.8	1,200	979	81.6	799	619	77.5	373	285	76.4
Massachusetts	3,971	3,103	78.1	412	326	79.1	686	536	78.1	427	330	77.3	175	135	77.1
Michigan	3,839	2,726	71.0	671	495	73.8	1,433	1,037	72.4	890	653	73.4	403	257	63.8
Minnesota	853	592	69.4	138	102	73.9	298	202	67.8	382	248	64.9	7	2	28.6
Mississippi	3,137	2,458	78.4	493	413	83.8	1,030	861	83.6	359	304	84.7	60	51	85.0
Missouri	2,945	2,176	73.9	413	320	77.5	802	628	78.3	433	346	79.9	60	39	65.0
Montana	119	85	71.4	37	32	86.5	64	46	71.9	62	40	64.5	25	18	72.0
Nebraska	463	340	73.4	121	101	83.5	209	160	76.6	172	134	77.9	22	17	77.3
Nevada	1,563	1,068	68.3	338	234	69.2	858	631	73.5	662	516	77.9	44	32	72.7
New Hampshire	188	167	88.8	56	47	83.9	128	111	86.7	96	88	91.7	54	45	83.3
New Jersey	7,224	6,017	83.3	1,221	1,052	86.2	2,290	2,000	87.3	1,125	936	83.2	347	285	82.1
New Mexico	602	490	81.4	136	125	91.9	293	253	86.3	242	210	86.8	158	132	83.5
New York	20,704	17,365	83.9	2,705	2,353	87.0	5,303	4,578	86.3	2,111	1,761	83.4	642	540	84.1
North Carolina	5,987	4,054	67.7	1,302	920	70.7	2,677	1,932	72.2	1,113	767	68.9	195	141	72.3
North Dakota	26	17	65.4	6	6	100.0	37	28	75.7	37	29	78.4	7	5	71.4
Ohio	4,450	3,251	73.1	712	534	75.0	1,516	1,102	72.7	923	690	74.8	389	281	72.2
Oklahoma	1,244	841	67.6	377	266	70.6	655	472	72.1	459	324	70.6	177	96	54.2
Oregon	863	594	68.8	104	77	74.0	190	143	75.3	172	117	68.0	84	56	66.7
Pennsylvania	10,437	8,632	82.7	1,729	1,457	84.3	3,053	2,506	82.1	1,801	1,460	81.1	738	594	80.5
Rhode Island	984	775	78.8	205	170	82.9	376	301	80.1	249	203	81.5	179	147	82.1
South Carolina	6,275	4,969	79.2	1,117	949	85.0	2,374	1,939	81.7	1,590	1,307	82.2	623	492	79.0
South Dakota	72	42	58.3	23	17	73.9	91	68	74.7	50	38	76.0	17	10	58.8
Tennessee	4,987	3,923	78.7	761	632	83.0	1,733	1,411	81.4	1,477	1,215	82.3	261	203	77.8
Texas	19,182	13,966	72.8	3,317	2,578	77.7	4,982	3,816	76.6	1,771	1,199	67.7	378	241	63.8

Table 26a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and state, 2024—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Retained			Retained			Retained			Retained			Retained		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State															
Utah	791	581	73.5	101	82	81.2	274	210	76.6	153	117	76.5	38	29	76.3
Vermont	143	101	70.6	66	48	72.7	86	63	73.3	84	62	73.8	72	57	79.2
Virginia	3,325	2,544	76.5	717	580	80.9	1,500	1,204	80.3	1,029	831	80.8	386	321	83.2
Washington	2,052	1,580	77.0	229	186	81.2	448	331	73.9	497	377	75.9	404	294	72.8
West Virginia	679	415	61.1	187	121	64.7	285	176	61.8	108	64	59.3	16	12	75.0
Wisconsin	2,718	2,054	75.6	234	183	78.2	405	303	74.8	268	215	80.2	147	104	70.7
Wyoming	12	4	33.3	9	2	22.2	14	3	21.4	12	7	58.3	3	0	0.0
Subtotal	201,436	156,459	77.7	33,219	27,125	81.7	63,187	51,028	80.8	34,733	27,736	79.9	10,193	7,871	77.2
Territory															
Guam	14	10	71.4	3	2	66.7	4	4	100.0	1	1	100.0	0	—	—
Puerto Rico	8,305	7,621	91.8	646	603	93.3	904	870	96.2	334	321	96.1	141	139	98.6
U.S. Virgin Islands	103	50	48.5	23	12	52.2	35	22	62.9	8	4	50.0	7	3	42.9
Subtotal	8,422	7,681	91.2	672	617	91.8	943	896	95.0	343	326	95.0	148	142	95.9
Total	209,858	164,140	78.2	33,891	27,742	81.9	64,130	51,924	81.0	35,076	28,062	80.0	10,341	8,013	77.5

Abbreviation: FPL, federal poverty level.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 26b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained		Total N	Retained	
			N	%		N	%		N	%		N	%		N	%
Arizona	Phoenix	3,194	2,587	81.0	586	497	84.8	1,233	1,015	82.3	905	770	85.1	120	93	77.5
California	Los Angeles	6,964	5,568	80.0	1,285	1,119	87.1	2,134	1,840	86.2	1,269	1,109	87.4	339	287	84.7
	Oakland	1,433	1,128	78.7	175	145	82.9	232	182	78.4	57	48	84.2	25	18	72.0
	Orange County	771	590	76.5	110	86	78.2	338	245	72.5	213	155	72.8	20	14	70.0
	Riverside–San Bernardino	999	722	72.3	149	114	76.5	259	197	76.1	90	69	76.7	29	25	86.2
	Sacramento	1,571	1,308	83.3	197	177	89.8	350	311	88.9	159	139	87.4	38	30	78.9
	San Diego	3,989	2,901	72.7	508	372	73.2	656	491	74.8	196	139	70.9	49	36	73.5
	San Francisco	1,579	1,194	75.6	508	399	78.5	705	553	78.4	155	124	80.0	33	23	69.7
	San Jose	31	23	74.2	4	4	100.0	19	16	84.2	20	19	95.0	3	2	66.7
Colorado	Denver	3,508	2,793	79.6	277	218	78.7	641	516	80.5	422	341	80.8	198	161	81.3
Connecticut	Hartford	1,091	849	77.8	153	122	79.7	231	165	71.4	61	47	77.0	4	3	75.0
	New Haven	607	506	83.4	128	107	83.6	217	177	81.6	73	57	78.1	11	10	90.9
District of Columbia	Washington ^a	4,236	3,302	78.0	634	520	82.0	1,315	1,032	78.5	804	619	77.0	266	196	73.7
Florida	Ft. Lauderdale	3,175	2,400	75.6	392	329	83.9	963	772	80.2	560	470	83.9	18	12	66.7
	Jacksonville	1,107	819	74.0	218	189	86.7	406	328	80.8	266	214	80.5	16	12	75.0
	Miami	3,650	3,097	84.8	963	834	86.6	2,435	2,203	90.5	1,535	1,376	89.6	26	19	73.1
	Orlando	2,227	1,797	80.7	275	233	84.7	525	449	85.5	298	257	86.2	15	14	93.3
	Tampa–St. Petersburg	2,204	1,631	74.0	452	337	74.6	1,006	778	77.3	668	517	77.4	18	12	66.7
	West Palm Beach	759	622	81.9	120	94	78.3	218	178	81.7	79	66	83.5	5	4	80.0
Georgia	Atlanta	8,894	7,322	82.3	1,801	1,578	87.6	3,596	3,102	86.3	1,781	1,512	84.9	176	142	80.7
Illinois	Chicago	11,656	8,678	74.5	795	675	84.9	1,739	1,383	79.5	841	672	79.9	562	428	76.2
Indiana	Indianapolis	1,815	1,468	80.9	271	227	83.8	625	512	81.9	308	251	81.5	29	17	58.6
Louisiana	Baton Rouge	1,440	1,204	83.6	397	338	85.1	817	686	84.0	409	339	82.9	94	71	75.5
	New Orleans	2,360	1,806	76.5	510	420	82.4	767	631	82.3	406	324	79.8	106	90	84.9
Maryland	Baltimore	5,966	4,691	78.6	810	688	84.9	1,103	895	81.1	692	531	76.7	344	260	75.6
Massachusetts	Boston ^a	3,250	2,660	81.8	400	329	82.3	666	543	81.5	406	328	80.8	166	126	75.9
Michigan	Detroit	3,161	2,214	70.0	494	365	73.9	1,091	783	71.8	633	465	73.5	181	121	66.9
Minnesota	Minneapolis–St. Paul ^a	1,334	982	73.6	205	154	75.1	424	285	67.2	487	321	65.9	7	2	28.6
Missouri	Kansas City ^a	1,030	740	71.8	157	118	75.2	345	263	76.2	207	165	79.7	23	13	56.5
	St. Louis ^a	2,722	2,044	75.1	351	285	81.2	672	528	78.6	397	326	82.1	54	40	74.1
Nevada	Las Vegas ^a	1,381	916	66.3	280	186	66.4	724	521	72.0	565	432	76.5	29	17	58.6
New Jersey	Bergen–Passaic	811	703	86.7	164	148	90.2	273	251	91.9	92	85	92.4	35	32	91.4
	Jersey City	878	776	88.4	193	177	91.7	290	261	90.0	142	127	89.4	21	17	81.0
	Middlesex	616	502	81.5	102	91	89.2	187	164	87.7	107	94	87.9	36	32	88.9
	Newark	3,633	3,000	82.6	542	468	86.3	1,002	877	87.5	477	412	86.4	115	99	86.1
New York	Nassau–Suffolk	653	502	76.9	117	92	78.6	203	155	76.4	111	85	76.6	40	30	75.0
	New York	18,448	15,586	84.5	2,312	2,025	87.6	4,624	4,019	86.9	1,572	1,323	84.2	505	430	85.1
North Carolina	Charlotte ^a	1,605	1,106	68.9	233	150	64.4	628	469	74.7	405	299	73.8	73	68	93.2
Ohio	Cleveland	1,682	1,225	72.8	195	133	68.2	441	317	71.9	237	176	74.3	94	72	76.6
	Columbus	1,129	879	77.9	273	211	77.3	678	488	72.0	440	321	73.0	128	92	71.9
Oregon	Portland ^a	932	646	69.3	110	82	74.5	200	149	74.5	175	120	68.6	84	56	66.7
Pennsylvania	Philadelphia ^a	7,939	6,548	82.5	1,098	903	82.2	2,065	1,682	81.5	1,145	908	79.3	377	296	78.5
Puerto Rico	San Juan	5,310	4,832	91.0	346	322	93.1	511	497	97.3	174	172	98.9	62	62	100.0

Table 26b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Retained			Retained			Retained			Retained			Retained		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	2,569	2,117	82.4	289	252	87.2	626	545	87.1	439	387	88.2	9	7	77.8
	Nashville	1,671	1,264	75.6	275	223	81.1	727	561	77.2	758	608	80.2	227	176	77.5
Texas	Austin	1,468	1,048	71.4	81	47	58.0	187	124	66.3	91	51	56.0	25	7	28.0
	Dallas	5,259	4,153	79.0	1,202	1,039	86.4	1,120	946	84.5	276	224	81.2	55	40	72.7
	Ft. Worth	1,561	1,258	80.6	116	97	83.6	319	278	87.1	135	105	77.8	24	20	83.3
	Houston	7,407	5,061	68.3	1,266	913	72.1	2,140	1,537	71.8	741	458	61.8	150	82	54.7
	San Antonio	1,301	862	66.3	170	124	72.9	316	225	71.2	139	86	61.9	17	13	76.5
Virginia	Norfolk ^a	1,256	940	74.8	244	193	79.1	533	432	81.1	339	275	81.1	86	73	84.9
Washington	Seattle	2,062	1,607	77.9	223	186	83.4	431	326	75.6	477	365	76.5	399	292	73.2

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 27a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and state, 2024—United States and 3 territories

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression		Total N
	N	%		N	%		N	%		N	%		N	%	
State															
Alabama	3,973	3,445	86.7	560	514	91.8	1,006	934	92.8	538	500	92.9	180	172	95.6
Alaska	285	268	94.0	19	19	100.0	28	26	92.9	19	18	94.7	8	8	100.0
Arizona	3,122	2,806	89.9	595	560	94.1	1,267	1,200	94.7	958	934	97.5	240	236	98.3
Arkansas	710	615	86.6	204	192	94.1	403	377	93.5	213	206	96.7	70	65	92.9
California	19,507	17,484	89.6	3,357	3,112	92.7	5,478	5,159	94.2	2,420	2,314	95.6	752	716	95.2
Colorado	3,780	3,503	92.7	451	421	93.3	804	765	95.1	537	517	96.3	343	337	98.3
Connecticut	2,210	2,090	94.6	379	364	96.0	621	607	97.7	193	185	95.9	24	23	95.8
Delaware	651	584	89.7	184	178	96.7	318	308	96.9	254	243	95.7	189	182	96.3
District of Columbia	2,800	2,502	89.4	319	298	93.4	627	585	93.3	345	319	92.5	111	100	90.1
Florida	16,191	14,403	89.0	3,224	3,024	93.8	7,229	6,861	94.9	4,471	4,293	96.0	216	207	95.8
Georgia	13,923	12,178	87.5	2,823	2,596	92.0	5,431	5,009	92.2	2,787	2,619	94.0	345	325	94.2
Hawaii	174	159	91.4	39	37	94.9	52	49	94.2	21	18	85.7	2	2	100.0
Idaho	346	327	94.5	94	92	97.9	247	240	97.2	150	147	98.0	102	102	100.0
Illinois	12,226	11,146	91.2	883	845	95.7	1,945	1,865	95.9	1,024	991	96.8	610	596	97.7
Indiana	1,743	1,532	87.9	254	232	91.3	627	582	92.8	321	312	97.2	30	28	93.3
Iowa	655	602	91.9	151	143	94.7	408	391	95.8	324	313	96.6	189	187	98.9
Kansas	230	207	90.0	39	39	100.0	68	62	91.2	65	64	98.5	36	36	100.0
Kentucky	2,558	2,276	89.0	506	484	95.7	994	946	95.2	572	551	96.3	251	249	99.2
Louisiana	4,526	4,007	88.5	885	824	93.1	1,425	1,330	93.3	628	604	96.2	159	156	98.1
Maine	189	180	95.2	57	55	96.5	121	117	96.7	69	69	100.0	31	31	100.0
Maryland	5,712	5,195	90.9	766	725	94.6	1,141	1,060	92.9	727	685	94.2	318	306	96.2
Massachusetts	4,166	3,933	94.4	424	402	94.8	721	693	96.1	436	423	97.0	191	187	97.9
Michigan	4,226	3,782	89.5	732	691	94.4	1,568	1,478	94.3	967	924	95.6	433	420	97.0
Minnesota	897	796	88.7	141	133	94.3	300	288	96.0	394	378	95.9	6	6	100.0
Mississippi	3,360	2,976	88.6	521	489	93.9	1,078	1,017	94.3	384	368	95.8	66	63	95.5
Missouri	3,238	2,925	90.3	437	414	94.7	873	835	95.6	461	445	96.5	63	60	95.2
Montana	128	120	93.8	44	42	95.5	65	63	96.9	72	72	100.0	26	26	100.0
Nebraska	518	462	89.2	129	125	96.9	234	225	96.2	187	180	96.3	26	24	92.3
Nevada	1,724	1,533	88.9	348	333	95.7	919	868	94.5	709	677	95.5	45	44	97.8
New Hampshire	171	156	91.2	51	51	100.0	121	119	98.3	94	93	98.9	45	45	100.0
New Jersey	7,651	6,901	90.2	1,268	1,177	92.8	2,404	2,253	93.7	1,176	1,110	94.4	369	353	95.7
New Mexico	655	580	88.5	144	138	95.8	310	296	95.5	249	248	99.6	174	168	96.6
New York	21,644	19,631	90.7	2,796	2,593	92.7	5,468	5,171	94.6	2,167	2,048	94.5	659	637	96.7
North Carolina	6,458	5,764	89.3	1,386	1,321	95.3	2,893	2,718	94.0	1,213	1,130	93.2	206	200	97.1
North Dakota	31	27	87.1	7	5	71.4	38	35	92.1	40	39	97.5	7	7	100.0
Ohio	4,720	4,243	89.9	739	696	94.2	1,592	1,503	94.4	997	964	96.7	420	413	98.3
Oklahoma	1,299	1,034	79.6	385	318	82.6	696	585	84.1	474	388	81.9	184	154	83.7
Oregon	898	808	90.0	104	101	97.1	216	207	95.8	185	181	97.8	87	87	100.0
Pennsylvania	10,877	9,978	91.7	1,958	1,850	94.5	3,243	3,073	94.8	1,895	1,824	96.3	763	745	97.6
Rhode Island	1,010	936	92.7	208	196	94.2	384	362	94.3	270	263	97.4	196	193	98.5
South Carolina	6,636	5,977	90.1	1,156	1,099	95.1	2,463	2,341	95.0	1,653	1,589	96.1	647	633	97.8
South Dakota	77	72	93.5	24	23	95.8	93	90	96.8	52	51	98.1	19	19	100.0
Tennessee	5,274	4,442	84.2	801	741	92.5	1,843	1,683	91.3	1,576	1,489	94.5	289	279	96.5
Texas	20,298	17,329	85.4	3,413	3,064	89.8	5,169	4,662	90.2	1,832	1,678	91.6	389	356	91.5

Table 27a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and state, 2023—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
State															
Utah	857	768	89.6	101	93	92.1	281	265	94.3	146	136	93.2	37	34	91.9
Vermont	153	148	96.7	69	67	97.1	90	84	93.3	88	85	96.6	75	72	96.0
Virginia	3,619	3,160	87.3	770	726	94.3	1,579	1,470	93.1	1,078	1,021	94.7	403	384	95.3
Washington	2,264	2,014	89.0	232	216	93.1	473	457	96.6	548	532	97.1	439	426	97.0
West Virginia	728	651	89.4	199	179	89.9	298	284	95.3	112	109	97.3	19	19	100.0
Wisconsin	2,916	2,689	92.2	246	237	96.3	429	415	96.7	296	283	95.6	169	167	98.8
Wyoming	24	23	95.8	11	10	90.9	26	25	96.2	15	15	100.0	4	4	100.0
Subtotal	212,028	189,367	89.3	34,633	32,284	93.2	66,107	62,038	93.8	36,402	34,645	95.2	10,662	10,289	96.5
Territory															
Guam	16	9	56.3	3	3	100.0	4	3	75.0	1	1	100.0	0	—	—
Puerto Rico	8,414	7,853	93.3	650	622	95.7	904	864	95.6	334	328	98.2	144	139	96.5
U.S. Virgin Islands	122	97	79.5	22	21	95.5	39	35	89.7	9	7	77.8	8	6	75.0
Subtotal	8,552	7,959	93.1	675	646	95.7	947	902	95.2	344	336	97.7	152	145	95.4
Total	220,580	197,326	89.5	35,308	32,930	93.3	67,054	62,940	93.9	36,746	34,981	95.2	10,814	10,434	96.5

Abbreviation: FPL, federal poverty level.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 27b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Arizona	Phoenix	3,364	3,009	89.4	605	571	94.4	1,302	1,234	94.8	950	923	97.2	124	119	96.0
California	Los Angeles	7,159	6,382	89.1	1,335	1,236	92.6	2,238	2,101	93.9	1,307	1,252	95.8	363	343	94.5
	Oakland	1,569	1,388	88.5	183	171	93.4	282	263	93.3	61	56	91.8	31	31	100.0
	Orange County	822	747	90.9	111	107	96.4	364	352	96.7	227	215	94.7	21	21	100.0
	Riverside–San Bernardino	1,117	974	87.2	153	142	92.8	281	253	90.0	101	95	94.1	33	30	90.9
	Sacramento	1,520	1,360	89.5	194	181	93.3	346	326	94.2	162	155	95.7	35	33	94.3
	San Diego	4,065	3,762	92.5	509	476	93.5	672	652	97.0	199	191	96.0	54	52	96.3
	San Francisco	1,643	1,465	89.2	516	462	89.5	699	661	94.6	149	144	96.6	40	37	92.5
	San Jose	33	28	84.8	4	4	100.0	20	19	95.0	21	21	100.0	3	3	100.0
Colorado	Denver	3,698	3,423	92.6	302	279	92.4	664	626	94.3	442	425	96.2	204	202	99.0
Connecticut	Hartford	1,056	996	94.3	141	135	95.7	219	214	97.7	55	54	98.2	5	5	100.0
	New Haven	651	606	93.1	141	136	96.5	235	232	98.7	83	78	94.0	11	10	90.9
District of Columbia	Washington ^a	4,714	4,233	89.8	688	640	93.0	1,413	1,326	93.8	857	807	94.2	280	260	92.9
Florida	Ft. Lauderdale	3,387	2,997	88.5	422	395	93.6	1,011	974	96.3	600	583	97.2	17	17	100.0
	Jacksonville	1,227	1,065	86.8	240	226	94.2	430	401	93.3	285	271	95.1	19	15	78.9
	Miami	3,826	3,414	89.2	986	920	93.3	2,473	2,356	95.3	1,567	1,518	96.9	24	23	95.8
	Orlando	2,382	2,154	90.4	285	275	96.5	552	517	93.7	312	295	94.6	15	15	100.0
	Tampa–St. Petersburg	2,369	2,113	89.2	486	454	93.4	1,050	1,001	95.3	696	667	95.8	21	20	95.2
	West Palm Beach	836	756	90.4	126	116	92.1	223	206	92.4	80	77	96.3	4	4	100.0
Georgia	Atlanta	9,605	8,346	86.9	1,900	1,741	91.6	3,787	3,469	91.6	1,910	1,796	94.0	186	173	93.0
Illinois	Chicago	12,103	11,026	91.1	822	789	96.0	1,799	1,718	95.5	897	866	96.5	581	567	97.6
Indiana	Indianapolis	2,007	1,776	88.5	282	260	92.2	671	627	93.4	327	318	97.2	29	27	93.1
Louisiana	Baton Rouge	1,588	1,448	91.2	420	399	95.0	879	824	93.7	427	413	96.7	98	96	98.0
	New Orleans	2,526	2,213	87.6	533	497	93.2	802	754	94.0	423	405	95.7	112	110	98.2
Maryland	Baltimore	5,552	5,058	91.1	729	692	94.9	1,028	955	92.9	612	581	94.9	288	278	96.5
Massachusetts	Boston ^a	3,361	3,165	94.2	413	394	95.4	683	659	96.5	400	386	96.5	178	174	97.8
Michigan	Detroit	3,489	3,091	88.6	541	507	93.7	1,198	1,128	94.2	680	648	95.3	196	184	93.9
Minnesota	Minneapolis–St. Paul ^a	1,392	1,261	90.6	207	199	96.1	434	420	96.8	502	484	96.4	6	6	100.0
Missouri	Kansas City ^a	1,141	1,011	88.6	167	158	94.6	381	364	95.5	226	220	97.3	26	26	100.0
	St. Louis ^a	2,974	2,692	90.5	370	349	94.3	731	701	95.9	426	412	96.7	59	56	94.9
Nevada	Las Vegas ^a	1,593	1,405	88.2	298	290	97.3	801	770	96.1	625	597	95.5	30	30	100.0
New Jersey	Bergen–Passaic	842	772	91.7	167	162	97.0	287	271	94.4	95	90	94.7	34	33	97.1
	Jersey City	926	852	92.0	200	193	96.5	302	287	95.0	149	141	94.6	22	22	100.0
	Middlesex	650	592	91.1	114	103	90.4	195	186	95.4	106	105	99.1	40	38	95.0
	Newark	3,873	3,443	88.9	568	521	91.7	1,046	970	92.7	505	473	93.7	122	117	95.9
New York	Nassau–Suffolk	691	649	93.9	122	121	99.2	221	216	97.7	118	114	96.6	43	42	97.7
	New York	19,262	17,408	90.4	2,379	2,190	92.1	4,745	4,474	94.3	1,593	1,492	93.7	518	498	96.1
North Carolina	Charlotte ^a	1,741	1,550	89.0	257	247	96.1	672	633	94.2	443	421	95.0	74	71	95.9
Ohio	Cleveland	1,795	1,627	90.6	203	187	92.1	469	441	94.0	267	260	97.4	101	99	98.0
	Columbus	1,219	1,116	91.6	291	280	96.2	706	673	95.3	478	466	97.5	141	139	98.6
Oregon	Portland ^a	977	883	90.4	110	106	96.4	228	217	95.2	188	184	97.9	87	87	100.0
Pennsylvania	Philadelphia ^a	8,289	7,516	90.7	1,297	1,217	93.8	2,230	2,099	94.1	1,206	1,158	96.0	394	380	96.4
Puerto Rico	San Juan	5,381	5,011	93.1	347	324	93.4	510	482	94.5	175	173	98.9	63	61	96.8

Table 27b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%	Total N	N	%
Tennessee	Memphis ^a	2,680	2,146	80.1	300	259	86.3	659	562	85.3	458	408	89.1	10	8	80.0
	Nashville	1,775	1,566	88.2	298	283	95.0	785	729	92.9	821	794	96.7	249	241	96.8
Texas	Austin	1,487	1,354	91.1	78	75	96.2	189	171	90.5	96	86	89.6	26	25	96.2
	Dallas	5,623	4,699	83.6	1,248	1,141	91.4	1,179	1,069	90.7	284	261	91.9	56	52	92.9
	Ft. Worth	1,726	1,512	87.6	125	116	92.8	341	310	90.9	152	138	90.8	26	24	92.3
	Houston	7,593	6,515	85.8	1,262	1,114	88.3	2,167	1,945	89.8	731	667	91.2	145	130	89.7
	San Antonio	1,390	1,136	81.7	172	153	89.0	341	302	88.6	145	136	93.8	24	22	91.7
Virginia	Norfolk ^a	1,371	1,132	82.6	260	240	92.3	558	497	89.1	354	326	92.1	91	82	90.1
Washington	Seattle	2,239	1,999	89.3	221	207	93.7	442	427	96.6	507	493	97.2	426	414	97.2

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 28a. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by housing status and state, 2024—United States and 3 territories

	Stable			Temporary			Unstable		
	Total N	Retained		Total N	Retained		Total N	Retained	
		N	%		N	%		N	%
State									
Alabama	5,342	4,031	75.5	681	542	79.6	173	126	72.8
Alaska	311	214	68.8	20	12	60.0	16	7	43.8
Arizona	5,414	4,509	83.3	249	196	78.7	282	193	68.4
Arkansas	1,409	1,065	75.6	91	59	64.8	22	18	81.8
California	26,167	21,245	81.2	2,056	1,476	71.8	2,482	1,755	70.7
Colorado	4,383	3,519	80.3	881	713	80.9	396	285	72.0
Connecticut	3,153	2,568	81.4	125	94	75.2	119	83	69.7
Delaware	1,427	1,130	79.2	25	21	84.0	41	30	73.2
District of Columbia	3,305	2,582	78.1	338	253	74.9	278	201	72.3
Florida	27,254	22,149	81.3	2,207	1,632	73.9	1,123	753	67.1
Georgia	22,485	19,015	84.6	658	508	77.2	711	533	75.0
Hawaii	223	158	70.9	6	5	83.3	16	11	68.8
Idaho	836	624	74.6	51	33	64.7	52	27	51.9
Illinois	15,246	11,586	76.0	614	425	69.2	642	376	58.6
Indiana	2,361	1,944	82.3	176	147	83.5	211	144	68.2
Iowa	1,497	1,170	78.2	66	55	83.3	69	51	73.9
Kansas	378	301	79.6	9	7	77.8	18	11	61.1
Kentucky	4,113	3,267	79.4	308	222	72.1	241	165	68.5
Louisiana	6,701	5,357	79.9	382	277	72.5	201	134	66.7
Maine	437	270	61.8	37	17	45.9	47	23	48.9
Maryland	8,177	6,527	79.8	150	104	69.3	235	182	77.4
Massachusetts	6,017	4,741	78.8	322	260	80.7	203	148	72.9
Michigan	6,913	4,949	71.6	159	115	72.3	217	141	65.0
Minnesota	1,435	996	69.4	129	80	62.0	114	70	61.4
Mississippi	5,036	4,066	80.7	71	47	66.2	80	59	73.8
Missouri	4,039	3,072	76.1	330	258	78.2	252	160	63.5
Montana	281	202	71.9	9	5	55.6	20	15	75.0
Nebraska	889	691	77.7	34	27	79.4	64	34	53.1
Nevada	3,069	2,241	73.0	180	108	60.0	217	132	60.8
New Hampshire	626	547	87.4	26	21	80.8	12	9	75.0
New Jersey	10,311	8,811	85.5	1,650	1,306	79.2	283	203	71.7
New Mexico	1,273	1,090	85.6	93	65	69.9	91	61	67.0
New York	28,449	24,170	85.0	2,047	1,636	79.9	1,201	958	79.8
North Carolina	11,043	7,697	69.7	251	160	63.7	310	165	53.2
North Dakota	106	80	75.5	5	4	80.0	2	1	50.0
Ohio	8,115	6,002	74.0	317	207	65.3	375	233	62.1
Oklahoma	2,365	1,703	72.0	191	125	65.4	80	51	63.8
Oregon	1,358	941	69.3	70	49	70.0	66	41	62.1
Pennsylvania	16,326	13,502	82.7	973	768	78.9	547	416	76.1
Rhode Island	1,798	1,445	80.4	144	102	70.8	83	70	84.3
South Carolina	11,472	9,280	80.9	425	310	72.9	101	78	77.2
South Dakota	238	162	68.1	12	12	100.0	3	1	33.3
Tennessee	8,821	7,123	80.8	314	231	73.6	211	133	63.0
Texas	24,084	17,666	73.4	4,515	3,414	75.6	1,228	744	60.6
Utah	1,181	895	75.8	138	97	70.3	38	27	71.1
Vermont	416	309	74.3	23	13	56.5	12	9	75.0
Virginia	6,562	5,198	79.2	208	155	74.5	201	130	64.7
Washington	2,844	2,174	76.4	242	186	76.9	347	268	77.2
West Virginia	1,211	752	62.1	31	14	45.2	91	52	57.1
Wisconsin	3,205	2,448	76.4	134	93	69.4	441	320	72.6
Wyoming	44	14	31.8	2	1	50.0	2	0	0.0
Subtotal	310,146	246,198	79.4	22,175	16,667	75.2	14,267	9,837	68.9
Territory									
Guam	21	16	76.2	0	—	—	1	1	100.0
Puerto Rico	10,136	9,387	92.6	152	131	86.2	46	38	82.6
U.S. Virgin Islands	174	91	52.3	2	0	0.0	6	3	50.0
Subtotal	10,331	9,494	91.9	154	131	85.1	53	42	79.2
Total	320,477	255,692	79.8	22,329	16,798	75.2	14,320	9,879	69.0

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 28b. Retention in care among Ryan White HIV/AIDS Program patients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total N	Retained		Total N	Retained		Total N	Retained	
			N	%		N	%		N	%
Arizona	Phoenix	5,386	4,473	83.0	305	242	79.3	349	246	70.5
California	Los Angeles	10,940	9,192	84.0	264	200	75.8	993	701	70.6
	Oakland	1,584	1,285	81.1	188	131	69.7	150	106	70.7
	Orange County	1,229	918	74.7	107	69	64.5	121	98	81.0
	Riverside–San Bernardino	1,340	1,026	76.6	72	34	47.2	149	86	57.7
	Sacramento	1,851	1,599	86.4	197	154	78.2	267	212	79.4
	San Diego	4,278	3,164	74.0	640	443	69.2	537	357	66.5
	San Francisco	2,188	1,735	79.3	481	338	70.3	299	210	70.2
	San Jose	71	60	84.5	3	3	100.0	3	1	33.3
Colorado	Denver	3,776	3,057	81.0	914	736	80.5	435	313	72.0
Connecticut	Hartford	1,416	1,095	77.3	61	38	62.3	90	60	66.7
	New Haven	970	808	83.3	49	37	75.5	18	13	72.2
District of Columbia	Washington ^a	6,555	5,130	78.3	439	338	77.0	401	278	69.3
Florida	Ft. Lauderdale	3,787	2,941	77.7	1,181	929	78.7	148	112	75.7
	Jacksonville	1,794	1,421	79.2	133	94	70.7	61	41	67.2
	Miami	8,979	7,874	87.7	278	216	77.7	374	287	76.7
	Orlando	2,818	2,367	84.0	279	220	78.9	242	162	66.9
	Tampa–St. Petersburg	3,838	2,963	77.2	294	180	61.2	218	133	61.0
	West Palm Beach	995	813	81.7	147	119	81.0	38	31	81.6
Georgia	Atlanta	15,215	12,805	84.2	531	423	79.7	629	493	78.4
Illinois	Chicago	14,716	11,252	76.5	646	451	69.8	707	432	61.1
Indiana	Indianapolis	2,550	2,089	81.9	226	188	83.2	285	196	68.8
Louisiana	Baton Rouge	3,115	2,570	82.5	88	72	81.8	54	44	81.5
	New Orleans	3,794	3,029	79.8	208	143	68.8	143	98	68.5
Maryland	Baltimore	7,757	6,186	79.7	170	118	69.4	260	204	78.5
Massachusetts	Boston ^a	5,203	4,273	82.1	354	285	80.5	206	152	73.8
Michigan	Detroit	5,269	3,757	71.3	124	84	67.7	185	120	64.9
Minnesota	Minneapolis–St. Paul ^a	2,054	1,471	71.6	212	138	65.1	191	135	70.7
Missouri	Kansas City ^a	1,529	1,151	75.3	109	76	69.7	111	67	60.4
	St. Louis ^a	3,637	2,805	77.1	300	239	79.7	259	179	69.1
Nevada	Las Vegas ^a	2,606	1,841	70.6	175	106	60.6	199	125	62.8
New Jersey	Bergen–Passaic	1,297	1,150	88.7	44	39	88.6	34	30	88.2
	Jersey City	1,429	1,289	90.2	48	36	75.0	47	33	70.2
	Middlesex	900	764	84.9	88	70	79.5	62	51	82.3
	Newark	4,062	3,500	86.2	1,550	1,237	79.8	157	119	75.8
New York	Nassau–Suffolk	978	748	76.5	127	102	80.3	18	13	72.2
	New York	24,785	21,209	85.6	1,728	1,389	80.4	1,165	943	80.9
North Carolina	Charlotte ^a	2,764	1,985	71.8	103	66	64.1	76	40	52.6
Ohio	Cleveland	2,406	1,746	72.6	165	118	71.5	79	60	75.9
	Columbus	3,339	2,491	74.6	62	43	69.4	65	41	63.1
Oregon	Portland ^a	1,409	978	69.4	91	63	69.2	85	57	67.1
Pennsylvania	Philadelphia ^a	11,429	9,390	82.2	716	556	77.7	537	404	75.2
Puerto Rico	San Juan	6,255	5,758	92.1	109	93	85.3	39	34	87.2
Tennessee	Memphis ^a	3,789	3,203	84.5	55	41	74.5	92	65	70.7
	Nashville	3,466	2,713	78.3	249	186	74.7	60	32	53.3
Texas	Austin	1,500	973	64.9	241	167	69.3	271	173	63.8
	Dallas	4,594	3,721	81.0	2,943	2,402	81.6	389	262	67.4
	Ft. Worth	1,879	1,551	82.5	207	161	77.8	77	47	61.0
	Houston	10,349	7,219	69.8	926	593	64.0	403	239	59.3
	San Antonio	1,625	1,088	67.0	242	160	66.1	127	75	59.1
	Norfolk ^a	2,330	1,829	78.5	58	41	70.7	70	43	61.4
Washington	Seattle	2,777	2,148	77.3	248	193	77.8	368	293	79.6

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least one outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 29a. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by housing status and state, 2024—United States and 3 territories

	Stable			Temporary			Unstable		
	Viral suppression			Viral suppression			Viral suppression		
	Total N	N	%	Total N	N	%	Total N	N	%
State									
Alabama	5,338	4,803	90.0	749	621	82.9	180	148	82.2
Alaska	339	324	95.6	19	17	89.5	17	12	70.6
Arizona	5,600	5,248	93.7	270	239	88.5	314	249	79.3
Arkansas	1,479	1,353	91.5	100	82	82.0	23	22	95.7
California	27,083	25,102	92.7	2,167	1,890	87.2	2,575	2,084	80.9
Colorado	4,608	4,361	94.6	920	865	94.0	447	379	84.8
Connecticut	3,190	3,056	95.8	140	127	90.7	122	109	89.3
Delaware	1,540	1,443	93.7	31	28	90.3	44	39	88.6
District of Columbia	3,669	3,332	90.8	370	335	90.5	302	256	84.8
Florida	28,619	26,540	92.7	2,389	2,110	88.3	1,250	951	76.1
Georgia	23,661	21,362	90.3	718	614	85.5	802	620	77.3
Hawaii	261	238	91.2	7	7	100.0	20	20	100.0
Idaho	899	869	96.7	56	55	98.2	60	59	98.3
Illinois	15,896	14,816	93.2	663	583	87.9	665	548	82.4
Indiana	2,537	2,336	92.1	210	177	84.3	241	186	77.2
Iowa	1,598	1,526	95.5	79	68	86.1	73	64	87.7
Kansas	406	382	94.1	10	9	90.0	22	17	77.3
Kentucky	4,298	4,025	93.6	348	306	87.9	269	207	77.0
Louisiana	7,113	6,524	91.7	420	352	83.8	217	162	74.7
Maine	425	414	97.4	33	32	97.0	44	41	93.2
Maryland	7,517	6,933	92.2	149	115	77.2	216	191	88.4
Massachusetts	6,185	5,914	95.6	343	313	91.3	206	189	91.7
Michigan	7,558	6,996	92.6	182	159	87.4	244	190	77.9
Minnesota	1,491	1,386	93.0	137	125	91.2	110	90	81.8
Mississippi	5,339	4,872	91.3	79	65	82.3	93	67	72.0
Missouri	4,373	4,081	93.3	364	333	91.5	290	224	77.2
Montana	302	294	97.4	13	12	92.3	23	20	87.0
Nebraska	971	911	93.8	45	41	91.1	78	64	82.1
Nevada	3,291	3,103	94.3	202	168	83.2	253	184	72.7
New Hampshire	570	550	96.5	22	20	90.9	11	8	72.7
New Jersey	10,782	9,980	92.6	1,798	1,599	88.9	319	246	77.1
New Mexico	1,360	1,295	95.2	102	82	80.4	100	78	78.0
New York	29,505	27,307	92.6	2,194	1,952	89.0	1,291	1,061	82.2
North Carolina	11,843	10,953	92.5	307	244	79.5	342	256	74.9
North Dakota	114	105	92.1	5	4	80.0	4	4	100.0
Ohio	8,552	7,969	93.2	350	287	82.0	400	318	79.5
Oklahoma	2,476	2,063	83.3	208	165	79.3	87	68	78.2
Oregon	1,418	1,337	94.3	81	71	87.7	69	48	69.6
Pennsylvania	17,198	16,183	94.1	1,051	905	86.1	584	476	81.5
Rhode Island	1,860	1,768	95.1	150	134	89.3	87	72	82.8
South Carolina	12,008	11,190	93.2	456	380	83.3	109	83	76.1
South Dakota	247	238	96.4	15	14	93.3	3	3	100.0
Tennessee	9,370	8,347	89.1	322	272	84.5	232	150	64.7
Texas	25,160	22,187	88.2	4,776	4,041	84.6	1,302	949	72.9
Utah	1,229	1,129	91.9	152	133	87.5	41	34	82.9
Vermont	435	420	96.6	24	23	95.8	16	13	81.3
Virginia	6,984	6,393	91.5	251	197	78.5	226	182	80.5
Washington	3,054	2,867	93.9	270	249	92.2	383	303	79.1
West Virginia	1,289	1,208	93.7	32	27	84.4	99	65	65.7
Wisconsin	3,430	3,227	94.1	152	134	88.2	478	434	90.8
Wyoming	65	63	96.9	7	7	100.0	2	1	50.0
Subtotal	324,535	299,323	92.2	23,938	20,788	86.8	15,385	12,244	79.6
Territory									
Guam	23	16	69.6	0	—	—	1	0	0.0
Puerto Rico	10,239	9,635	94.1	159	136	85.5	51	37	72.5
U.S. Virgin Islands	197	163	82.7	2	2	100.0	9	5	55.6
Subtotal	10,459	9,814	93.8	161	138	85.7	61	42	68.9
Total	334,994	309,137	92.3	24,099	20,926	86.8	15,446	12,286	79.5

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 29b. Viral suppression among Ryan White HIV/AIDS Program patients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2024—United States and Puerto Rico

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total N	Viral suppression		Total N	Viral suppression		Total N	Viral suppression	
			N	%		N	%		N	%
Arizona	Phoenix	5,620	5,241	93.3	335	302	90.1	393	314	79.9
California	Los Angeles	11,296	10,423	92.3	289	255	88.2	1,029	838	81.4
	Oakland	1,743	1,584	90.9	212	185	87.3	173	140	80.9
	Orange County	1,295	1,222	94.4	122	112	91.8	136	114	83.8
	Riverside–San Bernardino	1,468	1,339	91.2	83	68	81.9	164	115	70.1
	Sacramento	1,819	1,698	93.3	180	155	86.1	258	202	78.3
	San Diego	4,349	4,134	95.1	652	587	90.0	553	467	84.4
	San Francisco	2,217	2,057	92.8	496	433	87.3	315	260	82.5
	San Jose	74	70	94.6	3	2	66.7	4	3	75.0
Colorado	Denver	3,937	3,712	94.3	952	895	94.0	491	420	85.5
Connecticut	Hartford	1,343	1,283	95.5	65	59	90.8	92	84	91.3
	New Haven	1,045	997	95.4	57	50	87.7	20	16	80.0
District of Columbia	Washington ^a	7,174	6,592	91.9	488	436	89.3	442	371	83.9
Florida	Ft. Lauderdale	4,018	3,713	92.4	1,268	1,134	89.4	164	124	75.6
	Jacksonville	1,972	1,785	90.5	149	129	86.6	67	53	79.1
	Miami	9,111	8,481	93.1	292	254	87.0	408	322	78.9
	Orlando	2,969	2,778	93.6	308	266	86.4	268	211	78.7
	Tampa–St. Petersburg	4,051	3,786	93.5	317	278	87.7	257	194	75.5
	West Palm Beach	1,053	966	91.7	164	157	95.7	49	34	69.4
Georgia	Atlanta	16,238	14,601	89.9	577	495	85.8	708	546	77.1
Illinois	Chicago	15,320	14,270	93.1	692	603	87.1	727	598	82.3
Indiana	Indianapolis	2,742	2,538	92.6	262	225	85.9	325	258	79.4
Louisiana	Baton Rouge	3,363	3,142	93.4	98	89	90.8	57	46	80.7
	New Orleans	4,003	3,673	91.8	233	181	77.7	155	119	76.8
Maryland	Baltimore	7,030	6,491	92.3	165	132	80.0	234	208	88.9
Massachusetts	Boston ^a	5,257	5,035	95.8	372	340	91.4	206	185	89.8
Michigan	Detroit	5,776	5,299	91.7	144	123	85.4	205	152	74.1
Minnesota	Minneapolis–St. Paul ^a	2,120	1,998	94.2	227	208	91.6	194	164	84.5
Missouri	Kansas City ^a	1,665	1,551	93.2	123	106	86.2	130	104	80.0
	St. Louis ^a	3,941	3,678	93.3	328	300	91.5	290	231	79.7
Nevada	Las Vegas ^a	2,905	2,739	94.3	205	173	84.4	238	180	75.6
New Jersey	Bergen–Passaic	1,345	1,257	93.5	43	37	86.0	37	34	91.9
	Jersey City	1,490	1,407	94.4	53	47	88.7	56	41	73.2
	Middlesex	941	881	93.6	97	82	84.5	69	63	91.3
	Newark	4,257	3,886	91.3	1,685	1,504	89.3	172	134	77.9
New York	Nassau–Suffolk	1,039	995	95.8	135	129	95.6	20	17	85.0
	New York	25,633	23,622	92.2	1,846	1,623	87.9	1,262	1,049	83.1
North Carolina	Charlotte ^a	2,988	2,768	92.6	115	93	80.9	82	59	72.0
Ohio	Cleveland	2,566	2,386	93.0	179	157	87.7	91	72	79.1
	Columbus	3,523	3,309	93.9	67	55	82.1	80	66	82.5
Oregon	Portland ^a	1,474	1,390	94.3	106	93	87.7	91	68	74.7
Pennsylvania	Philadelphia ^a	12,146	11,318	93.2	763	661	86.6	571	453	79.3
Puerto Rico	San Juan	6,324	5,926	93.7	110	95	86.4	43	29	67.4
Tennessee	Memphis ^a	3,954	3,277	82.9	60	49	81.7	96	59	61.5
	Nashville	3,736	3,478	93.1	257	219	85.2	61	38	62.3
Texas	Austin	1,471	1,342	91.2	251	231	92.0	274	232	84.7
	Dallas	4,909	4,307	87.7	3,072	2,629	85.6	411	273	66.4
	Ft. Worth	2,057	1,835	89.2	238	210	88.2	87	63	72.4
	Houston	10,436	9,202	88.2	1,000	817	81.7	433	334	77.1
	San Antonio	1,724	1,480	85.8	249	202	81.1	138	96	69.6
	Norfolk ^a	2,486	2,158	86.8	70	57	81.4	78	62	79.5
Washington	Seattle	2,927	2,754	94.1	271	248	91.5	386	310	80.3

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least one outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.