

HRSA's Ryan White HIV/AIDS Program

Addressing the HIV Care Needs of People With HIV in State Prisons and Local Jails

Technical Expert Panel Executive Summary

Policy Clarification Notice (PCN) 18-02 provides clarification to Ryan White **HIV/AIDS Program (RWHAP)** recipients and demonstrates the flexibility in the use of RWHAP funds to provide core medical services and support services (described in PCN 16-02 Ryan White HIV/AIDS **Program Services: Eligible** Individuals and Allowable Uses of Funds) for people with HIV who are incarcerated or otherwise justice involved. There are differences between how an RWHAP recipient can collaborate with a federal or state facility versus a local correctional facility. These distinctions are based on the administrative entity (federal or state vs. local) relative to the payor of last resort statutory requirement for RWHAP recipients. The RWHAP statute specifies that payor of last resort applies to federal or state payers—like prisons operated by the Federal Bureau of Prisons or a state department of corrections. The provision does not mention local payors; as such, payor of last resort is not applicable. However, the RWHAP cannot duplicate existing services.

The Health Resources and Services Administration (HRSA) HIV/AIDS Bureau (HAB), which oversees the Ryan White HIV/AIDS Program (RWHAP), convened a Technical Expert Panel (TEP) in March 2020 to explore the HIV care needs of people with HIV in state prisons and local jails and the role the RWHAP can play in addressing these needs. The purpose of this panel was to identify supports and barriers to HIV care and treatment in correctional facilities, as well as community re-entry and current approaches and guidance under HAB Policy Clarification Notice (PCN) 18-02, The Use of Ryan White HIV/AIDS Program Funds for Core Medical Services and Support Services for People Living With HIV Who Are Incarcerated and Justice Involved. The term "justice involved" is used by U.S. government agencies to refer to any person who is engaged at any point along the continuum of the criminal justice system as a defendant (including arrest, incarceration, and community supervision).

- Pederal and State Prison Systems. RWHAP recipients may provide RWHAP core medical and support services to people with HIV who are incarcerated in federal or state prisons on a transitional basis where those services are not provided by the correctional facility. HRSA HAB defers to recipients/subrecipients to define the time limitation, which generally is up to 180 days. RWHAP recipients/subrecipients work with the correctional systems/facilities to define both the nature of the services based on identified HIV-related needs and the duration for which the services are offered.
- Other Correctional Systems. RWHAP recipients may provide RWHAP core medical and support services to people with HIV who are incarcerated in other correctional facilities on a short-term or transitional basis. RWHAP recipients/subrecipients work with the correctional systems/facilities to define both the nature of the services based on identified HIV-related needs and the duration for which the services are offered, which may be the duration of incarceration. If core medical and support services are being provided on a short-term basis, HAB recommends that RWHAP recipients also provide services on a transitional basis. For these systems, RWHAP cannot duplicate existing services.

The following TEP Executive Summary includes the following sections:

- > Considerations for Improving HIV Treatment for People With HIV Who Are Justice Involved
- > Issues Related to Providing HIV Care and Treatment in Correctional Settings
- > Issues Related to HIV Care During Re-Entry
- Data Considerations

CONSIDERATIONS FOR IMPROVING HIV TREATMENT FOR PEOPLE WITH HIV WHO ARE JUSTICE INVOLVED

Over the course of the discussion, multiple themes and strategies emerged that relate to the provision of services to people with HIV who are involved in the justice system—either during incarceration, upon release, or under community supervision.

Specific Issues

- ▶ HIV-Related Stigma and Incarceration. The impact of HIV-related stigma can be exacerbated by incarceration. Breaches of confidentiality, particularly related to HIV status, can constitute a safety risk. To minimize these risks, some facilities have segregated units for people with HIV, or people with HIV may be placed in solitary confinement. These practices have been found in some instances to be discriminatory. The U.S. Department of Justice works to address discrimination complaints from people with HIV in correctional facilities. These often relate to housing, unequal access to services, and access to treatment. Stigma and discrimination also are associated with incarceration. People with HIV who have been incarcerated also may experience the effects of incarceration-related stigma and/or discrimination upon release.
- Impact of Comorbidities. People with HIV often have comorbidities, which can make HIV treatment more difficult and create barriers to linkage to and retention in care once the patient re-enters the community. Substance use disorder (SUD) presents a significant challenge, and panelists emphasized the importance of access to treatment, especially medication-assisted treatment (MAT) for opioid use disorder. Other comorbidities include mental illness, hepatitis C, sexually transmitted infections, and chronic conditions, such as cardiovascular disease.
- ▶ Holistic Services—Treating the Whole Person. To ensure optimal health outcomes, people with HIV need comprehensive services both within the correctional facility and upon release. This includes a wide range of support services, including support from peer specialists. In particular, panelists emphasized the need for SUD treatment, mental health services, care for aging individuals, and care that addresses health issues other than HIV.
 - Services should address not only HIV-related needs but also the social determinants of health—conditions in a person's life and environment that affect a wide range of outcomes and risks related to health, functioning, and quality of life. Challenges confronting this population include lack of a social support network, domestic violence, low levels of educational attainment, history of trauma, low health literacy, limited access to employment (especially post-incarceration), unstable housing, and a history of debt. Any one of these factors constitutes a barrier to engaging in care; combined, they present a significant challenge. Many of these issues predate incarceration and may have contributed to the person's becoming justice involved.
- ▶ Multidisciplinary Care Team/Patient-Centered Care. Key members of the team include a physician, nurse, social worker (behavioral/mental health), and case worker (support services). Other disciplines can augment the team. The patient is also an important member of the team.
- ▶ Value of Lived Experience. Peer support services can enhance the quality of care and are an important component for ensuring linkage to care in the community. Peer specialists serve in various positions, including navigator, recovery coach, re-entry coach, and community health worker.
- ▶ Creating a Bridge Between Incarceration and Community. Many barriers exist between correctional facilities and community providers, which can affect the care and services incarcerated people receive while in the facility and during their re-entry process. In some service models—such as the Hampden County Model—clinicians are dually based in correctional facilities and community health centers to help ensure that essential linkages are made and treatment is not interrupted.
- ▶ Challenge of Recidivism. Although multiple factors are related to recidivism, many TEP members expressed that justice-involved individuals often face insurmountable challenges upon their release due to community corrections policies, judicial mandates, and the stigma related to incarceration. These individuals also face limited options, especially related to housing and employment, which can contribute to recidivism.

ISSUES RELATED TO PROVIDING HIV CARE AND TREATMENT IN CORRECTIONAL SETTINGS

Uninterrupted access to antiretroviral medications and adherence to clinical treatment guidelines must be ensured to achieve optimal health outcomes, including viral suppression. Clinical treatment guidelines (e.g., <u>U.S. Department of Health and Human Services Guidelines for the Use of Antiretroviral Agents in Adults and Adolescents with HIV)</u> apply to correctional facilities. Panelists expressed concern that these guidelines may not always be followed, particularly in situations where facilities contract out for medical services.

Specific Issues

- Access to Medication Upon Entry to the Facility. Newly incarcerated individuals may experience delays in obtaining medications for multiple reasons. Not all HIV medications may be available—this depends on the formulary—so patients may be provided a different antiretroviral medication. If patients transfer to another facility, a delay in access also may occur if they run out of medication before they are provided more in the new facility.
- Access to Medication During Incarceration. Processes for dispensing medication in a facility may result in missed doses. These treatment interruptions, whether one dose or more, can impact health outcomes. Long lines (e.g., 1–2 hours) for directly observed therapy can result in patients missing doses, because they may opt to skip the line if they have work duty or a visitor or must appear in court. Sometimes after waiting in line, medications may not be available. In addition, other circumstances in a facility, such as solitary confinement or lock downs, can reduce access to medications.
- ▶ Access to Specialty Care. Correctional systems have multiple facilities with multiple buildings. Specialty care, including infectious disease specialists, may not be available in every clinic, and transfers to these specialists may not occur.

Strategies for Improving HIV Treatment and Care in Correctional Settings

- > Ensure uninterrupted access to antiretroviral medication, including access on entry, a process to track that medications are received, and such strategies as keep-on-person [KOP] medication.
- > Treat comorbidities, including substance use disorder, mental illness, and hepatitis.
- Provide a multidisciplinary team—at a minimum, a physician, a nurse, and a social worker/case manager, with the patient as a partner.
- > Ensure dually based physicians and case managers (i.e., providers who serve the patient in both the facility and the community).
- > Use telehealth to facilitate access to HIV care and specialists, and maintain a connection to the same clinicians as the patient moves to different facilities.
- > Identify champions to advocate for the needs of patients with HIV, in the correctional system/facility, the community, or both.
- Introduce patients to harm reduction strategies; provide services in a harm reduction framework.
- > Provide education/training for administration and correctional officers, including stigma reduction training.
- > Train clinical staff to ensure adherence to treatment guidelines.
- Build connections with community-based organizations and community-based services and allow them access to the facility (e.g., Alcoholics Anonymous/Narcotics Anonymous).
- > Ensure that contracts for the provision of health care within correctional facilities are aligned with HIV treatment guidelines.
- **>** Develop standard language for requests for proposals for contracted health care services based on U.S. Department of Health and Human Services guidelines and tied to performance measures that correctional systems can use in their procurement process.
- > Collect data on access to care within facilities (e.g., type of care provided, access to specialty care, viral suppression rates).
- > Encourage representation of both the department of corrections and individual facilities on RWHAP planning bodies.

Training. The lack of HIV-related information and training for administrators and staff in correctional systems/facilities can affect the care of people with HIV. County managers and correctional facility administrators (i.e., wardens) make decisions related to the resources available to facilities and the policies within facilities that may limit access to or the quality of treatment for people with HIV in those facilities. More training is necessary for clinical staff, corrections officers, and administrators to ensure an understanding of the needs of incarcerated individuals with HIV, with a particular focus on reducing stigma and discrimination in facilities. Panelists also noted the need to educate those in the corrections community about the RWHAP and the resources available to patients with HIV.

ISSUES RELATED TO HIV CARE DURING RE-ENTRY

Panelists noted that patients face multiple challenges to continuity of care during re-entry. Some of these relate to the release process, whereas others relate to disconnects between correctional facilities and services within the community.

Specific Issues

- Unpredictable Release Dates. Release dates may change, frustrating efforts to ensure a "warm handoff." Sometimes release is scheduled for late at night, which can make coordination with community partners difficult. Unpredictable release also can result in a patient's leaving the facility without their medications.
- Connecting With a Community-Based Health Care Provider. Many jurisdictions have processes in place to ensure continuity of care. However, even for systems/facilities where this is the intention, it may not take place. Patients (and staff) must navigate the system, which may include multiple payers, requirements, and processes. For example, enrolling a patient in Medicaid or the RWHAP AIDS Drug Assistance Program may or may not be possible within the facility. Some community-based providers will not make an appointment unless the patient has active insurance or Medicaid, so the patient leaves the correctional facility with no appointment. The patient must contact the provider and make an appointment after release. The Health Insurance Portability and Accountability Act (HIPAA) also plays a role. Many community-based providers will not engage with the patient's clinician within the correctional facility until the patient is released, has accessed their organization, and has signed a HIPAA release. This policy makes advanced coordination impossible.

Even if a community-based provider is selected prior to release, the process may not go smoothly. Many patients may not know where they will be living upon release and may select a provider and pharmacy that is not convenient to where they eventually live. Patients who are on Medicaid prior to release may be assigned to a provider who may not be the most appropriate to provide HIV-related care or be convenient to where the patient is living.

Although the peer navigator is considered one of the most effective bridges to treatment, many community-based organizations (CBO) report challenges getting navigators into correctional facilities so they can facilitate a warm handoff. The issue is twofold: (1) Either the CBO or the facility may lack processes for CBO staff to enter the correctional facility; and (2) peer navigators, people with similar lived experience, may have a history of incarceration and have difficulty gaining approval to access the facility.

- Access to Medications Upon Release. Even if a patient is able to line up a community-based provider before release, ensuring ongoing access to medications can be a challenge. Patients may not have sufficient supply of medication upon release to last until their first appointment, and some retail pharmacies will not fill prescriptions from correctional facilities.
- **Followup.** Followup with patients is difficult. Often, patients leave facilities without a home address or telephone number. They are located only when and if they access care.
- **Exchange of Health Information.** Many systems/facilities do not have electronic health records (EHRs), which complicates the transfer of patient information; patients arrive at their new provider with paper records.

Strategies for Improving HIV Treatment and Care During Re-Entry

- > Ensure a warm handoff (same clinician [dually based], clinician to clinician [face-to-face meeting before transfer], or establish a relationship with a new provider [via telephone]).
- **>** Employ peer specialists to support re-entry (e.g., navigator, addiction coach, re-entry coach).
- **>** Ensure that insurance/Medicaid/AIDS Drug Assistance Program is in place upon release.
- **>** Ensure that the first appointment with a new clinic is in place on release.
- **>** Follow up with patients to the extent possible, given challenges in tracking patients upon release.
- > Connect patients with essential services, especially housing.
- > Link patients to harm-reduction organizations, especially overdose prevention for the newly released.
- > Help HIV-related community-based organizations connect with correctional facilities and organizations that serve incarcerated individuals (e.g., evangelical organizations).
- > Educate correctional facilities about RWHAP.
- > Engage formerly incarcerated people with HIV in the RWHAP planning process.

DATA CONSIDERATIONS

To improve the quality of patient care and data-driven decision-making, accurate data at the patient and facility levels need to be collected. At the patient level, health outcomes (e.g., viral suppression) need to be documented. At the facility level, quality indicators related to HIV testing, access to care, and access to antiretroviral treatment are needed. Sharable electronic health records and up-to-date data sets also are needed.

Providers also should collect data related to justice involvement, but these data need to be collected in a sensitive manner. Such information includes the date of release from most recent incarceration, length of most recent incarceration, number of previous incarcerations, and history of solitary confinement.

CONCLUSION

A knowledge gap remains on how RWHAP grant funds can be used to support people with HIV who are justice involved. Opportunities exist for RWHAP recipients and correctional facilities to collaborate and ensure that people with HIV who are justice involved receive needed care and treatment, both while incarcerated and upon release.

